

Date Prepared: 06/21/2020

SAFETY DATA SHEET

1. IDENTIFICATION

Product Name: EBECRYL® 846 radiation curing resins

Synonyms: None

Product Description: Modified polyester acrylate resin

Molecular Formula: Mixture
Molecular Weight: Mixture

Intended/Recommended Use: Coatings & Inks

Allnex USA Inc., 9005 Westside Parkway, Alpharetta, Georgia 30009, USA

For Product and all Non-Emergency Information call your local Allnex contact point or contact us at http://www.allnex.com/contact

EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:

+1-866-928-0789 (toll free) or +1-215-207-0061 (Carechem 24 - Allnex29003-NCEC) See Section 16 for Emergency phone numbers for other regions.

Trademarks indicated with ®, TM or * as well as the allnex name and logo are registered, unregistered or pending trademarks of Allnex Netherlands BV or its directly or indirectly affiliated allnex Group companies.

2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive Toxicant Hazard Category 2 Serious Eye Damage / Eye Irritation Hazard Category 1 Skin Sensitizer Hazard Category 1B Aquatic Environment Acute Hazard Category 3 Aquatic Environment Chronic Hazard Category 3

LABEL ELEMENTS



Signal Word DANGER

Hazard Statements

Suspected of damaging fertility or the unborn child Causes serious eye damage
May cause an allergic skin reaction
Harmful to aquatic life
Harmful to aquatic life with long lasting effects

Precautionary Statements

Obtain special instructions before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local and national regulations.

Hazards Not Otherwise Classified (HNOC), Other Hazards

Polymerization may occur from excessive heat, contamination or exposure to direct sunlight.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

| Component / CAS No. | % | GHS Classification |
|--|---------|--|
| Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) | 5 - 9.5 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1B (H317) Aquatic Acute 2 (H401) Aquatic Chronic 2 (H411) |
| Glycerol propoxylated, esters with acrylic acid 52408-84-1 | 1 - 5 | Eye Irrit. 2A (H319) Skin Sens. 1B (H317) |
| 4-Methoxyphenol 150-76-5 | < 0.15 | Repr. 2 (H361d) Acute Tox. 4 (H302) Skin Irrit. 3 (H316) Eye Irrit. 2A (H319) Skin Sens. 1B (H317) Aquatic Acute 2 (H401) Aquatic Chronic 3 (H412) |
| Epoxy acrylate - | 45 - 55 | Skin Sens. 1B (H317) |
| Acrylated resin - | 40 - 45 | Eye Irrit. 2A (H319) |

The specific chemical identity and/or exact percentage of composition for one or more ingredients has been withheld as a trade secret.

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

4. FIRST AID MEASURES

First-aid Measures

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms.

Date Prepared: 06/21/2020

Skin Contact:

Wash immediately with plenty of water and soap. Remove contaminated clothing and shoes without delay. Obtain medical attention. Do not reuse contaminated clothing without laundering. Destroy or thoroughly clean shoes before reuse.

Eye Contact:

Rinse immediately with plenty of water for at least 15 minutes. Obtain medical advice if there are persistent symptoms.

Ingestion:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects, Acute and Delayed

None known.

Immediate Medical Attention and Special Treatment

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Notes To Physician:

No specific measures have been identified.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use water spray or fog, carbon dioxide or dry chemical.

Unsuitable Extinguishing Media:

high pressure water jet.

Protective Equipment:

Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

Special Hazards:

Keep containers cool by spraying with water if exposed to fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. In addition to the protective clothing/equipment in Section 8 (Exposure Controls/Personal Protection), wear impermeable boots.

Methods For Cleaning Up:

Cover spills with some inert absorbent material; sweep up and place in a waste disposal container. Flush spill area with water.

Environmental Precautions:

Avoid release to the environment.

References to other sections:

See Sections 7, 8 and 13 for additional information.

7. HANDLING AND STORAGE

HANDLING

Precautions: Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye/face protection.

Special Handling Statements: Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid excessive heat, contamination or exposure to direct sunlight to prevent polymerization.

STORAGE

Store in a cool, dry, well ventilated place and keep container tightly closed. Keep away from heat sources and direct sunlight.

Storage Temperature: Store at 4 - 60 °C 39.2 - 104 °F

Reason: Quality.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:

Utilize a closed system process where feasible. Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure when spraying or curing at elevated temperatures.

Respiratory Protection:

For operations where inhalation exposure can occur use an approved respirator. Recommendations are listed below. Other protective respiratory equipment may be used based on user's own risk assessment. Recommended respirators include those certified by NIOSH.

Recommended:

Full Face Mask with organic vapor cartridge, Type A filter (BP >65°C)

Eye Protection:

Prevent eye and skin contact. Provide eye wash fountain and safety shower in close proximity to points of potential exposure. Wear eye/face protection such as chemical splash proof goggles or face shield.

Skin Protection:

Prevent contamination of skin or clothing when removing protective equipment. Barrier creams may be used in conjunction with the gloves to provide additional skin protection. Wear impermeable gloves and suitable protective clothing.

Hand Protection:

Wear protective gloves. Recommendations are listed below. Other protective materials may be used based on user's own risk assessment. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility etc.) is noticed.

Gloves for repeated or prolonged exposure - non exhaustive list:

Nitrile rubber (NBR), thickness: > 0.56 mm, break through time: up to 480 min

Gloves for short term exposure/splash protection - non exhaustive list:

Nitrile rubber (NBR), thickness: 0.1 mm, break through time: up to 30 min

The chemical resistance depends on the type of product and amount of product on the glove. Therefore gloves need to be changed when in contact with chemicals.

Not suitable gloves - non exhaustive list:

Date Prepared: 06/21/2020

Latex gloves

Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing.

Additional Advice:

Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

Exposure Limit(s)

150-76-5 4-Methoxyphenol

OSHA (PEL):

ACGIH (TLV):

Other Value:

Not established

5 mg/m³ (TWA)

Not established

Biological Exposure Limit(s)

No values have been established.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:liquidOdor:esterBoiling Point:> 100 °CMelting Point:Not available

Vapor Pressure: < 0.133 hPa @ 20 °C

Specific Gravity/Density: 1.1 g/cm³ Vapor Density: Not available Percent Volatile (% by wt.): < 0.5 % Not available :Ha Saturation In Air (% By Vol.): Not available Not available **Evaporation Rate:** Solubility In Water: Not available **Volatile Organic Content:** Not available

Flash Point: > 100 °C Setaflash Closed Cup

Flammable Limits (% By Vol): Not available Not available Partition coefficient Not available Not available Not available

(n-octanol/water):

Odor Threshold:
Viscosity (Kinematic):
Viscosity (Dynamic):
Not available
Not available

Explosive Properties: None.

Oxidizing Properties: Not available

10. STABILITY AND REACTIVITY

Reactivity: No information available

Stability: Stable.

Conditions To Avoid: Avoid temperatures higher than 60°C. Avoid friction with temperature increase as

result. Avoid exposure to strong UV sources. Avoid direct contact with heat

sources.

Polymerization: May occur

Materials To Avoid: Avoid contact with peroxides.

Avoid free radical producing initiators. Avoid contact with reactive metals.

Contact with alkalis.

They give an exothermic reaction with the product. Unintentional contact with them should be avoided.

Hazardous Decomposition

oxides of carbon

Products:

smoke hydrocarbons

soot

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Oral.

Acute toxicity - oral: Not Classified - Based on available data and/or professional judgment, the classification

criteria are not met.

Acute toxicity - dermal: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Acute toxicity - inhalation: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Skin corrosion / irritation: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Serious eye damage / eye irritation: Causes serious eye damage

Respiratory sensitization: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Skin sensitization: May cause an allergic skin reaction

Carcinogenicity: Not Classified - Based on available data and/or professional judgment, the classification

criteria are not met.

Germ cell mutagenicity: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Reproductive toxicity: Suspected of damaging fertility or the unborn child

Specific target organ toxicity (STOT) - single exposure: Not Classified. - Based on available data and/or

professional judgment, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure: Not Classified. - Based on available data and/or

professional judgment, the classification criteria are not met.

Aspiration hazard: Not Classified - Based on available data and/or professional judgment, the classification

criteria are not met.

PRODUCT TOXICITY INFORMATION

ACUTE TOXICITY DATA

 oral
 rat
 Acute LD50
 > 2000 mg/kg

 dermal
 rabbit
 Acute LD50
 > 2000 mg/kg

 inhalation
 rat
 Acute LC50 4 hr
 > 5 mg/l (Dust/Mist)

LOCAL EFFECTS ON SKIN AND EYE

Acute Irritation dermal Not irritating

Acute Irritation eye Irritating to Corrosive

SDS: 0018420

ALLERGIC SENSITIZATION

Sensitization Skin Sensitizing
Sensitization respiratory No data

GENOTOXICITY

Assays for Gene Mutations

Ames Salmonella Assay No data

OTHER INFORMATION

The product toxicity information above has been estimated.

The toxicological properties of this material have not been fully determined.

Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms such as redness, blistering, dermatitis, etc.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

HAZARDOUS INGREDIENT TOXICITY DATA

The complex reaction product consisting primarily of pentaerythritol triacrylate and pentaerythrytol tetraacrylate has acute oral (rat) and dermal (rabbit) LD50 values of 540-1350 mg/kg and 4600 mg/kg, respectively. This material may cause moderate skin irritation and severe eye irritation. Mixture of pentaerythritol triacrylate and pentaerythrytol tetraacrylate may cause skin sensitization. This material was not mutagenic in the Ames Salmonella Assay and not mutagenic in the mammalian forward gene mutation test (HPRT). The outcome for chromosomal damage in the mouse Micronucleus Assay was also negative. A prenatal study in rabbits has not shown any adverse effects with regard to developmental toxicity. Carcinogenicity has not been investigated.

Glycerol propoxylated, esters with acrylic acid, CAS: 52408-84-1, Acute toxicity: LD50-oral rat >2000 mg/kg Acute toxicity: LD50-dermal, rabbit > 2000 mg/kg Eye irritation: serious corneal opacity, considerable redness and oedema. Skin irritation: no dermal reactions (OECD-PII= 0). This material may cause dermal sensitization. Mutagenicity: negative in the Ames test, positive in the mouse lymphoma gene mutation test. In vitro mammalian chromosome aberration test: negative. Long term toxicity: no data available.

4-Methoxyphenol has an oral LD50 of 1630 mg/Kg (rat), and a dermal LD50 of > 2000 mg/Kg (rat). Suspect skin sensitizer (guinea pig). 4-Methoxyphenol is a moderate to severe eye irritant and a slight skin irritant. Ingestion causes gastrointestinal irritation with nausea and vomiting and possibly ulceration. Overexposure (ingestion/inhalation) can cause methemoglobinemia with cyanosis, as well as central nervous system (CNS) depression, with symptoms ranging from headache, and confusion, to coma, and respiratory failure.
4-Methoxyphenol may be absorbed through skin, causing symptoms similar to ingestion/inhalation exposure routes. In vitro testing hasn't revealed genotoxic effects. This was confirmed by an in vivo clastogenicity study. No increase in tumour incidence was observed in several carcinogenicity assays. 4-Methoxyphenol has induced teratogenic effects in oral (gavage) prenatal toxicity studies.

The toxicological properties of epoxy acrylate have not been fully investigated. The LD50 oral (rat) and LD 50 dermal (rabbit) are estimated to be > 2000 mg/kg and > 2000 mg/kg, respectively. It is not expected to cause eye or skin irritation. Repeated or prolonged skin contact may cause allergic skin reactions.

The toxicological properties of acrylated resin have not been fully determined. Irritating to eyes. Slightly irritating to skin.

WARNING: Reproductive Harm – www.P65Warnings.ca.gov

12. ECOLOGICAL INFORMATION

TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, OTHER ADVERSE EFFECTS

Overall Environmental Toxicity: Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

SDS: 0018420

The ecological assessment for this material is based on an evaluation of its components.

RESULTS OF PBT AND vPvB ASSESSMENT

Not determined

HAZARDOUS INGREDIENT TOXICITY DATA

| Component / CAS No. | Toxicity to Fish |
|--|--|
| Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-) | LC50 = 3.2 mg/l - Carp - 96 hr |
| Glycerol propoxylated, esters with | LC50 = 5.74 mg/L - Zebrafish (96hrs) |
| acrylic acid (52408-84-1) | NOEC = 1.59 mg/L - Zebrafish (96hrs) |
| 4-Methoxyphenol (150-76-5) | LC50 = 28.5 mg/L - Oncorhynchus mykiss (96hrs) |
| | LC50 = 84.3 mg/L - Pimephales promelas (96hrs) |
| Epoxy acrylate (-) | Not available |
| Acrylated resin (-) | Not available |

| Component / CAS No. | Toxicity to Water Flea |
|--|--|
| Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-) | EC50 = 13 mg/l - water flea - 48 hr |
| Glycerol propoxylated, esters with acrylic acid (52408-84-1) | EC50 = 91.4 mg/L - Daphnia Magna (48hrs) NOEC = 25.0 mg/L - Daphnia Magna (48hrs) |
| 4-Methoxyphenol (150-76-5) | EC50 = 3 mg/L - Daphnia magna (48hrs) NOEC = 1.32 mg/L - Daphnia magna (48hrs) |
| Epoxy acrylate (-) | Not available |
| Acrylated resin (-) | Not available |

| Component / CAS No. | Toxicity to Algae |
|--|---|
| Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-) | EL50 = 33 mg/l - Pseudokirchneriella subcapitata - 24-96 hr NOELR = 10 mg/l - Pseudokirchneriella subcapitata - 24-96 hr |
| Glycerol propoxylated, esters with | EC50 = 12.2 mg/L - Desmodesmus subspicatus |

| acrylic acid (52408-84-1) | (72hrs) |
|----------------------------|---|
| | NOEC = 0.921 mg/L - Desmodesmus subspicatus |
| | (72hrs) |
| 4-Methoxyphenol (150-76-5) | EC50 = 54.7 mg/L - Pseudokirchnerella subcapitata |
| | (72hrs) |
| Epoxy acrylate (-) | Not available |
| Acrylated resin (-) | Not available |

| Component / CAS No. | Partition coefficient |
|--|-----------------------|
| Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-) | Not available |
| Glycerol propoxylated, esters with acrylic acid (52408-84-1) | Log Kow = 2.52 |
| 4-Methoxyphenol (150-76-5) | log Kow = 1.3 |
| Epoxy acrylate (-) | Not available |
| Acrylated resin (-) | Not available |

13. DISPOSAL CONSIDERATIONS

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the quidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seg) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste"; information contained in Section 15 of this SDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

US DOT

Dangerous Goods? Not applicable/Not regulated

TRANSPORT CANADA

Dangerous Goods? Not applicable/Not regulated

ICAO / IATA

Date Prepared: 06/21/2020

Dangerous Goods? Not applicable/Not regulated

IMO

Dangerous Goods? Not applicable/Not regulated

SPECIAL PRECAUTIONS FOR USER

Protect against external heat sources above +60°C/140°F.

15. REGULATORY INFORMATION

Inventory Information

United States (USA): All components of this product are designated as "Active" on the TSCA Inventory or are not required to be listed.

Canada: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

European Economic Area (including EU): When purchased and shipped from an Allnex legal entity based in the EEA (EU or Norway), this product is compliant with the registration of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt and/or registered.

Australia: All components of this product are included in the Australian Inventory of Chemical Substances (AICS) or are not required to be listed on AICS.

New Zealand: This product is approved or exempt under the Hazardous Substances and New Organisms (HSNO) Act.

China: All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese inventory.

Japan: All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese inventory.

Korea: One or more components of this product are NOT included on the Korean (ECL) inventory.

Philippines: One or more components of this product are NOT included on the Philippine (PICCS) inventory.

Taiwan: All components of this product are included in the Taiwan chemical substance inventory or are not required to be listed on the Taiwan chemical substance inventory (TCSI).

Switzerland: All components of this product are exempt from the new substance notification requirements for Switzerland (SR 813.11 art. 24-26).

Turkey - When purchased directly from Allnex by a Turkish legal entity, this product is compliant with the PRE-registration requirements of KKDIK as all its components are either pre-registered, excluded and/or exempt.

OTHER ENVIRONMENTAL INFORMATION

The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

This product does not contain any components regulated under these sections of the EPA

PRODUCT HAZARD CATEGORY UNDER SECTIONS 311 AND 312 OF EPCRA

Not applicable

Health Hazards

Reproductive toxicity Respiratory or Skin Sensitization Serious eye damage or eye irritation

Date Prepared: 06/21/2020

16. OTHER INFORMATION

NFPA Hazard Rating (National Fire Protection Association)

Health: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 1 - Materials that in themselves are normally stable, but that can become unstable at elevated temperatures and pressures.

Revised Section 15 Reasons for Issue:

06/21/2020 **Date Prepared:** Date of last significant revision: 06/20/2020

Component - Hazard Statements

Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4)

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Glycerol propoxylated, esters with acrylic acid

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

4-Methoxyphenol

H302 - Harmful if swallowed.

H316 - Causes mild skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H361d - Suspected of damaging the unborn child.

H401 - Toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Epoxy acrylate

H317 - May cause an allergic skin reaction.

Acrylated resin

H319 - Causes serious eye irritation.

Emergency phone numbers for other regions

Asia Pacific

Australia: +61 1800 022 037 (Allnex Australia)

China (PRC): +86(0)25 8547 7110 (Jiangsu registration center) / +86(0)532 8388 9090 (NRCC)

India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24)

Indonesia: 007 803 011 0293 (Carechem 24) Japan: +81 345 789 341 (Carechem 24) Korea: +82 2 3479 8401 (Carechem 24) Malaysia: +60 3 6207 4347 (Carechem 24)

New Zealand: +64 0800 803 002 (Allnex New Zealand)

Philippines: +63 2 231 2149 (Carechem 24) Taiwan: +886 2 8793 3212 (Carechem 24) Vietnam: +84 8 4458 2388 (Carechem 24) All Others: +65 3158 1074 (Carechem 24)

Europe

+44 (0) 1235 239 670 (Carechem 24)

Middle East, Africa

+44 (0) 1235 239 671 (Carechem 24)

Latin America

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24)

Chile: +56 2 2582 9336 (Carechem 24)

Mexico and all others: +52-555-004-8763 (Carechem 24)

Prepared By: Product Stewardship & Regulatory Affairs Department, http://www.allnex.com/contact

Date Prepared: 06/21/2020

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.