



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : **BAEROLUB L-AS-SP**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Manufacture of plastics products
Polymer additive
Lubricant and release agent

1.3 Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC
5890 Highland Ridge Drive
45232 Cincinnati
Telephone : Day 330-602-1528, 330-602-1531 or -1530
Telefax : Night 513-207-1620 or 513-604-2327
E-mail address : Hotline.PS@baerlocher.com
Responsible/issuing person : Product Safety Department

1.4 Emergency telephone number (0 - 24 h)

Tel.: 800-424-9300 USA or 703-527-3887

2. Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Global Harmonized System (GHS)
Not a hazardous substance or mixture according to OSHA
Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008
This substance is not classified as dangerous according to Directive 67/548/EEC or 1999/45/EC.
WHMIS hazard class – not controlled.

2.2 Label elements

OSHA 29 CFR § 1910.1200

Signal word: Warning

Hazard Statement: May form combustible dust concentrations in air.

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008

2.3 Hazards not otherwise classified (HNOC)

Health injuries are not known or expected under normal use.



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

3. Composition/information on ingredients

3.1 Substances

Common names : Ethylene bisstearamide CAS# 110-30-5
Chemical name : N,N'-Ethylenebis(stearamide)

4. First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.
In case of skin contact : Wash off with soap and water.
In case of eye contact : Rinse with plenty of water.
If swallowed : Clean mouth with water and drink afterwards plenty of water.
Consult a doctor and show this safety datasheet.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
Sand

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Smoke and fumes, toxic.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.
Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.
Avoid formation and buildup of dust.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.
Keep in a dry place.

8. Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	Basis	Value	Note
General limits for air contaminants (PNOC)	ACGIH TLV	10 mg/m ³	total dust
	ACGIH TLV	3 mg/m ³	Respirable fraction
	OSHA PEL	15 mg/m ³	total dust
	OSHA PEL	5 mg/m ³	Respirable fraction

DNEL : End Use: Workers
not determined

PNEC : Microbiological Activity in Sewage Treatment Systems
Value: 100 mg/l

PNEC : PNEC oral (secondary poisoning)
Does not bioaccumulate



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

8.2 Exposure controls

Engineering measures

Local exhaust

Personal protective equipment

- Respiratory protection : Half mask with a particle filter P2 (EN 143).
Necessary, in case of dust formation.
- Hand protection : protective gloves acc. to EN 374, e.g. neoprene
- Eye protection : Safety glasses
- Skin and body protection : Long sleeved clothing
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Do not smoke.
When using do not eat or drink.
Wash hands before breaks and at the end of workday.
- Protective measures : Static dissipative shoes are recommended for use in environments that may not have sufficient ventilation and engineering controls to prevent incidental releases of airborne concentrations of the combustible dust to present an explosion hazard from static electrical discharge from personnel.

Environmental exposure controls

- General advice : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.
-

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : White to off-white granules
- Odor : slight fatty odor
- Odor Threshold : no data available
- pH : no data available
- Melting point/range : 140 - 160 °C, Kofler Hot Bar (OECD 102)
- Flash point : 285 °C, ASTM D 3828
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
: no data available



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

Flammability or explosive limits	no data available
Upper	no data available
Lower (MEC)	
Vapor Pressure	: 1 hPa, 70 °C
Vapor Density	: no data available
Density	: 0,99 - 1,01 g/cm ³ , 20 °C
Solubility	: insoluble in water
Partition coefficient: n-octanol/water	: POW: 0.8, OECD - Guideline 107
Auto-ignition temperature	: 380 °C
Decomposition temperature	: Stable under normal storage and handling temperatures
Viscosity	: no data available
Molecular formula	: Mixture derived from natural products
Molecular weight	: 593 (approximate)

9.2 Other information

Bulk density : no data available

10. Stability and reactivity

10.1 Reactivity

Stable at normal ambient temperature and pressure.

10.2 Chemical stability

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : The product is combustible.
Risk of dust explosion.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.
Keep away from heat and sources of ignition.

10.5 Incompatible materials

Materials to avoid : not applicable

10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if used as directed.



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

11. Toxicological information

11.1 Information on toxicological effects

Product

- Acute oral toxicity : LD50: > 15.380 mg/kg, rat, OECD Test Guideline 401, GLP: no, Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : LC50: > 6,3 mg/l, 240 min, rat, OECD Test Guideline 403, GLP: yes, Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50: > 2.000 mg/kg, rabbit, OECD Test Guideline 402, GLP: yes, Based on available data, the classification criteria are not met.
- Skin corrosion/irritation : rabbit, Result: not irritating, OECD Test Guideline 404, 24 h, GLP: no, Based on available data, the classification criteria are not met.
- Serious eye damage/eye irritation : rabbit, Result: not irritating, OECD Test Guideline 405, 24 h, GLP: no, Based on available data, the classification criteria are not met.
- Respiratory or skin sensitization : Skin sensitization
- : LLNA, mouse, Result: not sensitizing, OECD Test Guideline 429, GLP: yes, Based on available data, the classification criteria are not met.
- : Respiratory sensitization
- : Not classified due to lack of data.
- Germ cell mutagenicity
- Genotoxicity in vitro : In vitro gene mutation study in mammalian cells, mouse lymphoma cells, Result: negative, OECD Test Guideline 476, GLP: yes
- : Mutagenicity (Salmonella typhimurium - reverse mutation assay), Bacteria, Result: negative, OECD Test Guideline 471, GLP: no
- : Chromosome aberration test in vitro, hamster, Result: negative, OECD Test Guideline 473, GLP: yes, Based on available data, the classification criteria are not met.
- Genotoxicity in vivo : other justification
- Teratogenicity : rat, Oral, NOAEL: >= 1.000 mg/kg, >= 1.000 mg/kg, OECD Test Guideline 414, GLP: yes, Based on available data, the classification criteria are not met.
- STOT - single exposure : Remarks: Based on available data, the classification criteria are not met.



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

- STOT - repeated exposure : rat, Oral, Exposure time: 104 w, NOAEL: \geq 2.500 mg/kg, Based on available data, the classification criteria are not met.
- Aspiration toxicity : Based on available data, the classification criteria are not met.

11.2 Other Information

- Likely route of exposure : Inhalation, Ingestion, Skin contact.
- Carcinogenicity : Not listed in the National Toxicology Program (NTP) Report on carcinogens, not found to be a potential carcinogen by the International Agency for Research on Cancer (IARC) nor by OSHA.
- Further information : CMR effects, Carcinogenicity, Mutagenicity, Reproductive toxicity, Hazard assessment, Category 1A, Category 1B, Based on available data, the classification criteria are not met.

12. Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50: > 100 mg/l, 96 h, *Oryzias latipes*, semi-static test, OECD Test Guideline 203, GLP: yes, Value referred to the Water accumulated fraction (WAF).
- Toxicity to daphnia and other aquatic invertebrates : EC50: > 100 mg/l, 48 h, *Daphnia magna* (Water flea), semi-static test, OECD Test Guideline 202, GLP: yes, Value referred to the Water accumulated fraction (WAF).
- Toxicity to algae : EC50: > 100 mg/l, 72 h, *Pseudokirchneriella subcapitata* (green algae), static test, OECD 201, GLP: yes, Value referred to the Water accumulated fraction (WAF).
- Toxicity to bacteria : EC50: > 1.000 mg/l, 3 h, activated sludge, static test, OECD Test Guideline 209, GLP: no
- Toxicity to fish (Chronic toxicity) : no data available
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) Ecotoxicology Assessment : NOEC: > 100 mg/l, 21 d, *Daphnia magna* (Water flea), semi-static test, OECD Test Guideline 211, GLP: yes, Value referred to the Water accumulated fraction (WAF).
- Acute aquatic toxicity : Based on available data, the classification criteria are not met.
- Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product:

- Biodegradability : aerobic, 5,5 %, Result: Not readily biodegradable., Exposure time: 28 d, Concentration: 20 mg/l, OECD Test Guideline 301 B, GLP: yes



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Cyprinus carpio (Carp), Exposure time: 42 d, Concentration: 0,083 mg/l, Bioconcentration factor (BCF): < 6,2, standardised international/national methodology, GLP: yes, Bioaccumulative potential slightly

12.4 Mobility in soil

Product:

Mobility : Groundwater contamination is unlikely.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Based on available data, the classification criteria are not met.

12.6 Other adverse effects

Product:

Further information : No information available.

13. Disposal considerations

13.1 Waste treatment methods

Product : Take to an established disposal company according to the waste regulations.

Contaminated packaging : Empty out residues and take away for disposal according to the packaging regulations.
EWC Code:150101 (Paper and Cardboard), 150102 (Plastics)

14. Transport information

14.1 UN number : Not applicable
DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

14.2 Proper shipping name

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

14.3 Transport hazard class

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

14.4 Packing group

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

14.5 Environmental hazards

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

14.6 Special precautions for user

See this safety data sheet chapter 6. - 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : No transport according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 313 Supplier Notification (USA)

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	wt [%]
not applicable		

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.



BAEROLUB L-AS-SP

Version 1.0

Revision Date 25.05.2015

15.3 Chemical Inventory

Europe	EINECS	:	listed
United States	TSCA	:	listed
Canada	DSL	:	listed
Australia	AICS	:	listed
Japan	ENCS	:	listed
Korea	KECL	:	listed
Philippines	PICCS	:	listed
China	IECSC	:	listed
New Zealand	NZIoC	:	listed
Taiwan	NECSI	:	listed

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

16. Other information

16.1 HMIS Rating (USA)

Health	1
Flammability	1
Reactivity	1
Personal Protection	E

Version 1.0

Revision Date 25.05.2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.