

**SAFETY DATA SHEET****Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Plyamul® 307  
Product code : 10000000851

**Manufacturer or supplier's details**

Company : H.B. Fuller Company  
Address : 1200 Willow Lake Boulevard  
Vadnais Heights, MN 55110  
Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

**Recommended use of the chemical and restrictions on use**

Recommended use : Water based adhesive  
Restrictions on use : For industrial use only.


**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

Appearance	liquid
Color	white
Odor	sweet

**GHS Classification**

Carcinogenicity : Category 2

**GHS Label element**

Hazard pictograms : 

Signal Word : Warning

**Hazard Statements:**

H351 Suspected of causing cancer.

**Precautionary Statements:**

**Prevention:** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:** P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**SAFETY DATA SHEET**
**Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

**Potential Health Effects**
**Carcinogenicity:**

<b>IARC</b>	Group 2B: Possibly carcinogenic to humans vinyl acetate	108-05-4
<b>OSHA</b>	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
<b>NTP</b>	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical Name	CAS-No.	Concentration [%]
vinyl acetate	108-05-4	0.1 - 1

**SECTION 4. FIRST AID MEASURES**

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	: Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: none
Specific hazards during fire fighting	: Cool closed containers exposed to fire with water spray.
Specific extinguishing	:

**SAFETY DATA SHEET**
**Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

methods  
 Further information : This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
 Environmental precautions : No special environmental precautions required. Prevent product from entering drains.  
 Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special precautions are needed in handling this material.  
 Conditions for safe storage : Keep container closed when not in use. Keep in a dry, cool place.  
 Materials to avoid : Do not freeze. No special restrictions on storage with other products.  
 Storage temperature :  $\geq 40$  °F

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
vinyl acetate	108-05-4	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 30 mg/m <sup>3</sup>	OSHA P0
		STEL	20 ppm 60 mg/m <sup>3</sup>	OSHA P0

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment.

**SAFETY DATA SHEET****Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

Hand protection  
Material : Nitrile rubber  
Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : No special protective equipment required.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid  
Color : white  
Odor : sweet  
Odor Threshold : No data available  
pH : 4.5 - 5.8  
Melting point/freezing point : 32 °F  
Boiling point/boiling range : 212 °F  
Flash point : Not applicable  
Evaporation rate : not determined  
Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : upper flammability limit  
not determined

Lower explosion limit : lower flammability limit  
not determined

Vapor pressure : not determined  
Relative vapor density : not determined  
Density : 8.8 - 9.2 lb/gal  
Solubility(ies)  
Water solubility : dispersible  
Partition coefficient: n-  
octanol/water : No data available  
Autoignition temperature : not determined

Viscosity  
Viscosity, dynamic : 1,000 - 2,200 cP  
Solid Content, % by weight: : 57 - 59

**SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : The product is chemically stable.

Possibility of hazardous  
reactions : Hazardous polymerization does not occur.  
Hazardous decomposition : Stable under normal conditions.

**SAFETY DATA SHEET****Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

products

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation methodAcute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method**Ingredients:****vinyl acetate:**

Acute oral toxicity : LD50 Oral rat: 2,920 mg/kg

Acute inhalation toxicity : LC50 rat: 11.4 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal rabbit: 2,320 mg/kg

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT-single exposure**

No data available

**STOT-repeated exposure**

No data available

**Aspiration toxicity**

**SAFETY DATA SHEET****Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Ingredients:****vinyl acetate :**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14 mg/l  
Exposure time: 96 h  
Test Method: static test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 52 mg/l  
aquatic invertebrates : Exposure time: 24 h  
Test Method: static test

**Persistence and degradability**

No data available

**Bioaccumulative potential****Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

**SECTION 14. TRANSPORT INFORMATION****Special precautions for user**

Remarks : Not dangerous goods

**Domestic regulation****International Regulation**

**SAFETY DATA SHEET****Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15. REGULATORY INFORMATION****SARA 311/312 Hazards** : Chronic Health Hazard**SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302:

vinyl acetate 108-05-4

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

vinyl acetate 108-05-4

**Clean Air Act**

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

vinyl acetate 108-05-4

**US State Regulations****California Prop 65** This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.**The ingredients of this product are reported in the following inventories:**

<b>TSCA</b>	On TSCA Inventory
<b>DSL</b>	All components of this product are on the Canadian DSL.
<b>REACH</b>	Not in compliance with the inventory
<b>AICS</b>	On the inventory, or in compliance with the inventory
<b>NZIoC</b>	Not in compliance with the inventory
<b>ENCS</b>	On the inventory, or in compliance with the inventory
<b>KECI</b>	On the inventory, or in compliance with the inventory
<b>PICCS</b>	On the inventory, or in compliance with the inventory
<b>IECSC</b>	Not in compliance with the inventory
<b>TWINV</b>	Not in compliance with the inventory

**Inventories Legend** TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)


**SECTION 16. OTHER INFORMATION**

**SAFETY DATA SHEET**
**Plyamul® 307**

Version 1.1

Revision Date 02/12/2016

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

**Further information**
**NFPA:**

**HMIS III:**

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.