

TERMIX® 5920

Version 1.0 Revision Date: 10/20/2015 SDS Number: 400001003740 Date of last issue: -
Date of first issue: 10/20/2015

SECTION 1. IDENTIFICATION

Product name : TERMIX® 5920

Manufacturer or supplier's details

Company name of supplier : Huntsman International LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America
Telephone : TechInfo: (281) 719-7780
E-mail address of person responsible for the SDS : MSDS@huntsman.com
Emergency telephone : Chemtrec: (800) 424-9300 or (703) 527-3887

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage : Category 1
Acute aquatic toxicity : Category 1
Chronic aquatic toxicity : Category 3

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

TERMIX® 5920

Version 1.0 Revision Date: 10/20/2015 SDS Number: 400001003740 Date of last issue: -
Date of first issue: 10/20/2015

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	60 - 100
Alcohols, C11-14-iso-, C13-rich	68526-86-3	13 - 30

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIRE-FIGHTING MEASURES

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Evacuate personnel to safe areas.
Ensure adequate ventilation.
In case of inadequate ventilation wear respiratory protection.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Keep away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9
Alcohols, C11-14-iso-, C13-rich	68526-86-3

Personal protective equipment

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

Remarks

: Impervious gloves
The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection

: Eye wash bottle with pure water
Tightly fitting safety goggles.
Wear face-shield and protective suit for abnormal processing problems.
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection

: impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Appearance	: liquid
Color	: cloudy
Odor	: slight
Odor Threshold	: No data is available on the product itself.
pH	: 6 - 7
Flash point	: 300 °C Method: closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Upper explosion limit	: No data is available on the product itself.
Lower explosion limit	: No data is available on the product itself.
Vapor pressure	: No data is available on the product itself.
Relative vapor density	: No data is available on the product itself.
Relative density	: 0.93
Density	: No data is available on the product itself.
Solubility(ies)	
Water solubility	: No data is available on the product itself.
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Autoignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Viscosity	
Viscosity, kinematic	: 22.4 mm ² /s (40 °C)
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Hazardous decomposition products : Carbon dioxide (CO₂)
Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Acute oral toxicityIngredients : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 401

Alcohols, C11-14-iso-, C13-rich:

Acute oral toxicityIngredients : LD50 (Rat, male): > 2,673 mg/kg
Method: OECD Test Guideline 420

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Acute inhalation toxicity : LC50 (Rat): > 1600 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Alcohols, C11-14-iso-, C13-rich:

Acute inhalation toxicity : LC50 (Rat, male and female): > 12.2 mg/l
Exposure time: 6 h
Test atmosphere: vapor
Method: OECD Test Guideline 403

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Alcohols, C11-14-iso-, C13-rich:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Product:**

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation**Product:**

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:
Routes of exposure: Skin
Species: Humans
Result: Does not cause skin sensitization.

Routes of exposure: Skin
Species: Guinea pig
Method: Directive 67/548/EEC, Annex V, B.6.
Result: Does not cause skin sensitization.

Alcohols, C11-14-iso-, C13-rich:
Routes of exposure: Skin
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Does not cause skin sensitization.

Assessment: No data available

Germ cell mutagenicity**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:
Genotoxicity in vitro : Concentration: 5 - 50 µg/L
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Concentration: .5 - 100 µg/L
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Concentration: .0001 - .1 µg/L
Metabolic activation: Metabolic activation
Method: OECD Test Guideline 482
Result: negative
GLP: yes

Concentration: 2000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: no

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Alcohols, C11-14-iso-, C13-rich:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Genotoxicity in vivo : Application Route: Intraperitoneal injection
Dose: 100 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Carcinogenicity**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Species: Rat, (male and female)

Application Route: Oral

Exposure time: 24 month(s)

Dose: 500 mg/kg

Result: negative

Carcinogenicity - Assessment : No data available

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Effects on fertility : Species: Rat, male and female
Application Route: Oral

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Target Organs: Liver
GLP: yes

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Effects on fetal development : Species: Rat, male and female
Application Route: Dermal
Result: No teratogenic effects.

Alcohols, C11-14-iso-, C13-rich:

Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL (No observed adverse effect level): 500 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects.
GLP: yes

Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL (No observed adverse effect level): ca. 1,000 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects.
GLP: yes

Reproductive toxicity - Assessment : No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Repeated dose toxicity**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Species: Rat, male and female
NOAEL (No observed adverse effect level): 110 mg/kg/d
Application Route: Ingestion
Exposure time: 2,160 h
Method: Subchronic toxicity

Alcohols, C11-14-iso-, C13-rich:

Species: Rat, male
NOAEL (No observed adverse effect level): 130 mg/kg
Application Route: Ingestion
Exposure time: 336 h
Number of exposures: 7 d
Method: Subacute toxicity

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Repeated dose toxicity - Assessment : No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.96 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Alcohols, C11-14-iso-, C13-rich:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.42 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203
GLP: yes

TERMIX® 5920

Version 1.0 Revision Date: 10/20/2015 SDS Number: 400001003740 Date of last issue: -
Date of first issue: 10/20/2015

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.46 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Alcohols, C11-14-iso-, C13-rich:

Toxicity to daphnia and other aquatic invertebrates : EL50: 0.71 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 0.282 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes

Alcohols, C11-14-iso-, C13-rich:

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 3.2 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

M-Factor (Acute aquatic toxicity) : 1

Alcohols, C11-14-iso-, C13-rich:

M-Factor (Acute aquatic toxicity) : 1

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to fish (Chronic toxicity) : EC20 (Pimephales promelas (fathead minnow)): 0.95 mg/l
Exposure time: 30 d
Test substance: Fresh water

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC20 (Daphnia magna (Water flea)): 0.5 mg/l
Exposure time: 21 d
Test substance: Fresh water

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

M-Factor (Chronic aquatic toxicity) : No data available

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to bacteria : EC50 (activated sludge): 140 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
GLP:

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 336 h

Alcohols, C11-14-iso-, C13-rich:

Toxicity to soil dwelling organisms : EC50: 128.32 mg/kg
Exposure time: 336 h

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Plant toxicity : NOEC: >= 100 mg/kg
Exposure time: 408 h
Method: Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test

Sediment toxicity : No data available

Ingredients:

Alcohols, C11-14-iso-, C13-rich:

Toxicity to terrestrial organisms : Remarks: see user defined free text
Ecotoxicology Assessment
Acute aquatic toxicity : No data available

Ingredients:

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Further information:

No data available

TERMIX® 5920

Version 1.0 Revision Date: 10/20/2015 SDS Number: 400001003740 Date of last issue: -
Date of first issue: 10/20/2015

Persistence and degradability**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Biodegradability : Inoculum: Domestic sewage
Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d

Alcohols, C11-14-iso-, C13-rich:

Biodegradability : Inoculum: activated sludge
Concentration: 100 mg/l
Result: Readily biodegradable.
Biodegradation: 60.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Ingredients:

Alcohols, C11-14-iso-, C13-rich:

Photodegradation : Test Type: Air
Test Type: Water
Test Type: Soil

Impact on Sewage Treatment : No data available

Bioaccumulative potential**Ingredients:**

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 310

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Exposure time: 2 h
Test substance: Fresh water
Method: Bioaccumulation: Static Fish Test
GLP: no
Remarks: Does not bioaccumulate.

Alcohols, C11-14-iso-, C13-rich:
Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 45
Exposure time: 10 d
Test substance: Fresh water
Method: flow-through test
GLP: no

Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 14 d
Test substance: Fresh water
Method: semi-static test
GLP: no

Ingredients:

Alcohols, C11-14-iso-, C13-rich:
Partition coefficient: n-octanol/water : log Pow: 5.4 (25 °C)
pH: 7
Method: OECD Test Guideline 117

Mobility in soil

Mobility : No data available

Ingredients:

Alcohols, C11-14-iso-, C13-rich:
Distribution among environmental compartments : Koc: 505.8.
Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Global warming potential (GWP)	:	No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA**

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (ALCOHOLS, C12-18, ETHOXYLATED)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOLS, C12-18, ETHOXYLATED)
Class	:	9

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**DOT Classification**

UN/ID/NA number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOLS, C12-18, ETHOXYLATED)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(ALCOHOLS, C12-18, ETHOXYLATED)

SECTION 15. REGULATORY INFORMATION

TSCA - 5(a) Significant New Use Rule List of Chemicals : Not relevant

EPCRA - Emergency Planning and Community Right-to-Know**CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ETHYLENE OXIDE (EO)	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Acute Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

California Prop 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

ethylene oxide

75-21-8

TERMIX® 5920

Version 1.0	Revision Date: 10/20/2015	SDS Number: 400001003740	Date of last issue: - Date of first issue: 10/20/2015
----------------	------------------------------	-----------------------------	--

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

ethylene oxide


75-21-8

The ingredients of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AICS	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS III:**

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 10/20/2015

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

TERMIX® 5920

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/20/2015	400001003740	Date of first issue: 10/20/2015

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.