

*

Safety Data Sheet acc. to OSHA HCS

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Identification	
· Product identifier	
· Product name: LP-V01-21-00	
<u>Trade names:</u> ZnS/12P	
Chemical Identification: Zinc CAS Number: 1314-98-3 EC number:	sulphide
215-251-3	: Zinc sulphide: 01-2119475779-15-0004
The substance is used for the p	broduction of inorganic phosphors. use for private purposes (household).
 Details of the supplier of the Manufacturer/Supplier: Leuchtstoffwerk Breitungen Gr 	•
Lange Sömme 17 D-98597 Breitungen Tel.: +49-(0)36848-840	
Telefax: +49-(0)36848-8490 Email: info@leuchtstoffwerk.co Website: www.leuchtstoffwerk.	
Information dependences (
Information department: info(Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC LISA / CA (24 b)	er: mergency number GGIZ
Emergency telephone number DE: +49-(0)361 730 730 24h er	er:
Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h	er: mergency number GGIZ
Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant	er: mergency number GGIZ emergency number): +1 800 424 9300
Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements	er: mergency number GGIZ emergency number): +1 800 424 9300 ce or mixture
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void 	er: mergency number GGIZ emergency number): +1 800 424 9300 ce or mixture
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void 	er: mergency number GGIZ emergency number): +1 800 424 9300 ce or mixture
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void 	er: mergency number GGIZ emergency number): +1 800 424 9300 ce or mixture
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h) 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P202 Do not handle until all saf 	fety precautions have been read and understood.
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P202 Do not handle until all saf P261 Avoid breathing dust/fum P262 Do not get in eyes, on ski 	Fety precautions have been read and understood. e/gas/mist/vapors/spray in, or on clothing.
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P202 Do not handle until all saf P261 Avoid breathing dust/fum P262 Do not get in eyes, on ski P264 Wash hands and face the 	fety precautions have been read and understood. e/gas/mist/vapors/spray in, or on clothing. proughly after handling.
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h) 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P202 Do not handle until all saf P261 Avoid breathing dust/fum P262 Do not get in eyes, on ski P264 Wash hands and face the P281 Use personal protective er P285 In case of inadequate ver P501 Dispose of contents/conta 	fety precautions have been read and understood. e/gas/mist/vapors/spray in, or on clothing. proughly after handling.
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h) 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P202 Do not handle until all saf P261 Avoid breathing dust/fum P262 Do not get in eyes, on ski P264 Wash hands and face the P281 Use personal protective er P285 In case of inadequate ver P501 Dispose of contents/contaregulations. Other hazards 	Fr: mergency number GGIZ emergency number): +1 800 424 9300 ce or mixture , according to the Globally Harmonized System (GHS). fety precautions have been read and understood. e/gas/mist/vapors/spray in, or on clothing. proughly after handling. equipment as required. ntilation wear respiratory protection. ainer in accordance with local/regional/national/international
 Emergency telephone number DE: +49-(0)361 730 730 24h er CHEMTREC - USA / CA (24-h) 2 Hazard(s) identification Classification of the substant The substance is not classified Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements P202 Do not handle until all saf P261 Avoid breathing dust/fum P262 Do not get in eyes, on ski P264 Wash hands and face the P281 Use personal protective er P285 In case of inadequate ver P501 Dispose of contents/conta regulations. 	Fr: mergency number GGIZ emergency number): +1 800 424 9300 ce or mixture , according to the Globally Harmonized System (GHS). fety precautions have been read and understood. e/gas/mist/vapors/spray in, or on clothing. proughly after handling. equipment as required. ntilation wear respiratory protection. ainer in accordance with local/regional/national/international

Page 1/9

Version 1

Printing date: 03/26/2024

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 1314-98-3 zinc sulphide
- · Identification number(s)
- EC number: 215-251-3

4 First-aid measures

· Description of first aid measures



• General information: Take off immediately all contaminated clothing and wash it before reuse.

- Seek medical treatment in case of complaints.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Protect unharmed eye.

· After swallowing:

If swallowed, rinse mouth with water (only if the person is conscious).

- Drink plenty of water and provide fresh air.
- Do not induce vomiting.
- Call a doctor immediately.
- · Information for doctor: Treat symptomatically.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable. Use fire fighting measures that suit the environment.
 Special hazards arising from the substance or mixture In case of fire, the following can be released: Sulphur dioxide (SO2)
 - Sulfur oxides (SOx)
- Advice for firefighters
- · Protective equipment:

Wear fully protective equipment. Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

(Contd. on page 3)

[–] ÚS

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

• Additional information:

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective clothing. Avoid contact with the eyes and skin.	
Avoid formation of dust. Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation	
 Environmental precautions: Avoid release to the environment. Methods and material for containment and cleaning up: Avoid formation of dust. Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose of the collected material according to regulations. Ensure adequate ventilation. Reference to other sections Sea Spatian 7 for information on sofe handling. 	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals	
PAC-1:	
1314-98-3 zinc sulphide	8.9 mg/m ³
PAC-2:	
1314-98-3 zinc sulphide	99 mg/m³
· PAC-3:	
1314-98-3 zinc sulphide	590 mg/m ³

7 Handling and storage

· Handling:

Precautions for safe handling

Wear protective clothing.

Avoid contact with the eyes and skin.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Provide suction extractors if dust is formed.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure good ventilation/exhaustion at the workplace.

The usual precautionary measures for handling chemicals should be followed.

· Information about protection against explosions and fires: The product is not flammable.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store receptacle in a well ventilated area.

Keep receptacle tightly sealed.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility: Do not store together with acids.

· Further information about storage conditions:

Protect from heat and direct sunlight. Protect from humidity and water. Store in a cool place.

Store in dry conditions.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

Protect from frost.

Storage class: 13 - TRGS 510

• Specific end use(s) see section 1.2

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.

· PNECs

_				
1	314	4-98-3	zinc	sulphide

•	
PNEC freshwater	20.6 µg/l (-)
PNEC marine water	6.1 µg/l (-)
PNEC STP	52 µg/l (-)
PNEC soil	106.8 mg/kg dw (-)
PNEC sediment (freshwater)	235.6 mg/kg dw (-)
PNEC sediment (marine water)	113 mg/kg dw (-)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Breathing equipment:



Use respiratory protective device when working with dust.

Use suitable respiratory protective device when high concentrations are present.

Recommended filter device for short term use:

Filter P2

Filter FFP2

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Value for the permeation: Level \geq 480 min. (EN 374)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials: Strong gloves

- US

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

(Contd. of page 4) · Eye protection: Safety glasses · Body protection: Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Solid Powder Yellowish Color: White · Odor: Odorless · Odor threshold: Not applicable 7 · pH-value: · Melting point/Melting range: >800 °C (>1,472 °F) · Boiling point/Boiling range: Undetermined. · Flash point: Not applicable · Flammability (solid, gaseous): Product is not flammable. · Decomposition temperature: >500 °C (>932 °F) · Ignition temperature: Not applicable • Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not applicable Not applicable Upper: Oxidizing properties Not determined · Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 4.13 g/cm3 (34.46485 lbs/gal) · Bulk density: 1,400 kg/m³ · Relative densitv Not determined. · Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water at 25 °C (77 °F): <0.01 g/l Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not applicable. **Kinematic:** Not applicable. Granulometry (Particle size distribution): 0.8 µm (d50) · Other information No further relevant information available.

(Contd. on page 6)

US

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: Thermal decomposition starts at >500 °C.

Possibility of hazardous reactions

Reacts with acids.

Reacts with acids forming hydrogen sulfide.

Thermal decomposition starts at >500 °C.

- Conditions to avoid Keep away from acids.
- · Incompatible materials: Acid.
- Hazardous decomposition products: In case of fire, the following can be released: Sulfur dioxide Sulfur oxides (SOx) Hydrogen sulphide is formed in contact with acids.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

1314-98-3 zinc sulphide

Oral LD50 >2,000 mg/kg (-)

Inhalative LC50/4 h >5.7 mg/l (-)

Specific symptoms in biological assay:

on the skin:

No irritant effect.

Based on available data, the classification criteria are not met.

- · Other information (about experimental toxicology): Warning, substance not yet fully tested
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer) Substance is not listed.

- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Based on available data the classification criteria are not met.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · AOX-indication: The product does not contain organically bound halogens (AOX-free).
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

• Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Disposal must be made according to official regulations.

Depending on the intended use by the customer, the waste code number must be checked with the responsible disposal company and adjusted if necessary.

· Uncleaned packagings:

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Void
 [.] UN proper shipping name [.] DOT, ADR/RID/ADN, IMDG, IATA 	Void
· Transport hazard class(es)	
[·] DOT, ADR/RID/ADN, ADN, IMDG, IATA [·] Class	Void
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Void
· Environmental hazards:	None
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 302 (extremely hazardous substances): Substance is not listed.

- Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act):

zinc sulphide

· Hazardous Air Pollutants Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

• Chemicals known to cause reproductive toxicity for males: Substance is not listed.

(Contd. on page 8)

ACTIVE

Version 1

rinting date: 03/26/2024	Vor	sion 1	Deviewed	03/26/202
	Vers		Reviewed on:	03/20/2024
roduct name: LP-V01-	21-00			
Trade na				
ZnS/12P				
			(Cc	ontd. of page 7
	o cause developmental te		ot listed.	
	-Know List: Substance is			
	Hazardous Substance L		sted.	
	-to-Know List: Substance al Hazardous Substance		listed	
· Cancerogenity cate			listed.	
• •	I Protection Agency) - In	tegrated Risk Informa	tion System (IRI	S)
1314-98-3 zinc sulph	nide			D, I, II
	it Value) Substance is not			
	mum Workplace Concen			interd
· NIOSH-Ca (National	Institute for Occupation	al Salety and Health)	Substance is not l	isted.
	Substances List (DSL)	Substance is listed.		
	estic Substances List (N		listed.	
Canadian Ingredien	t Disclosure list (limit 0.1	%) Substance is not lis	sted.	
	t Disclosure list (limit 1%			
	ry of Chemicals and Che nventory of Existing Che			
	y of Chemical Substance		DStallee is listed.	
Korean Existing Ch	•			
1314-98-3 zinc sulpl	nide			KE-35583
	iform Scheduling of Dru		ance is not listed.	
	ory of Chemicals Substa	nce is listed.		
Evicting and Now C	homical list (lonon)			
• Existing and New C	· · · /			4 570
1314-98-3 zinc sulph	nide			1-572
1314-98-3 zinc sulph	· · · /		een carried out.	1-572
1314-98-3 zinc sulph · National regulations · Chemical safety ass	nide s: OSHA Hazard Commun sessment: A Chemical Sa		een carried out.	1-572
1314-98-3 zinc sulph · National regulations · Chemical safety ass 6 Other informatic	nide s: OSHA Hazard Commun sessment: A Chemical Sa on	fety Assessment has b		
1314-98-3 zinc sulph · National regulations · Chemical safety ass 6 Other informatic "Although LEUCHTS	nide s: OSHA Hazard Commun sessment: A Chemical Sa on TOFFWERK BREITUNGE	fety Assessment has b N GMBH has attempte	ed to provide curre	
1314-98-3 zinc sulph • National regulations • Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information	nide s: OSHA Hazard Commun sessment: A Chemical Sa on	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G	ed to provide curre MBH makes no	nt and
1314-98-3 zinc sulpl • National regulations • Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage	nide s: OSHA Hazard Commun sessment: A Chemical Sa n TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the information nay result from or arise	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
1314-98-3 zinc sulph • National regulations • Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by	nide s: OSHA Hazard Commun sessment: A Chemical Sa n TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n any person. Furthermore	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the information nay result from or arise existing laws and direct	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
1314-98-3 zinc sulph • National regulations • Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr	nide s: OSHA Hazard Commun sessment: A Chemical Sa n TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n any person. Furthermore oduct on his own responsil	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the information nay result from or arise existing laws and direct	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
1314-98-3 zinc sulpl • National regulations • Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr • Department issuing	nide s: OSHA Hazard Commun sessment: A Chemical Sa n TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n any person. Furthermore oduct on his own responsil SDS:	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the inform nay result from or arise existing laws and direc bility".	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
 1314-98-3 zinc sulpl National regulations Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: ponment and Quality Manag	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the inform nay result from or arise existing laws and direc bility".	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
1314-98-3 zinc sulpl • National regulations • Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr • Department issuing	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: ponment and Quality Manag	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the informa nay result from or arise existing laws and direc bility".	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
1314-98-3 zinc sulph National regulations Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n any person. Furthermore oduct on his own responsil SDS: pomment and Quality Managent / last revision 03/26/2024	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G bleteness of the information hay result from or arise existing laws and direct bility".	ed to provide curre MBH makes no ation and assume out of the use of o	nt and s no liability or reliance
 1314-98-3 zinc sulpl National regulations Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: ponment and Quality Managent / last revision 03/26/2024 acronyms:	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G pleteness of the informa nay result from or arise existing laws and direc pility".	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation and a ADR: Accord relatif au tra the International Carriage 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road)	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G pleteness of the informa nay result from or arise existing laws and direc pility".	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Mariti 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G pleteness of the informa nay result from or arise existing laws and direc pility".	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Mariti DOT: US Department of T IATA: International Air Tra 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods iransportation insport Association	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Mariti DOT: US Department of T IATA: International Air Tra EINECS: European Inventional 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods iransportation insport Association tory of Existing Commercial Chemic tory of Existing Commercial Chemic tory of Existing Commercial Chemic ransport Commercial Chemic tory of Existing Chemic tory	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route mical Substances	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass 6 Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Mariti DOT: US Department of T IATA: International Air Tra EINECS: European Inveni CAS: Chemical Abstracts PNEC: Predicted No-Effect 	nide S: OSHA Hazard Commun Sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods ransportation insport Association tory of Existing Commercial Cher Service (division of the Americar act Concentration (REACH)	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route mical Substances	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass 6 Other informatic "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Mariti DOT: US Department of T IATA: International Air Tra EINECS: European Invent CAS: Chemical Abstracts PNEC: Predicted No-Effect LC50: Lethal concentratio 	nide S: OSHA Hazard Commun Sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: Donment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods ransportation Insport Association tory of Existing Commercial Cher Service (division of the Americar ct Concentration (REACH) n, 50 percent	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route mical Substances	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass Chemical safety ass Chemical safety ass G Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Air Tra EINECS: European Inveni CAS: Chemical Abstracts PNEC: Predicted No-Effect LC50: Lethal concentratio LD50: Lethal dose, 50 per PBT: Persistent, Bioaccur 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods ransportation insport Association tory of Existing Commercial Cher Service (division of the American ot Concentration (REACH) n, 50 percent cent nulative and Toxic	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route mical Substances	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass G Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Mariti DOT: US Department of T IATA: International Air Tra EINECS: European Inveni CAS: Chemical Abstracts PNEC: Predicted No-Effect LC50: Lethal concentratio LD50: Lethal dose, 50 per PBT: Persistent, Bioaccur vPvB: very Persistent and 	nide s: OSHA Hazard Commun sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods ransportation insport Association tory of Existing Commercial Cher Service (division of the Americar et Concentration (REACH) n, 50 percent cent nulative and Toxic very Bioaccumulative	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route mical Substances	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by
 1314-98-3 zinc sulpl National regulations Chemical safety ass Chemical safety ass Chemical safety ass Chemical safety ass G Other information "Although LEUCHTS accurate information representations rega for any loss, damage on the information by the receiver of the pr Department issuing Health, Safety, Enviro Chemical Manageme Contact: Date of preparation Abbreviations and a ADR: Accord relatif au tra the International Carriage IMDG: International Air Tra EINECS: European Inveni CAS: Chemical Abstracts PNEC: Predicted No-Effect LC50: Lethal concentratio LD50: Lethal dose, 50 per PBT: Persistent, Bioaccur 	nide S: OSHA Hazard Commun Sessment: A Chemical Sa TOFFWERK BREITUNGE herein, LEUCHTSTOFFW rding the accuracy or comp , injury of any kind which n r any person. Furthermore oduct on his own responsil SDS: onment and Quality Managent / last revision 03/26/2024 acronyms: nsport international des marchan of Dangerous Goods by Road) me Code for Dangerous Goods fransportation insport Association tory of Existing Commercial Cher Service (division of the American tory of Existing Cher Service (division of the	fety Assessment has b N GMBH has attempte ERK BREITUNGEN G oleteness of the informa nay result from or arise existing laws and direct pility". gement dises dangereuses par route mical Substances	ed to provide curre MBH makes no ation and assume out of the use of o tions have to be re	nt and s no liability or reliance espected by

Printing date: 03/26/2024

Version 1

Reviewed on: 03/26/2024

Product name: LP-V01-21-00 Trade names: ZnS/12P

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* Data compared to the previous version altered.

(Contd. of page 8)

US