

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

BLUE CUBE OPERATIONS LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

SECTION 1. IDENTIFICATION

Product name : D.E.R.™ 6116 Epoxy Resin

Product code : 000000001000000991

Manufacturer or supplier's details

Company name of supplier : BLUE CUBE OPERATIONS LLC

Address : 190 CARONDELET PLAZA, SUITE 1530
CLAYTON MO 63105-3467

Telephone : (844) 238-3445

E-mail address : INFO@OLIN.COM

Emergency telephone : +1 800 424 9300

Local Emergency Contact : 1-800-424-9300

Identified uses : A thermoset resin plastic component -
For industrial conversion as a raw material for manufacture of
articles or goods.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Combustible dust

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitization : Sub-category 1B

GHS label elements

Hazard pictograms :



Signal Word : Warning

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Hazard Statements : May form combustible dust concentrations in air.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance
Substance name : Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane]
CAS-No. : 25068-38-6

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|------------|-----------------------|
| Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based) | 25036-25-3 | 100 |

SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air; if effects occur, consult a physician.

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

- In case of skin contact : Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation persists. Wash clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. Suitable emergency safety shower facility should be available in work area.
- In case of eye contact : Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.
- If swallowed : If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.
- Most important symptoms and effects, both acute and delayed : Aside from the information found under Description of first aid measures(above)any additional important symptoms and effects are described in Section 11: Toxicology Information.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water fog or fine spray.
Dry chemical fire extinguishers.
Carbon dioxide fire extinguishers.
Foam.
- Specific hazards during fire fighting : Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate. Dense smoke is emitted when burned without sufficient oxygen.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to:
Phenolic compounds.
Carbon monoxide.
Carbon dioxide.
- Further information : Keep people away. Isolate fire and deny unnecessary entry. Soak thoroughly with water to cool and prevent re-ignition. If material is molten, do not apply direct waterstream. Use

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

fine water spray or foam.
Cool surroundings with water to localize fire zone.
Hand held dry chemical or carbon dioxide extinguishers may be used for small fires.

Special protective equipment for fire-fighters : Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves).
Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location.
For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Isolate area.
Keep unnecessary and unprotected personnel from entering the area.
Refer to section 7, Handling, for additional precautionary measures.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
Spilled material may cause a slipping hazard.

Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Remove all sources of ignition.
Use non-sparking tools in cleanup operations.
Contain spilled material if possible.
Material can create slippery conditions.
Clean up promptly by sweeping or vacuum.
Collect in suitable and properly labeled containers.
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with eyes, skin, and clothing.
Keep away from heat, sparks and flame.
Keep container closed.
Use with adequate ventilation.
No smoking, open flames or sources of ignition in handling and storage area.
Electrically bond and ground all containers and equipment before transfer or use of material.
Good housekeeping and controlling of dusts are necessary for safe handling of product.
See Section 8, EXPOSURE CONTROLS AND PERSONAL

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

PROTECTION.

- Conditions for safe storage : Material will sinter if stored for long periods above 30°C. Minimize sources of ignition, such as static build-up, heat, spark or flame.
- Recommended storage temperature : < 61 °F / < 16 °C
- Storage period : 24 Months
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

- Respiratory protection : Under intended handling conditions, no respiratory protection should be needed.

Hand protection

- Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Ethyl vinyl alcohol laminate ('EVAL'). Neoprene. Nitrile/butadiene rubber ('nitrile' or 'NBR'). Polyvinyl chloride ('PVC' or 'vinyl'). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

- Eye protection : Use safety glasses (with side shields). If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

- Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Appearance : Flakes

Color : yellow

Odor : Odorless

Odor Threshold : No test data available

pH : Method: Not applicable

Melting point/range : No test data available

Freezing point : Method: Not applicable

Softening point : 176 - 194 °F / 80 - 90 °C
Method: Literature

Boiling point/boiling range : Method: Not applicable

Flash point : Method: Not applicable, closed cup

Evaporation rate : No test data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Upper explosion limit / Upper flammability limit : Method: Not applicable

Lower explosion limit / Lower flammability limit : Method: Not applicable

Vapor pressure : Method: Not applicable

Relative vapor density : Method: Not applicable

Relative density : 1.18 (77 °F / 25 °C, 1 atm)
Method: Literature

Solubility(ies)
Water solubility : insoluble (77 °F / 25 °C)
Method: Literature

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No test data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Explosive properties : No data available

Oxidizing properties : No data available

Note: These are the Reference Points for these Physical Properties listed above, unless otherwise noted in their respective Physical Property value information: Boiling Point at 760 mmHg; Evaporation Rate Butyl Acetate = 1; Relative Vapor Density Air = 1; and Relative Density Water = 1.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No data available

Chemical stability : Stable at ambient temperatures.

Possibility of hazardous reactions : Will not occur by itself.
Masses of more than one pound (0.5 kg) of product plus an aliphatic amine will cause irreversible polymerization with considerable heat build-up.

Conditions to avoid : Exposure to elevated temperatures can cause product to decompose.

Incompatible materials : Avoid contact with oxidizing materials.
Avoid contact with:
Acids.
Bases.
Avoid unintended contact with amines.

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.
Uncontrolled exothermic reaction of epoxy resins release phenolics, carbon monoxide, and water.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: Low toxicity if swallowed.
Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

LD50 (Rat): > 2,000 mg/kg

Method: Estimated.

Assessment: The substance or mixture has no acute oral toxicity

Remarks: As product:

Single dose oral LD50 has not been determined.

Typical for this family of materials.

D.E.R.™ 6116 Epoxy Resin

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 11-15-2018 |
| 10.0 | 05-03-2021 | 101188958 | Date of first issue: 05-03-2021 |

Acute inhalation toxicity : Remarks: Vapors are unlikely due to physical properties. No adverse effects are anticipated from single exposure to dust.
For respiratory irritation:
No data available.

Remarks: The LC50 has not been determined.

Acute dermal toxicity : Remarks: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Remarks: As product:
The dermal LD50 has not been determined.

LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Typical for this family of materials.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: The LC50 has not been determined.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Product:**

Result : Skin irritation
Remarks : Prolonged contact may cause skin irritation with local redness.
Repeated contact may cause skin irritation with local redness.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Result : No skin irritation
Remarks : Essentially nonirritating to skin.

Serious eye damage/eye irritation**Product:**

Result : Eye irritation
Remarks : May cause slight eye irritation.
Corneal injury is unlikely.

D.E.R.™ 6116 Epoxy Resin

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 11-15-2018 |
| 10.0 | 05-03-2021 | 101188958 | Date of first issue: 05-03-2021 |

Solid or dust may cause irritation or corneal injury due to mechanical action.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Result : No eye irritation
 Remarks : May cause slight temporary eye irritation.
 Corneal injury is unlikely.
 Solid or dust may cause irritation or corneal injury due to mechanical action.

Respiratory or skin sensitization**Product:**

Assessment : The product is a skin sensitizer, sub-category 1B.
 Remarks : For similar material(s):
 Has caused allergic skin reactions when tested in guinea pigs.
 Remarks : For respiratory sensitization:
 No relevant data found.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Remarks : For skin sensitization:
 No relevant data found.

Remarks : For respiratory sensitization:
 No relevant data found.

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: Some similar resins have shown genetic toxicity in in vitro tests, while others have not.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Genotoxicity in vitro : Remarks: Some similar resins have shown genetic toxicity in in vitro tests, while others have not.

Carcinogenicity**Product:**

Remarks : Similar epoxy resin did not cause cancer in long-term animal studies.

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Remarks : Similar epoxy resin did not cause cancer in long-term animal studies.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

STOT-single exposure

Product:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Repeated dose toxicity

Product:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGE BPA-based):

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Aspiration toxicity**Product:**

Based on physical properties, not likely to be an aspiration hazard.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGE BPA-based):

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : Remarks: Based on information for a similar material: Not expected to be acutely toxic, but may cause adverse effects by physical/mechanical means.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGE BPA-based):

Toxicity to fish : Remarks: Not expected to be acutely toxic, but may cause adverse effects by physical/mechanical means.

Persistence and degradability**Product:**

Biodegradability : Remarks: This water-insoluble polymeric solid is expected to be inert in the environment. Surface photodegradation is expected with exposure to sunlight. No appreciable biodegradation is expected.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGE BPA-based):

Biodegradability : Remarks: Surface photodegradation is expected with exposure to sunlight. No appreciable biodegradation is expected.

D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Bioaccumulative potential**Components:**

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Partition coefficient: n-octanol/water : Remarks: In the terrestrial environment, material is expected to remain in the soil.

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: In the terrestrial environment, material is expected to remain in the soil.
In the aquatic environment, material will sink and remain in the sediment.

Components:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Distribution among environmental compartments : Remarks: In the aquatic environment, material will sink and remain in the sediment.

Other adverse effects**Components:**

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] (DGEBA-based):

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL.
THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information.
All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations.
Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.
DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust
Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Prop. 65

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

International Regulations

Montreal Protocol (Ozone Depleting Substances) : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The ingredients of this product are reported in the following inventories:

- CH INV : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- DSL : All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.
- AICS : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- NZIoC : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- ENCS : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- ISHL : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- KECI : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- PICCS : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- IECSC : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- TCSI : All intentional components are listed on the inventory, are exempt, or are supplier certified.
- TSCA : All substances listed as active on the TSCA Inventory or are not required to be listed.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

Version 10.0 Revision Date: 05-03-2021 SDS Number: 101188958 Date of last issue: 11-15-2018
Date of first issue: 05-03-2021

NFPA 704:



Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET



D.E.R.™ 6116 Epoxy Resin

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 11-15-2018 |
| 10.0 | 05-03-2021 | 101188958 | Date of first issue: 05-03-2021 |

Revision Date : 05-03-2021

BLUE CUBE OPERATIONS LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

US / Z8