

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: TEGO® Addbond LTW**Chemical name:**

Solution of polyester resin, styrol free

Other means of identification

None.

Recommended restrictions**Recommended use:** Industrial use**Restrictions on use:** None known.**Manufacturer/Importer/Distributor Information**

Company Name : Evonik Corporation
Nutrition & Care
7801 Whitepine Road
Richmond, VA 23237
USA

Telephone : +1 804 727 0700

Fax : +1 804 727 0845

E-mail : product-regulatory-services@evonik.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification**Physical Hazards**

Flammable liquids Category 3

Health Hazards

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2A

Carcinogenicity Category 2

Specific Target Organ Toxicity -
Single Exposure Category 3
(Respiratory tract
irritation.)Specific Target Organ Toxicity -
Repeated Exposure Category 2

Environmental Hazards

Acute hazards to the aquatic environment	Category 2
Chronic hazards to the aquatic environment	Category 3

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: Flammable liquid and vapor.
Causes skin irritation.
Causes serious eye irritation.
Suspected of causing cancer.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting/...] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation occurs: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing. In case of fire: Use... to extinguish.

Storage: Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.

3. Composition/information on ingredients**Chemical name:**

Solution of polyester resin, styrol free

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) [*]
xylene, mixture of isomers		1330-20-7	25 - <50%
ethylbenzene		100-41-4	10 - <20%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures**Description of necessary first-aid measures****General information:**

Remove soiled or soaked clothing immediately

Inhalation:

If inhaled remove from side of exposure to fresh air, seek medical advice.

Skin Contact:

In case of contact with skin wash off with soap and water. Consult a doctor in the event of permanent skin irritation.

Eye contact:

In case of contact with eyes rinse thoroughly with plenty of water. If symptoms persist, seek medical advice.

Ingestion:

Thoroughly clean the mouth with water Seek medical advice if symptoms occur.

Personal Protection for First-aid Responders:

Do not inhale explosion and/or combustion gases, Self-contained breathing apparatus.

Most important symptoms/effects, acute and delayed**Symptoms:**

Serious eye irritation skin irritation possible

Hazards:

No data available.

Indication of immediate medical attention and special treatment needed**Treatment:**

Treat symptomatically.

5. Fire-fighting measures**Suitable (and unsuitable) extinguishing media**

Product name: TEGO® Addbond LTW

Suitable extinguishing media: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: High volume water jet.

Specific hazards arising from the chemical: In the event of fire the following can be released: - carbon dioxide, carbon monoxide Under certain conditions of combustion traces of other toxic substances cannot be excluded

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Keep away from sources of ignition Take action to prevent static discharges. Vapours may form explosive mixtures with air Cool endangered containers by water spray

Special protective equipment for fire-fighters: Do not inhale explosion and/or combustion gases Self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep away sources of ignition. Ensure adequate ventilation.

Methods and material for containment and cleaning up: Take up with absorbent material (eg sand, kieselguhr, universal binder) Dispose of absorbed material in accordance with the regulations.

Environmental Precautions: Do not discharge into the subsoil/soil. Do not allow to enter drains or waterways

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice: Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid contact with skin and eyes. Do not inhale gases/vapours/aerosols.

Contact avoidance measures: No data available.

Hygiene measures: Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when working. Remove soiled or soaked clothing immediately.

Storage

Safe storage conditions: Keep container tightly closed in a cool, well-ventilated place. Keep away from heat. Do not store together with oxidizing agents.

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
xylene, mixture of isomers	TWA	100 ppm	US. ACGIH Threshold Limit Values, as amended (03 2016)
	STEL	150 ppm	US. ACGIH Threshold Limit Values, as amended (03 2016)
	STEL	150 ppm 655 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
	REL	100 ppm 435 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
	PEL	100 ppm 435 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
	AN ESL	180 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
	ST ESL	510 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
	ST ESL	2,200 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
	AN ESL	41 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
ethylbenzene	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended (03 2016)
	REL	100 ppm 435 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	STEL	125 ppm 545 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	PEL	100 ppm 435 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection: safety glasses

Skin Protection

Hand Protection: Additional Information: gloves made of nitril (NBR), protective gloves made of fluorinated rubber (FKM, e.g. Viton)

Skin and Body Protection: protective clothing

Product name: TEGO® Addbond LTW

Respiratory Protection: in case of formation of vapours/aerosols: Short term: filter apparatus, combination filter A-P2

Hygiene measures: Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when working. Remove soiled or soaked clothing immediately.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Colorless
Odor:	Aromatic
Odor Threshold:	not measured
pH:	not measured
Freezing point:	not measured
Boiling Point:	Approximate 139.6 °C Solvent
Flash Point:	27 °C (DIN 53213) 80.60 °F (DIN EN 22719)
Evaporation Rate:	not measured
Flammability (solid, gas):	not measured
Explosive limit - upper:	not measured
Explosive limit - lower:	not measured
Vapor pressure:	Approximate 7 hPa (20 °C) Solvent
Vapor density (air=1):	not measured
Density:	1.05 g/cm ³ (20 °C) (DIN 51757)
Relative density:	not measured
Solubility in Water:	< 0.2 g/l (20 °C)
Solubility (other):	not measured
Partition coefficient (n-octanol/water):	not measured
Self Ignition Temperature:	not measured
Decomposition Temperature:	not measured
Kinematic viscosity:	not measured
Dynamic viscosity:	350 - 650 mPa.s (23 °C, DIN 53214)

Other information

Explosive properties:	not measured
Oxidizing properties:	not oxidizing
Minimum ignition temperature:	not measured
Metal Corrosion:	Does not corrode metal.

10. Stability and reactivity

Reactivity:	see section "Possibility of hazardous reactions".
Chemical Stability:	The product is stable under normal conditions.
Possibility of hazardous reactions:	No hazardous reactions with proper storage and handling.
Conditions to avoid:	Open flames, sparks or input of much heat

Incompatible Materials:	Oxidizing agent
Hazardous Decomposition Products:	None with proper storage and handling.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	Information on effects are given below.
Skin Contact:	Information on effects are given below.
Eye contact:	Information on effects are given below.
Ingestion:	Information on effects are given below.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	No data available. ATEmix : 8,800.96 mg/kg
Dermal	
Product:	No data available. ATEmix : 14,016.82 mg/kg
Inhalation	
Product:	No data available. ATEmix : 176 mg/l Vapour

Repeated dose toxicity	
Product:	No data available.

Skin Corrosion/Irritation	
Product:	No data available.

Serious Eye Damage/Eye Irritation	
Product:	No data available.

Respiratory or Skin Sensitization	
Product:	No data available.

Carcinogenicity	
Product:	No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

ethylbenzene Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogens present or none present in regulated quantities

Germ Cell Mutagenicity**In vitro****Product:** No data available.**Components:**xylene, mixture of isomers Chromosomal aberration: negative
ethylbenzene sister chromatid exchange assay: negative
gene mutation test (OECD 476): negative
Chromosomal aberration (OECD 473): negative**In vivo****Product:** No data available.**Components:**xylene, mixture of isomers dominant lethal test (OECD 478) Dermal (Mouse, male): negative
dominant lethal test (OECD 478) Intraperitoneal injection (Mouse, male):
negative
ethylbenzene Micronucleus test (OECD 474) Oral (Mouse, male): negative
Unscheduled DNA synthesis -test (UDS) (OECD 486) Inhalation - vapor
(Mouse, male and female): negative**Reproductive toxicity****Product:** No data available.**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure****Product:** No data available.**Aspiration Hazard****Product:** Not classified**Other effects:** No data available.**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.

Product name: TEGO® Addbond LTW

Aquatic Invertebrates**Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** No data available.**Partition Coefficient n-octanol / water (log Kow)****Product:** Log Kow: not measured**Mobility in soil:**

No data available.

Components:

xylene, mixture of

isomers

ethylbenzene

Other adverse effects:

Do not allow to enter soil, waterways or waste water canal.

13. Disposal considerations**Disposal methods:**

In accordance with local authority regulations, take to special waste incineration plant

Contaminated Packaging:

If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.

14. Transport information**Domestic regulation****49 CFR**

UN/ID/NA number : UN 1866

Proper shipping name : Resin solution

Product name: TEGO® Addbond LTW

Class : 3
Packing group : III
Labels : 3
ERG Code : 127
Marine pollutant : no

International Regulations**IATA-DGR**

UN/ID No. : UN 1866
Proper shipping name : Resin solution
Class : 3
Packing group : III
Labels : 3
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1866
Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. Regulatory information**US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):**Chemical Identity**

BENZENE, DIMETHYL
ETHYLBENZENE
BENZENE, METHYL-

Superfund Amendments and Reauthorization Act of 1986 (SARA)**Hazard categories**

Flammable (gases, aerosols, liquids, or solids), Skin Corrosion or Irritation, Serious eye damage or eye irritation, Carcinogenicity, Specific target organ toxicity (single or repeated exposure), Hazards Not Otherwise Classified (HNOC)

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

<u>Chemical Identity</u>	<u>% by weight</u>
xylene, mixture of isomers	1.0%
ethylbenzene	0.1%

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Chemical Identity
xylene, mixture of isomers
ethylbenzene
Toluene

US State Regulations**US. California Proposition 65**

WARNING: This product can expose you to chemicals including, Toluene which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity
xylene, mixture of isomers
ethylbenzene

US. Massachusetts RTK - Substance List

Chemical Identity
ethylbenzene

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity
xylene, mixture of isomers
ethylbenzene

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

US TSCA Inventory:	Included on Inventory.
Canada DSL Inventory List:	Included on Inventory.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	2
Flammability		3
Physical Hazards		0
PERSONAL PROTECTION		K

K - Hood, Gloves, Protective Suit & Boots

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 07/14/2020

Version #: 1.1

Further Information: No data available.

Revision Information Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer: This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.