

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : Preventol D 7

Product code : 000000000057388832

EPA registration number : 39967-93

Manufacturer or supplier's details

Company : LANXESS Corporation
Product Safety & Regulatory Affairs
111 RIDC Park West Drive
15275-1112 Pittsburgh, United States of America

Responsible Department : +1800LANXESS

Emergency telephone : Chemtrec (800) 424-9300
International (703) 527-3887
Lanxess Emergency Phone (800) 410-3063

Recommended use of the chemical and restrictions on use

Recommended use : Biocide for industrial application

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion : Category 1C

Serious eye damage : Category 1

Skin sensitization : Category 1

Specific target organ toxicity : Category 1 (Respiratory Tract)
- single exposure (Inhalation)

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.
May cause an allergic skin reaction.

SAFETY DATA SHEET



Preventol D 7

Version 2.0 Revision Date: 12/17/2020 SDS Number: 203000007157 Date of last issue: 10/11/2020
Country / Language: US / EN

Causes damage to organs (Respiratory Tract) if inhaled.

Precautionary Statements

Prevention:

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
IF exposed: Call a POISON CENTER or doctor/ physician.
If skin irritation or rash occurs: Get medical advice/ attention.
Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
magnesium nitrate	10377-60-3	>= 1 - < 5
5-chloro-2-methyl-2H-isothiazol-3-one	26172-55-4	>= 1 - < 5
2-methyl-2H-isothiazol-3-one	2682-20-4	>= 0.1 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET



Preventol D 7

Version 2.0	Revision Date: 12/17/2020	SDS Number: 203000007157	Date of last issue: 10/11/2020 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Get medical attention immediately.
Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If unconscious, place in recovery position and get medical attention immediately.
Maintain open airway.
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- In case of skin contact : Get medical attention immediately.
In case of contact, immediately flush skin with plenty of water for at least 30 minutes.
Remove contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Chemical burns must be treated promptly by a physician.
- In case of eye contact : Get medical attention immediately.
In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.
Remove contact lenses, if present and easy to do. Continue rinsing.
Chemical burns must be treated promptly by a physician.
- If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
If unconscious, place in recovery position and get medical attention immediately.
Never give anything by mouth to an unconscious person.
Loosen tight clothing such as a collar, tie, belt or waistband.
Chemical burns must be treated promptly by a physician.

Most important symptoms and effects, both acute and delayed

- Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage.
Skin: Reddening, burning, and possible permanent damage.
Once sensitized, an allergic skin reaction may occur with reddening, swelling, and rash when subsequently exposed to very low levels.
Inhalation: Causes respiratory tract burns.

- Effects : May cause an allergic skin reaction.

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Causes serious eye damage.
Causes damage to organs if inhaled.
Causes severe burns.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Water runoff from fire fighting may be corrosive.
May release toxic, irritating and/or corrosive gases.

Hazardous combustion products : Nitrogen oxides (NO_x)
Metal oxides
Carbon dioxide (CO₂)
Carbon monoxide
Sulfur oxides
Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate personnel to safe areas.
Keep unnecessary and unprotected personnel from entering.
Provide adequate ventilation.
Do not breathe vapors or spray mist.
Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.
Move containers from spill area.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Dispose of wastes in an approved waste disposal facility.
Do not allow into the sewerage system, surface waters or groundwater or into the soil.
Contaminated absorbent material may pose the same hazard as the spilled product.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Use only with adequate ventilation.
Avoid inhalation, ingestion and contact with skin and eyes.
Persons with a history of skin sensitization to this product should not be employed in any process in which this product is used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : 32 - 104 °F / 0 - 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Engineering measures : This information is not available.

Personal protective equipment

Respiratory protection : NIOSH approved, air-purifying organic vapor respirator. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

In the case of vapor formation use a respirator with an approved filter.

Filter type : Recommended Filter type:

Combined inorganic and acidic gas/vapor, ammonia/amines and organic vapor type

A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize exposure.

Hand protection

Material : Polyvinyl chloride - PVC

Wearing time : < 60 min

Material : Polychloroprene - CR

Wearing time : < 60 min

Remarks : Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear suitable protective clothing. Impervious clothing

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



Preventol D 7

Version 2.0	Revision Date: 12/17/2020	SDS Number: 203000007157	Date of last issue: 10/11/2020 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

Physical state	: liquid
Color	: clear, yellow, -, green, to, light blue
Odor	: odorless
Odor Threshold	: No data available
pH	: 4 - 6 Concentration: 1 %
Melting point/range	: 30 °F / -1 °C
Boiling point/boiling range	: 212 °F / 100 °C (1,013 hPa)
Flash point	: > 212 °F / > 100 °C Method: closed cup
Evaporation rate	: No data available
Self-ignition	: No data available
Burning number	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: 23 hPa (68 °F / 20 °C) 121 hPa (122 °F / 50 °C) 154 hPa (131 °F / 55 °C)
Relative density	: No data available
Density	: 1.024 g/cm ³ (68 °F / 20 °C)
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Autoignition temperature : > 1112 °F / > 600 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1.244 mPa.s

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Test results on an analogous product

Acute inhalation toxicity : Acute toxicity estimate: 58.45 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Test results on an analogous product

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Components:

magnesium nitrate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Test results on an analogous product

5-chloro-2-methyl-2H-isothiazol-3-one:

Acute oral toxicity : LD50 (Rat): 481 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 1,008 mg/kg

2-methyl-2H-isothiazol-3-one:

Acute oral toxicity : LD50 (Rat, female): 183 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male): 218 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Species : Rabbit
Exposure time : 4 h
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Components:

magnesium nitrate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Result : No skin irritation
GLP : no
Remarks : Test results on an analogous product

5-chloro-2-methyl-2H-isothiazol-3-one:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

2-methyl-2H-isothiazol-3-one:

Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rat
Result : Risk of serious damage to eyes.

Components:

magnesium nitrate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

5-chloro-2-methyl-2H-isothiazol-3-one:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

2-methyl-2H-isothiazol-3-one:

Remarks : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Components:**magnesium nitrate:**

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Did not cause sensitization on laboratory animals.
GLP	:	yes

5-chloro-2-methyl-2H-isothiazol-3-one:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.
Remarks	:	Sensitizer

2-methyl-2H-isothiazol-3-one:

Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:**magnesium nitrate:**

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	---	--

	:	Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: yes Remarks: Test results on an analogous product
--	---	---

	:	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative GLP: yes
--	---	--

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Remarks: Test results on an analogous product

5-chloro-2-methyl-2H-isothiazol-3-one:

Genotoxicity in vitro : Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

2-methyl-2H-isothiazol-3-one:

Genotoxicity in vitro : Test system: Bacteria
Method: OECD Test Guideline 471
Result: negative

Test system: Mammalian-Animal
Method: OECD Test Guideline 476
Result: negative

Test system: Mammalian-Animal
Method: OECD Test Guideline 473
Result: negative

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

magnesium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Oral
Dose: 250 - 750 - 1500 mg/kg
Duration of Single Treatment: 28 d
General Toxicity Parent: NOAEL: >= 1,500 mg/kg body weight

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Method: OECD Test Guideline 422
GLP: yes
Remarks: Test results on an analogous product

Effects on fetal development : Species: Rat, male and female
Application Route: Oral
Dose: 250 - 750 - 1500 mg/kg
Duration of Single Treatment: 53 d
General Toxicity Maternal: NOAEL: \geq 1,500 mg/kg body weight
Developmental Toxicity: NOAEL: \geq 1,500 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes
Remarks: Test results on an analogous product

5-chloro-2-methyl-2H-isothiazol-3-one:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 72 milligram per kilogram
Method: OECD Test Guideline 415
GLP: yes
Remarks: No known significant effects or critical hazards.

Effects on fetal development : Species: Rat, female
Application Route: Oral
Dose: $>$ 139 milligram per kilogram
Duration of Single Treatment: 20 d
Frequency of Treatment: 9 daily
Result: No teratogenic potential.

STOT-single exposure

Causes damage to organs (Respiratory Tract) if inhaled.

Product:

Routes of exposure : Inhalation
Target Organs : Respiratory Tract
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

magnesium nitrate:

Species : Rat, male and female
NOAEL : \geq 1,500 mg/kg
Application Route : Oral

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Exposure time : 28 d
Number of exposures : daily
Dose : 250 - 750 - 1500 mg/kg
Method : OECD Test Guideline 422
GLP : yes
Remarks : Subacute toxicity
Test results on an analogous product

5-chloro-2-methyl-2H-isothiazol-3-one:

Species : Rat, male and female
NOAEL : > 18.75 mg/kg
Application Route : Dermal
Exposure time : 90 d
Dose : > 18,75 mg/kg
Remarks : Chronic toxicity

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

magnesium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 490 mg/l
Exposure time: 48 h
Analytical monitoring: no
GLP: no
Remarks: Test results on an analogous product

Toxicity to algae/aquatic plants : EC50 (Diatom): > 1,700 mg/l
End point: Growth rate
Exposure time: 10 Days
Test Type: static test
Analytical monitoring: yes
GLP: no
Remarks: Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

Exposure time: 3 h
Test Type: Respiration inhibition
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: yes
Remarks: Test results on an analogous product

5-chloro-2-methyl-2H-isothiazol-3-one:

Toxicity to fish : LC50 (Fish): 0.19 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia): 0.84 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to fish (Chronic tox- : LC50 (Salmo gairdneri): 0.14 mg/l
icity) Exposure time: 6 d

2-methyl-2H-isothiazol-3-one:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 150 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.87 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.157
plants mg/l
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.0104
mg/l
Exposure time: 96 h

M-Factor (Acute aquatic tox- : 10
icity)

M-Factor (Chronic aquatic : 1
toxicity)

Toxicity to microorganisms : EC50 (activated sludge): 31.7 mg/l
Exposure time: 3 h

Persistence and degradability**Components:****magnesium nitrate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

2-methyl-2H-isothiazol-3-one:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

2-methyl-2H-isothiazol-3-one:

Partition coefficient: n-octanol/water : log Pow: -0.32

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

SAFETY DATA SHEET

Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

UN/ID No. : UN 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)
Class : 8
Packing group : III
Labels : 8



Packing instruction (cargo aircraft) : 856 : 60.00 L
Packing instruction (passenger aircraft) : 852 : 5.00 L
Environmentally hazardous : yes



IMDG-Code

UN number : UN 3265
Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)
Class : 8
Packing group : III
Labels : 8



EmS Code : F-A, S-B
Marine pollutant : yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)
Class : 8
Packing group : III

SAFETY DATA SHEET



Preventol D 7

Version 2.0 Revision Date: 12/17/2020 SDS Number: 203000007157 Date of last issue: 10/11/2020
Country / Language: US / EN

Labels : 8

:



ERG Code : 153

Marine pollutant : yes



The U.S. DOT regulations in Appendix B to 49 CFR § 172.101, paragraph 4 permit this material to ship as marine pollutant.

Hazard and Handling Notes.

Slightly corrosive., Keep separated from foodstuffs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
copper dinitrate	3251-23-8	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

magnesium nitrate

10377-60-3

1 - <= 5

Pennsylvania Right To Know

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

water	7732-18-5	> 1
magnesium nitrate	10377-60-3	1 - <= 5

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

TSCA list

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:
5-chloro-2-methyl-2H-isothiazol-3-one 26172-55-4

FIFRA information

EPA registration number : 39967-93

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Corrosive Causes irreversible eye damage. Causes skin burns. Harmful if swallowed or if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

Preventol D 7


Version
2.0

Revision Date:
12/17/2020

SDS Number:
203000007157

Date of last issue: 10/11/2020
Country / Language: US / EN

NFPA 704:



HMIS® IV:

HEALTH	/	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory;

SAFETY DATA SHEET



Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2020
2.0	12/17/2020	203000007157	Country / Language: US / EN

TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/17/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.