

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

SECTION 1. IDENTIFICATION

Product name : SURFONIC® L24-3

Manufacturer or supplier's details

Company name of supplier : Huntsman International LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : TechInfo: (281) 719-7780

E-mail address of person responsible for the SDS : SDS@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Surfactant

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Serious eye damage : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

Storage:

Not available

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C12-14. ethoxylated	68439-50-9	90 - 100

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

SURFONIC® L24-3

Version	Revision Date:	SDS Number:	Date of last issue: 05/18/2016
1.1	04/24/2019	400001003596	Date of first issue: 05/18/2016

Print Date 04/30/2019

- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Clear

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : 5.5 - 6.5

Melting point : 37.99 °F / 3.33 °C

Boiling point : > 212 °F / > 100 °C

Flash point : 305.01 °F / 151.67 °C
Method: Pensky-Martens closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : 40.58985 hPa (410 °F / 210 °C)

Relative vapour density : 11.4

Relative density : 0.93

Density : 0.931 g/cm³

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : log Pow: 5.24 - 5.44 (77 °F / 25 °C)

Auto-ignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Self-Accelerating : No data is available on the product itself.

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

decomposition temperature
(SADT)

Viscosity

Viscosity, kinematic : 29 mm²/s (77 °F / 25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Molecular weight : Calculation method 329.19 g/mol

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : carbon monoxide
carbon dioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : 2,500 mg/kg
Method: Calculation method

Components:

Alcohols, C12-14. ethoxylated:

Acute inhalation toxicity : LC50 (Rat): > 1600 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity - Product : Acute toxicity estimate : 2,500 mg/kg
Method: Calculation method

Acute toxicity (other routes of) : No data available

SURFONIC® L24-3

Version	Revision Date:	SDS Number:	Date of last issue: 05/18/2016
1.1	04/24/2019	400001003596	Date of first issue: 05/18/2016

Print Date 04/30/2019

administration)

Skin corrosion/irritation
Components:

Alcohols, C12-14. ethoxylated:
 Species: Rat
 Assessment: No skin irritation
 Method: OECD Test Guideline 404
 Result: Normally reversible injuries
 GLP: yes

Serious eye damage/eye irritation
Components:

Alcohols, C12-14. ethoxylated:
 Species: Rabbit
 Result: Risk of serious damage to eyes.
 Method: OECD Test Guideline 405

Respiratory or skin sensitisation
Components:

Alcohols, C12-14. ethoxylated:
 Exposure routes: Skin
 Species: Humans
 Result: Does not cause skin sensitisation.

Exposure routes: Skin
 Species: Guinea pig
 Method: Directive 67/548/EEC, Annex V, B.6.
 Result: Does not cause skin sensitisation.

Assessment: No data available

Germ cell mutagenicity
Components:

Alcohols, C12-14. ethoxylated:
 Genotoxicity in vitro : Concentration: 5 - 50 µg/L
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 473
 Result: negative

Concentration: .5 - 100 µg/L
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative

Concentration: .0001 - .1 µg/L
 Metabolic activation: Metabolic activation
 Method: OECD Test Guideline 482
 Result: negative

Concentration: 2000 ug/plate

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Components:

Alcohols, C12-14. ethoxylated:
Genotoxicity in vivo

: Application Route: Intraperitoneal injection
Dose: 100 mg/kg
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity**Components:**

Alcohols, C12-14. ethoxylated:
Species: Rat, male and female
Application Route: Oral
Exposure time: 24 month(s)
Dose: 500 mg/kg
Result: negative

Carcinogenicity - Assessment : No data available

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:**

Alcohols, C12-14. ethoxylated:
Effects on fertility

: Species: Rat, male and female
Application Route: Oral
Target Organs: Liver

Components:

Alcohols, C12-14. ethoxylated:
Effects on foetal development

: Species: Rat, male and female
Application Route: Dermal
Result: No teratogenic effects

Reproductive toxicity - : No data available

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

Assessment

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:**

Alcohols, C12-14. ethoxylated:
Species: Rat, male and female
NOAEL: 110 mg/kg/d
Application Route: Ingestion
Exposure time: 2,160 h
Method: Subchronic toxicity

Repeated dose toxicity - : No data available
Assessment

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

Alcohols, C12-14. ethoxylated:
Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.7 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.2.

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 0.87 mg/l
plants : Exposure time: 72 h
Test Type: static test
Test substance: Fresh water

Components:

Alcohols, C12-14. ethoxylated:
M-Factor (Acute aquatic : 1
toxicity)

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to fish (Chronic : EC20 (Pimephales promelas (fathead minnow)): 0.96 mg/l
toxicity) : Exposure time: 30 d
Test substance: Fresh water

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to daphnia and other : EC20 (Daphnia magna (Water flea)): 0.53 mg/l
aquatic invertebrates : Exposure time: 21 d
(Chronic toxicity) : Test substance: Fresh water

M-Factor (Chronic aquatic : No data available
toxicity)

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to microorganisms : EC50 (activated sludge): 1,000 mg/l
Exposure time: 3 h

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

Test Type: static test
Test substance: Fresh water

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 220 mg/kg
Test substance: Natural
Method: OECD Test Guideline 222

Components:

Alcohols, C12-14. ethoxylated:
Plant toxicity : NOEC: >= 100 mg/kg
Exposure time: 456 h
Test substance: Natural
Method: Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test

Sediment toxicity : No data available

Components:

Alcohols, C12-14. ethoxylated:
Toxicity to terrestrial organisms : EC50: 270 mg/kg
Exposure time: 144 h
Test substance: Natural

Ecotoxicology Assessment
Acute aquatic toxicity : No data available

Components:

Alcohols, C12-14. ethoxylated:
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:**

Alcohols, C12-14. ethoxylated:
Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 78 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
Date of first issue: 05/18/2016

Print Date 04/30/2019

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

Bioaccumulative potential**Components:**

Alcohols, C12-14. ethoxylated:

Bioaccumulation : Bioconcentration factor (BCF): < 800
Test substance: Fresh water
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water - Product : log Pow: 5.24 - 5.44 (77 °F / 25 °C)

Mobility in soil

Mobility : No data available

Components:

Alcohols, C12-14. ethoxylated:

Distribution among environmental compartments : Koc: 13226.76 - 16423.03

Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

SURFONIC® L24-3

Version	Revision Date:	SDS Number:	Date of last issue: 05/18/2016
1.1	04/24/2019	400001003596	Date of first issue: 05/18/2016

Print Date 04/30/2019

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of
unprofessional handling or disposal.
Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water
courses or the soil.
Do not contaminate ponds, waterways or ditches with
chemical or used container.
Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and
national regulations.
Dispose of contents/ container to an approved waste disposal
plant.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA**

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(C12-C14 ALCOHOL ETHOXYLATE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo
aircraft) : 964
Packing instruction
(passenger aircraft) : 964
Environmentally hazardous : yes

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
 Date of first issue: 05/18/2016

Print Date 04/30/2019

IMDG

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S.
 (C12-C14 ALCOHOL ETHOXYLATE)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**DOT Classification**

UN/ID/NA number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S.
 (C12-C14 ALCOHOL ETHOXYLATE)
 Class : 9
 Packing group : III
 Labels : CLASS 9
 ERG Code : 171
 Marine pollutant : yes(C12-C14 ALCOHOL ETHOXYLATE)
 Remarks : Above applies only to containers over 119 gallons or 450
 liters. Not regulated if shipped in packages less than or equal
 to 119 gallons (450 liters).

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylene oxide	75-21-8	10	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SURFONIC® L24-3

Version	Revision Date:	SDS Number:	Date of last issue: 05/18/2016
1.1	04/24/2019	400001003596	Date of first issue: 05/18/2016

Print Date 04/30/2019

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

WARNING: This product can expose you to chemicals including ethylene oxide, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

CH INV	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.


US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SURFONIC® L24-3

Version 1.1 Revision Date: 04/24/2019 SDS Number: 400001003596 Date of last issue: 05/18/2016
 Date of first issue: 05/18/2016

Print Date 04/30/2019

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 04/24/2019

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.