

## EXOLIT OP 935

Page 1

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

## SECTION 1. IDENTIFICATION

**Identification of the company:**

Clariant Corporation  
500 East Morehead Street  
Charlotte, NC, 28202  
Telephone No.: +1 704 331 7000

**Information of the substance/preparation:**

Product Stewardship, +1-704-331-7710  
e-mail: SDS.NORAM@clariant.com

**Emergency tel. number:** +1 800-424-9300 CHEMTREC

**Trade name:** EXOLIT OP 935  
**Material number:** 208033  
**CAS number:** 225789-38-8  
**Primary product use:** Flame retardants  
**Chemical family:** Anorganisches Phosphorsalz

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust : Category 1

**GHS label elements**

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements :

**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

**Other hazards**

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

## EXOLIT OP 935

Page 2

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

**Components**

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

**SECTION 4. FIRST AID MEASURES**

- General advice : Remove contaminated clothing and shoes.
- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : None known.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : gaseous extinguishing media
- Specific hazards during firefighting : In case of fires, hazardous combustion gases are formed:  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)  
Phosphorus oxides (eg Phosphorus pentoxide)
- Electrical grounding of equipment is required to prevent possible dust explosion. Emits toxic fumes under fire conditions.
- Further information : Exercise caution when fighting any chemical fire. Use NIOSH

## EXOLIT OP 935

Page 3

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

approved self-contained breathing apparatus and full protective clothing.

Special protective equipment : Self-contained breathing apparatus for firefighters

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Do not breathe dust.  
Avoid contact with skin and eyes.  
Wear personal protective equipment. Unprotected persons must be kept away.  
Wearing appropriate personal protective equipment, contain spill, collect onto inert absorbent, and place in a suitable container.  
Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.
- Environmental precautions : Do not let product enter drains.  
Retain and dispose of contaminated wash water.
- Methods and materials for containment and cleaning up : Pick up mechanically. Rinse away rest with water.  
Avoid dust formation.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Dust may form explosive mixture in air.  
Keep away sources of ignition.  
Electrical equipment should be protected to the appropriate standard.  
Avoid dust accumulation in enclosed space.  
In areas with dust explosion hazard: maximum surface temperature of 310 °C (according DIN EN 50281-2-1).
- Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.  
Lead off electrostatic charges.  
Avoid inhalation, ingestion and contact with skin and eyes.  
Wash thoroughly after handling.
- Further information on storage conditions : Store in original container.  
Keep container tightly closed.  
Store in a cool, dry, well-ventilated area.
- Materials to avoid : Observe TRGS 514Ü (storage compatibility)

## EXOLIT OP 935

Page 4

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

**Personal protective equipment**

**Respiratory protection** : Wear NIOSH approved particulate filtering respirator rated N, R, or P95 or 100 or equivalent in the absence of proper environmental control. Type of respirator depends on level of exposure.

**Hand protection**  
Remarks : Butyl Rubber, PVC Or Neoprene.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

**Protective measures** : Do not breathe dust.  
Avoid contact with skin.  
Avoid contact with eyes.

**Hygiene measures** : When using do not eat or drink.  
When using do not smoke.  
Clean skin thoroughly after work; apply skin cream.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : powder

**Colour** : white

**Odour** : odourless

**Odour Threshold** : no data available

**pH** : approx. 5 (68 °F / 20 °C)  
Concentration: 10 g/l  
Suspension in water

**Decomposition temperature** :  $\geq 572$  °F / 300 °C

## EXOLIT OP 935

Page 5

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

Method: DTA

Initial boiling point and boiling range : Not applicable Decomposes below the boiling point.

Flash point : Not applicable

Evaporation rate : no data available

Flammability (solid, gas) : not determined

Self-ignition : > 500 °F / > 260 °C  
Method: VDI 2263 (Grewer)  
GLP: no

878 °F / 470 °C  
Method: DIN EN 50281-2-1  
Dust cloud ignition at a hot surface.

Upper explosion limit / upper flammability limit : no data available

Lower explosion limit / Lower flammability limit : no data available

Vapour pressure : Not applicable

Relative vapour density : no data available

Relative density : no data available

Density : 1.35 g/cm<sup>3</sup> (73 °F / 23 °C)  
Method: 92/69/EEC, A.3.

Bulk density : 100 - 250 kg/m<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)  
Water solubility : < 2 g/l (68 °F / 20 °C)

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : no data available

Decomposition temperature : > 572 °F / > 300 °C  
Heating rate: 5 K/min  
Decomposes before melting.

Viscosity  
Viscosity, dynamic : Not applicable

## EXOLIT OP 935

Page 6

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

Viscosity, kinematic	:	Not applicable
Impact sensitivity	:	Not impact sensitive.
Molecular weight	:	no data available
Dust deflagration index (Kst)	:	106 m.b_/s Method: DIN EN 14034-2 GLP: no
Dust explosion class	:	St1

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	Dust can form an explosive mixture in air. Stable
Conditions to avoid	:	Temperatures exceeding thermal stability. High concentration of powders. Electrostatic charges. Temperatures > 280 °C when incorporating into polybutylene terephthalate (PBT) and PBT-containing polymers.
Incompatible materials	:	none
Hazardous decomposition products	:	Phosphorus oxides (eg Phosphorus pentoxide)

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Eye contact  
Skin contact  
Inhalation

**Acute toxicity****Product:**

Acute oral toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: no data available
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402

---

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

---

**Skin corrosion/irritation****Product:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**Serious eye damage/eye irritation****Product:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405

**Respiratory or skin sensitisation****Product:**

Test Type: Maximisation Test  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Mammalian cell gene mutation assay  
Test system: Chinese hamster fibroblasts  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster fibroblasts  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: NMRI  
Application Route: Oral  
Method: OECD Test Guideline 474

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects, In vivo tests did

## EXOLIT OP 935

Page 8

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

Assessment not show mutagenic effects

**Carcinogenicity****Product:**

Carcinogenicity - Assessment : No information available.

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Product:**

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: >= 1,000 mg/kg body weight  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**STOT - single exposure****Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure****Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Product:**



## EXOLIT OP 935

Page 9

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

Species: Rat, male and female  
NOAEL: 1000 mg/kg bw/day  
Application Route: oral (gavage)  
Exposure time: 28  
Dose: 62,5, 250, 1000 mg/kg bw  
Method: OECD Test Guideline 407

**Aspiration toxicity****Product:**

no data available

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Method: Regulation (EC) No. 440/2008, Annex, C.1
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
End point: mortality  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 180 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: Regulation (EC) No. 440/2008, Annex, C.3
- Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 100 mg/l  
Exposure time: 28 d  
Test Type: semi-static test  
Method: OECD Test Guideline 215
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): ca. 10 mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test

## EXOLIT OP 935

Page 10

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC (activated sludge): 483 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209

**Persistence and degradability****Product:**

Biodegradability : Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**Mobility in soil****Product:**

Distribution among environmental compartments : Adsorption/Soil  
Koc: ca. 0.38, log Koc: ca. -0.42  
Method: OECD Test Guideline 121

**Other adverse effects****Product:**

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

RCRA - Resource Conservation and Recovery Act  
Authorization Act : This product, if discarded as sold, is not a Federal RCRA hazardous waste.  
Waste Code : NONE

Waste from residues : Dispose of spilled or waste product, contaminated soil and other contaminated materials in licensed landfill or treatment facility in accordance with all local, state, and federal regulations.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

---

**SECTION 14. TRANSPORT INFORMATION**

<b>DOT</b>	not restricted
<b>IATA</b>	not restricted
<b>IMDG</b>	not restricted

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.


This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**The components of this product are reported in the following inventories:**

**TSCA** : On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure

---

Substance key: SXR102182

Revision Date: 05/11/2022

Version : 4 - 7 / USA

Date of printing :05/13/2022

---

Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Not on the Chemical Weapons Convention (CWC) Toxic Chemicals and Precursors List  
Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 05/11/2022

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN