CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : CALCINATE ™ C-400CLR

Product code : 00000000062630364

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Additive

Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

1/20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

| Chemical name | CAS-No. | Concentration (% w/w) |
|------------------------------------|------------|-----------------------|
| Distillates (petroleum), solvent- | 64741-88-4 | >= 30 - < 50 |
| refined heavy paraffinic | | |
| Benzenesulfonic acid, C10-16-alkyl | 68584-23-6 | >= 10 - < 20 |
| derivs., calcium salts | | |
| Calcium Petroleum Sulfonate | 61789-86-4 | >= 5 - < 10 |
| Benzenesulfonic acid, mono-C16-24- | 70024-69-0 | >= 1 - < 5 |
| alkyl derivs., calcium salts | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.

Get medical attention if symptoms occur.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Get medical attention if symptoms appear.

If swallowed : Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

2/20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Burning produces irritant fumes.

Hazardous combustion prod-

ucts

Metal oxides

Carbon dioxide (CO2)
Carbon monoxide

Further information : Cool containers/tanks with water spray.

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment. Do not touch or walk through spilled material.

Evacuate unnecessary personnel.

Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

ollows.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

3/20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink. Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|------------|--|--|-------|
| Distillates (petroleum), solvent- dewaxed heavy paraffinic | 64742-65-0 | TWA (Inhal- able particu- late matter) | 5 mg/m3 | ACGIH |

Engineering measures : Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Permeation resistant gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

4 / 20

CALCINATE ™ C-400CLR



Version 3.0

Revision Date: 08/02/2022

SDS Number: 203000017544 Date of last issue: 02/05/2021 Country / Language: US / EN

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Physical state liquid

Color brown

Odor mild, hydrocarbon-like

Odor Threshold No data available

рΗ No data available

Not applicable

Boiling point/boiling range No data available

> 356 °F / 180 °C Flash point

Method: open cup

Evaporation rate No data available

Self-ignition No data available

Burning number No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

Vapor pressure < 0.0008 hPa (68 °F / 20 °C)

Relative vapor density No data available

Relative density No data available

Density No data available

Solubility(ies)

5/20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Water solubility : negligible

Solubility in other solvents : partly soluble

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposi-

tion temperature (SADT)

: No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : $> 30 \text{ mm2/s} (104 \degree \text{F} / 40 \degree \text{C})$

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid : Exposure to moisture.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No decomposition if stored normally.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation Eye contact Skin contact Skin Absorption

Print Date: 04/10/2024

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Dosage caused no mortality

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401 Remarks: Dosage caused no mortality

LD50 (Rat, male): > 16,000 mg/kg

GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OPP 81-3 Acute Inhalation Toxicity

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: 40 CFR, Section 163.81-5, Federal Register, August 22, 1978 as modified in accordance with the revised EPA

Pesticide Assessment Guidelines November 1982

GLP: yes

Calcium Petroleum Sulfonate:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: No mortality observed at this dose.

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OPP 81-3 Acute Inhalation Toxicity

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402 Remarks: Dosage caused no mortality

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401 Remarks: Dosage caused no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OPP 81-3 Acute Inhalation Toxicity

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402 Remarks: Dosage caused no mortality

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

Calcium Petroleum Sulfonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit

Result : No skin irritation

8/20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Calcium Petroleum Sulfonate:

Species : Rabbit

Result : No eye irritation

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : Does not cause skin sensitization.

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Routes of exposure : Skin contact Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Routes of exposure : Dermal Species : Guinea pig

Result : The product is a skin sensitiser, sub-category 1B.

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Result : The product is a skin sensitiser, sub-category 1B.

9/20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Calcium Petroleum Sulfonate:

Routes of exposure : Dermal Species : Guinea pig

Result : The product is a skin sensitiser, sub-category 1B.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Dermal Species : Mouse

Method : OECD Test Guideline 429

Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Genotoxicity in vitro : Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

Remarks: Test results on an analogous product

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral

Result: negative GLP: yes

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Calcium Petroleum Sulfonate:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: Test results on an analogous product

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Duration of Single Treatment: 28 Days

General Toxicity Parent: NOAEL: >= 500 mg/kg body weight

Fertility: NOAEL: >= 500 mg/kg body weight

Method: OECD Test Guideline 415

GLP: yes

Remarks: Test results on an analogous product

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Species : Rabbit, male and female

NOAEL : > 1,000 mg/kg Application Route : Skin contact

Exposure time : 28 d

Number of exposures : 5 days/week
Remarks : Chronic toxicity

Species : Rat, male and female

NOAEL : 0.21 mg/l Application Route : Inhalation Exposure time : 28 d

Remarks : Chronic toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rat, male and female

NOAEL : 500 mg/kg

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 203000017544 Country / Language: US / EN 3.0 08/02/2022

Application Route Oral Exposure time 28 Days Number of exposures daily

Method **OECD Test Guideline 407**

GLP yes

Remarks Test results on an analogous product

Aspiration toxicity

Not classified based on available information.

No aspiration toxicity classification

Further information

Product:

Remarks : No data is available on the product itself.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 5,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 1,000

Exposure time: 96 h

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish LL50 (Cyprinodon variegatus (sheepshead minnow)): >

10,000 mg/l

End point: mortality Exposure time: 96 h Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

13 / 20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Remarks: water extractable fraction Test results on an analogous product

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

End point: Immobilization Exposure time: 48 h Analytical monitoring: yes Method: OPPTS 797.1300

GLP: ves

Remarks: water extractable fraction Test results on an analogous product

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000

mg/l

End point: Growth rate Exposure time: 96 h Analytical monitoring: yes

Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)

GLP: yes

Remarks: water extractable fraction Test results on an analogous product

NOAEL (No observed adverse effect level) (Pseudokirchneri-

ella subcapitata (green algae)): >= 1,000 mg/l

End point: Growth rate Exposure time: 96 h Analytical monitoring: yes

Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)

GLP: yes

Remarks: water extractable fraction Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l

End point: Respiration inhibition

Exposure time: 3 h

Method: OECD Test Guideline 209 Remarks: water extractable fraction

Calcium Petroleum Sulfonate:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): >

10,000 mg/l

End point: mortality Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: water extractable fraction

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

End point: Immobilization

14 / 20

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

Exposure time: 48 h
Test Type: static test
Method: OPPTS 797.1300

Remarks: water extractable fraction

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000

mg/l

End point: Growth rate Exposure time: 96 h

Method: OTS 797.1050 (Algal Toxicity, Tiers I and II) Remarks: Test results on an analogous product

water extractable fraction

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,000

mg/l

End point: Growth rate Exposure time: 96 h

Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)

Remarks: water extractable fraction Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l

End point: Respiration inhibition

Exposure time: 3 h

Method: OECD Test Guideline 209 Remarks: water extractable fraction

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): >

10,000 mg/l End point: mortality Exposure time: 96 h

Method: OECD Test Guideline 203 Remarks: water extractable fraction

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

End point: Immobilization Exposure time: 48 h Method: OPPTS 797.1300

Remarks: water extractable fraction Test results on an analogous product

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (microalgae)): > 1,000

mg/l

End point: Growth rate Exposure time: 96 h

Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)

Remarks: water extractable fraction Test results on an analogous product

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

NOEC (Pseudokirchneriella subcapitata (microalgae)): 1,000

mg/l

Exposure time: 96 h

Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)

Remarks: water extractable fraction Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l

End point: Respiration inhibition

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

Distillates (petroleum), solvent-refined heavy paraffinic:

Biodegradability : Result: Not readily biodegradable.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 2 mg/l

Result: Not readily biodegradable.

Biodegradation: 8.6 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: Test results on an analogous product

Calcium Petroleum Sulfonate:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 2 mg/l

Result: Not readily biodegradable.

Biodegradation: 8.6 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: Test results on an analogous product

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Biodegradability : aerobic

Inoculum: activated sludge

CALCINATE ™ C-400CLR



Version **Revision Date:** SDS Number: Date of last issue: 02/05/2021 203000017544 3.0 08/02/2022 Country / Language: US / EN

Concentration: 2 mg/l

Result: Not readily biodegradable.

Biodegradation: 8.6 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Product:

: Remarks: No data available Bioaccumulation

Mobility in soil No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: No information on ecology is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva- : tion and Recovery Authorization Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues

The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

Print Date: 04/10/2024

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo, Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

| Distillates (petroleum), solvent-refined heavy paraf- | 64741-88-4 | 30 - 50 |
|---|------------|---------|
| finic | | |

Pennsylvania Right To Know

| Distillates (petroleum), solvent-refined heavy paraf- | 64741-88-4 | 30 - 50 |
|---|------------|---------|
| finic | | |
| calcium carbonate | 471-34-1 | > 1 |
| Benzenesulfonic acid, C10-16-alkyl derivs., calci- | 68584-23-6 | 10 - 20 |
| um salts | | |
| Calcium Petroleum Sulfonate | 61789-86-4 | 5 - 10 |

California Prop. 65

WARNING: This product can expose you to chemicals including Crystalline Quartz Silica, naphthalene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to

CALCINATE ™ C-400CLR



Version Revision Date: SDS Number: Date of last issue: 02/05/2021 3.0 08/02/2022 203000017544 Country / Language: US / EN

50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/02/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.