
## Protectosil® WS 610

 Version
 3.1 / US

 Revision date
 10/20/2015

 Print Date
 06/28/2016

Order Number Page 1/9



Material no.

Specification

1.1. Product identifier

Trade name Protectosil® WS 610

1.2. Recommended use of the chemical and restrictions on use

Relevant applications identified For industrial use

157359

Function Hydro- and oleophobizing agent

1.3. Details of the supplier of the safety data sheet

Company Evonik Corporation USA

299 Jefferson Road

Parsippany, NJ 07054-0677

USA

Telephone 973-929-8000

Telefax 973-929-8040

Email address Product-Regulatory-Services@Evonik.com

1.4. 24 HOUR EMERGENCY TELEPHONE NUMBERS:

**CHEMTREC - US &** 

CANADA:

800-424-9300

973-929-8060

**CHEMTREC MEXICO:** 01-800-681-9531

CHEMTREC +1 703-527-3887 (collect calls accepted)

INTERNATIONAL:

Product Regulatory Services

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 29CFR 1910.1200

Remarks

Not a hazardous substance or mixture.

2.2. Label elements

Statutory basis Classification according to Regulation 29CFR 1910.1200

Remarks Not a hazardous substance or mixture.

2.3. Other hazards

None known.

3. Composition/information on ingredients

## Protectosil® WS 610

 Material no.
 Version Revision date
 3.1 / US

 Specification
 157359
 Print Date
 06/28/2016

 Order Number
 Page
 2 / 9



#### Chemical nature

Preparation of: organofunctional polysiloxane and water

#### Other information

This material is classified as not hazardous under OSHA regulations.

## 4. First aid measures

## 4.1. Description of first aid measures

#### Inhalation

If aerosol or mists are inhaled, take affected persons out into the fresh air. In case of persistent discomfort or other symptoms, consult a physician immediately.

#### Skin contact

Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Obtain medical attention immediately if symptoms occur. Wash clothing before reuse.

### Eye contact

In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation develops.

### Ingestion

If accidentally swallowed, rinse mouth thoroughly with water and afterwards, drink plenty of water. In case of discomfort, obtain medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Symptoms 5

None known

## 4.3. Indication of any immediate medical attention and special treatment needed

After absorbing large amounts of substance:

administration of activated charcoal.

Acceleration of gastrointestinal passage

# 5. Fire-fighting measures

# 5.1. Extinguishing media

Suitable extinguishing media: water spray, foam, Carbon dioxide (CO2), dry powder

Unsuitable extinguishing media: High volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Standard procedure for chemical fires.

## 5.3. Advice for firefighters

As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

## Protectosil® WS 610

 Material no.
 Version Revision date
 3.1 / US

 Specification
 157359
 Print Date
 06/28/2016

 Order Number
 Page
 3 / 9



### 6.2. Environmental precautions

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

### 6.3. Methods and material for containment and cleaning up

Soak up with absorbent material, e.g., sand, silica gel, acid binder, universal binder or sawdust. Place in a marked, sealable container and dispose of in accordance with existing federal, provincial, state and local regulations.

# 7. Handling and storage

## 7.1. Precautions for safe handling

In case of thermal processing, provide for extraction of the vapors or adequate ventilation.

### 7.2. Conditions for safe storage, including any incompatibilities

## Advice on protection against fire and explosion

Take precautionary measures against static charges, keep away from sources of ignition.

## Storage

Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Residual vapors might explode on ignition; do not apply heat, cut, drill, grind or weld on or near this container.

## 8. Exposure controls/personal protection

## 8.1. Control parameters

#### Other information

No substance-spedific limiting value being known.

### 8.2. Exposure controls

# Engineering measures

Provide adequate ventilation.

## Personal protective equipment

#### Respiratory protection

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

## Hand protection

Glove material for example, butyl-rubber

Material thickness 0.5 mm
Break through time >= 480 min

Glove material for example, Fluorinated rubber (Viton)

Material thickness 0.4 mm

Break through time >= 480 min

Selection of protective gloves to meet the requirements of specific workplaces.

Suitability for specific workplaces should be clarified with protective glove manufacturers.

The information is based on our own tests, references from the literature and information from glove manufacturers, or derived by analogy with similar materials.

Please observe that the daily duration of usage of a chemical protective glove is in practice far shorter due to the many influencing factors (e.g. temperature, mechanical strain on the glove material) than the permeation time determined acc. EN 374.

## Protectosil® WS 610





Order Number Page 4 / 9

The above mentioned hand protection is based on knowledge of the chemistry and anticipated uses of this product but it may not be appropriate for all workplaces. A hazard assessment should be conducted prior to use to ensure suitability of gloves for specific work environments and processes prior to use.

#### Eye protection

Use chemical splash goggles or face shield.

# Hygiene measures

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work.

Wash contaminated clothing before re-use.

#### Protective measures

Handle in accordance with good industrial hygiene and safety practice.

If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.

Do not breathe in vapours or aerosols.

## 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

physical state liquid Colour white Form liquid

Odour almost odourless, slightly alcoholic

pH 6.5 - 8.5 (20 °C)

Method: DIN 38404-C5

Melting point/range -1 °C

Method: ISO 3841

Boiling point/range ca. 100 °C (1013 hPa)

Method: ASTM D-1120

Flash point > 95 °C

Method: DIN EN ISO 2719 (Pensky-Martens, Closed Cup)

Evaporation rate not determined

Lower explosion limit not determined

Upper explosion limit not determined

Vapour pressure 23 hPa (20 °C)

water

Density 1.017 g/cm3 (20 °C)

Method: DIN 51757

Water solubility miscible

Partition coefficient: n-

octanol/water

not determined

Autoignition temperature not determined

## Protectosil® WS 610



 Material no.
 Version
 3.1 / US

 Specification
 157359
 Revision date
 10/20/2015

 Order Number
 06/28/2016

Order Number Page 5/9

Thermal decomposition > 100 °C

Viscosity, dynamic 12 mPa.s (20 °C)

Method: DIN 53 015

### 9.2. Other information

no data available

### 10. Stability and reactivity

# 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous None known.

reactions

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong oxidizing agents., Strong bases

### 10.6. Hazardous decomposition products

Ethanol in case of hydrolysis

## 11. Toxicological information

## 11.1. Information on toxicological effects

Skin irritation Possibly irritating.

Eye irritation Possibly irritating.

carcinogenicity assessment Contains no carcinogenic substances as defined by NTP, IARC and/or

OSHA

Further information The toxicological data on this product have not been determined

experimentally.

### 12. Ecological information

## 12.1. Toxicity

No ecotoxicological studies are available on the mixture.

## 12.2. Persistence and degradability

Biodegradability No data available

### 12.3. Bioaccumulative potential

## Protectosil® WS 610



Version 3.1 / US Material no. Revision date 10/20/2015 Specification 157359 Print Date 06/28/2016 Order Number

Page 6/9

Bioaccumu la tion No data available

12.4. Mobility in soil

No data available Mobility

12.5. Other adverse effects

Further Information An Expert Judgment stated that no classification is necessary based on

present knowledge.

#### 13. Disposal considerations

#### 13.1. Waste treatment methods

#### **Product**

Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method. Empty containers must be handled with care due to product residue. DO NOT HEAT OR CUT THE EMPTY CONTAINER WITH ELECTRIC OR GAS TORCH.

## Uncleaned packaging

Packaging, that can not be reused after cleaning must be disposed or recycled in accordance with all federal, national and local regulations.

Incorrect disposal or reuse of this container is illegal and can be dangerous.

Other countries: observe the national regulations.

#### 14. Transport information

#### Not dangerous according to transport regulations.

14.1. UN number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards (Marine pollutant):

14.6. Special precautions for user: Yes

Not dangerous according to transport regulations.

#### 15. Regulatory information

## **US Federal Regulations**

## **OSHA**

If listed below, chemical specific standards apply to the product or components:

None listed

## Protectosil® WS 610

 Material no.
 Version
 3.1 / US

 Specification
 157359
 Revision date
 10/20/2015

 Print Date
 06/28/2016



Order Number Page 7 / 9

### Clean Air Act Section (112)

If listed below, components present at or above the de minimus level are hazardous air pollutants:

None listed

## **CERCLA Reportable Quantities**

If listed below, a reportable quantity (RQ) applies to the product based on the percent of the named component:

None listed

## SARA Title III Section 311/312 Hazard Categories

The product meets the criteria only for the listed hazard classes:

No SARA Hazards

### SARA Title III Section 313 Reportable Substances

If listed below, components are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

None listed

## Toxic Substances Control Act (TSCA)

If listed below, non-proprietary substances are subject to export notification under Section 12 (b) of TSCA:

None listed

# State Regulations

The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in section 2 and 15 of this MSDS.

## California Proposition 65

A warning under the California Drinking Water Act is required only if listed below:

None listed

An employer using HMIS/NFPA labeling must through training ensure that its employees are fully aware of the hazards of the chemicals used.

## **HMIS Ratings**

Health: 1
Flammability: 1
Physical Hazard: 0

### **NFPA Ratings**

## Protectosil® WS 610

Version 3.1 / US Material no. Revision date 10/20/2015 157359 Specification **Print Date** 06/28/2016 Order Number Page 8/9

Health: Flammability: 1 Reactivity: 0

#### 16. Other information

## **Further information**

Revision date 10/20/2015

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

## Legend

ACC American Chemistry Council

**ACGIH** American Conference of Governmental Industrial Hygenists

ACS Advisory Committee on Sustainability

ADI Acceptable Daily Intake

**ASTM** American Society for Testing and Materials

Adaptation to Technical Progress ATP

BCF Bioconcentration factor BOD Biochemical oxygen demand

closed cup C.C.

CAO Cargo Aircraft Only

Carcinogen Carc

CAS Chemical Abstract Services

CDN Canada

Canadian Environmental Protection Act CEPA

CERCLA Comprehensive Environmental Response - Compensation and Liability Act

CFR Code of Federal Regulations

CMR carcinogenic-mutagenic-toxic for reproduction

COD Chemical oxygen demand

German Institute for Standardization DIN DM EL Derived minimum effect level

Derived no effect level DOT Department of Transportation **EC50** half maximal effective concentration **EPA Environmental Protection Agency** ErC50

Reduction of Growth Rate **ERG** Emergency Response Guide Book Food and Drug Administration **FDA** 

GHS Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

GLP Good Laboratory Practice **GMO** Genetic Modified Organism HCS Hazard Communication Standard

**HMIS** Hazardous Materials Identification System **IARC** International Agency for Research on Cancer IATA International Air Transport Association

DNEL

# Protectosil® WS 610



 Material no.
 Version
 3.1 / US

 Specification
 157359
 Revision date
 10/20/2015

 Order Number
 Print Date
 06/28/2016

Order Number Page 9/9

IBC Intermediate Bulk Container

ICAO-TI International Civil Aviation Organization- Technical Instructions

ICCA International Council of Chemical Association

ID Identification number

IMDG International Maritime Dangerous Goods

IUPAC International Union of Pure and Applied Chemistry
ISO International Organization For Standardization

LC50 50 % Lethal Concentration

**LD50** 50 % Lethal Dose **L(E)C50** LC50 or EC50

LOAEL Low est observed adverse effect level

LOEL Low est observed effect level

MARPOL International Convention for the Prevention of Pollution from Ships

NFPA National Fire Protection Association
NOAEL No observed adverse effect level
no observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit

OSHA Occupational Safety and Health Administration

PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

RQ Reportable Quantity SDS Safety Data Sheet

STOT Specific Target Organ Toxicity

UN United Nations

vPvB very persistent, very bioaccumulative

voc volatile organic compounds

WHMIS Workplace Hazardous Materials Information System

WHO World Health Organization