PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : PREVENTOL ON EXTRA PRESERVATIVE

Product code 000000000056705647

EPA registration number 39967-24

Manufacturer or supplier's details

Company **LANXESS Corporation**

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone number: CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Biocide for industrial application

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Self-heating chemicals Category 1

Acute toxicity (Oral) Category 4

Skin corrosion : Category 1A

Serious eye damage Category 1

Carcinogenicity Category 2

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

1/20

GHS label elements

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Hazard pictograms :









Signal word : Danger

Hazard statements : Self-heating: may catch fire.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation. Suspected of causing cancer.

Precautionary statements

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Keep cool. Protect from sunlight. Do not breathe dust or mist.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. IF exposed or concerned: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Maintain air gap between stacks/ pallets.

Store bulk masses greater than 40 KG kg/88 LB lbs at tempera-

tures not exceeding 40 °C °C/ 104 °F °F.

Store away from other materials.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium o-phenylphenolate	132-27-4	>= 70 - < 90
sodium hydroxide	1310-73-2	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : Move the victim to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Get medical attention immediately.

Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Continue to rinse for 30 minutes.

Wash contaminated clothing before reuse.

Chemical burns must be treated promptly by a physician.

In case of eye contact : Get medical attention immediately.

In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated

and that the eye is being irrigated.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Chemical burns must be treated promptly by a physician.

If swallowed : Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

Get medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Skin: Reddening, burning, and possible permanent damage. Ingestion: Corrosive with symptoms of coughing, burning,

ulceration, and pain.

Acute overexposure to this product may cause dizziness,

headache, drowsiness, malaise, abdominal pain.





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

May cause respiratory tract irritation with symptoms of cough-

ing, sore throat and runny nose.

Effects : Harmful if swallowed.

Causes serious eye damage. May cause respiratory irritation. Suspected of causing cancer.

Causes severe burns.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or

CO₂.

Unsuitable extinguishing

media

Do NOT use water jet.

Specific hazards during fire-

fighting

Self-heating material

Spontaneously flammable in air.

May re-ignite after fire is extinguished

Vapours may form explosive mixtures with air. Runoff to sewer may create fire or explosion hazard.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Carbon dioxide (CO2) Carbon monoxide Metal oxides

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Move containers from fire if this can be done without risk.

Use water spray to cool unopened containers.

If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible dis-

tance.

Special protective equipment:

for firefighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Evacuate personnel to safe areas.

Do not touch or walk through spilled material.

4/20

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

09/29/2020 203000015121 Country / Language: US / EN 1.0

> Ensure adequate ventilation. Use personal protective equipment. Do not breathe vapours/dust.

Eliminate all ignition sources if safe to do so.

: Prevent product from entering drains. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Use spark-proof tools and explosion-proof equipment.

Move containers from spill area.

Remove mechanically by a method that minimizes the generation of airborne dust(vacuum cleaner, wet mopping, etc.) Ensure vacuum cleaners are approved for explosible dusts. Do

not use compressed air for cleaning.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from combustible material.

Advice on safe handling

Avoid inhalation, ingestion and contact with skin and eyes.

Do not use in areas without adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory

Keep in the original container or an approved alternative made

from a compatible material, kept tightly closed when not in

Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Conditions for safe storage

Store in accordance with local regulations.

Store in a segregated and approved area.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Store at room temperature.

Keep away from heat and sources of ignition. Maintain air gap between stacks/pallets. Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

Empty containers retain residue and can be dangerous.





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Do not reuse container.

Recommended storage tem-

perature

41 - 104 °F / 5 - 40 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		TWA	2 mg/m3	OSHA Z-1

Engineering measures : Use process enclosures, local exhaust ventilation or other

engineering controls to keep airborne levels below recom-

mended exposure limits.

Use only with adequate ventilation.

Use explosion-proof ventilating equipment.

Personal protective equipment

Respiratory protection : The following respirator is recommended if airborne concen-

trations exceed the appropriate standard/guideline.

Effective dust mask

Hand protection

Material : Butyl rubber - IIR

Wearing time : < 60 min

Material : Nitrile rubber - NBR

Wearing time : < 60 min

Material : Polyvinyl chloride - PVC

Wearing time : < 60 min

Material : Polychloroprene - CR

Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Eye protection : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

6/20





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Skin and body protection : Dust impervious protective suit

Wear suitable protective clothing.

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : flakes

Colour : colourless

Odour : slight

Odour Threshold : No data available

pH : 11.1 - 11.8

Concentration: 2 %

Melting point/range : 127 - 140 °F / 53 - 60 °C

Decomposition: Elimination of water of crystallisation Method: Regulation (EC) No. 440/2008, Annex, A.1

Decomposes without melting.

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : 1031 °F / 555 °C

Auto-ignition temperature

Method: UNRTDG

Self-heating: may catch fire.

Burning number : 3 (68 °F / 20 °C)

Method: VDI 2263-1





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 1.2 Pa (68 °F / 20 °C)

Method: OECD Test Guideline 104

Relative density : No data available

Density : 1.302 g/cm3 (68 °F / 20 °C)

Method: EU Method A.3

Bulk density : 400 - 450 kg/m3

Solubility(ies)

Water solubility : 0.53 mg/l (68 °F / 20 °C)

pH: 5

0.64 mg/l (68 °F / 20 °C)

pH: 9

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Minimum explosible dust con- :

centration

In the case of dusty organic products the possibility of a dust

explosion should always be considered.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : This product, by reaction with air and without energy supply, is

liable to self-heat and will ignite when in large amounts and

after long periods of time.

The spontaneous ignition temperature will be ≤ 50°C for a

volume of 27 m3.

Chemical stability : Stable under normal conditions.

8/20

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Possibility of hazardous reac-

tions

Hazardous reactions or instability may occur under certain

conditions of storage or use.

Conditions may include the following: Extended contact with air in bulk storage Reactions may include the following:

risk of causing fire

Conditions to avoid : Extremes of temperature and direct sunlight.

Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Reducing agents

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, female): 591 mg/kg

Method: OECD Test Guideline 401

Remarks: In analogy to test results for similarly composed

products.

Components:

Sodium o-phenylphenolate:

Acute oral toxicity : LD50 (Rat, female): 591 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

Test results on an analogous product

Skin corrosion/irritation

Causes severe burns.

Components:

Sodium o-phenylphenolate:

Species : Rabbit

Method : OECD Test Guideline 404

9/20



PREVENTOL ON EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Result : Causes severe burns.

sodium hydroxide:

Species : Rabbit

Result : Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Sodium o-phenylphenolate:

Species : Rabbit

Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

sodium hydroxide:

Species : Rabbit

Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Sodium o-phenylphenolate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium o-phenylphenolate:

Genotoxicity in vitro : Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: Test results on an analogous product

Test system: Mammalian-Animal





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: Test results on an analogous product

Genotoxicity in vivo : Species: Mouse (male)

Application Route: Oral Method: OECD 489 Result: negative

Remarks: Test results on an analogous product

Test Type: Micronucleus test

Species: Rat (male)
Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: Test results on an analogous product

sodium hydroxide:

Genotoxicity in vitro : Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mammalian-Animal Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Sodium o-phenylphenolate:

Species : Rat, male
Application Route : Oral
Exposure time : 2 Years

Dose : 200 mg/kg body weight Method : OECD Test Guideline 453

Result : negative

Remarks : Test results on an analogous product

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years

Dose : >= 647 mg/kg body weight Method : OECD Test Guideline 453

Result : negative

11 / 20





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Remarks : Test results on an analogous product

IARC Group 2B: Possibly carcinogenic to humans

Sodium o-phenylphenolate 132-27-4

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium o-phenylphenolate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Duration of Single Treatment: 25 Weeks Fertility: NOAEL: >= 500 mg/kg body weight

Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic develop-

ment were detected.

GLP: yes

Remarks: Test results on an analogous product

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Duration of Single Treatment: 28 Days

Developmental Toxicity: NOAEL: 250 mg/kg body weight

Method: OECD Test Guideline 414

Remarks: Test results on an analogous product

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT - repeated exposure

Not classified based on available information.

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Repeated dose toxicity

Components:

Sodium o-phenylphenolate:

Species : Rat, male and female

NOAEL : >= 300 mg/kg

Application Route : Oral Exposure time : 2 yr

Method : OECD Test Guideline 453

Remarks : Test results on an analogous product

Species : Rat, male and female

>= 1000 mg/kg

Application Route : Dermal Exposure time : 21 Days Number of exposures : 5 days/week

Method : OECD Test Guideline 410

Remarks : Test results on an analogous product

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium o-phenylphenolate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6 mg/l

Exposure time: 96 h Method: OPPTS 850.1075 Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.7 mg/l

Exposure time: 48 h Method: ASTM E729 Remarks: Fresh water

Test results on an analogous product

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 3.57

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Remarks: Fresh water

Test results on an analogous product

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.468

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Fresh water

Test results on an analogous product

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.036 mg/l

Exposure time: 21 Days Remarks: Fresh water

Test results on an analogous product

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.006 mg/l

Exposure time: 21 Days

Method: OECD Test Guideline 211

Remarks: Fresh water

Test results on an analogous product

Toxicity to microorganisms : EC10 (activated sludge): 31 mg/l

Exposure time: 3 h Method: ISO 8192

Remarks: Test results on an analogous product

sodium hydroxide:

Toxicity to fish : LC50 (Trout): 45.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Print Date: 04/21/2023

Sodium o-phenylphenolate:

Biodegradability : aerobic

Result: Readily biodegradable. Biodegradation: 70.8 - 75.7 %

14 / 20

Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Test results on an analogous product

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

sodium hydroxide:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Bioaccumulative potential

Components:

Sodium o-phenylphenolate:

Partition coefficient: n- : log Pow: 3.18

octanol/water Method: OECD Test Guideline 107

Remarks: Test results on an analogous product

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authoriza-

tion Act

When discarded in its purchased form, this product meets the criteria of ignitability, and should be managed as a hazardous waste (ERA Hazardous Waste Number 2001). (40 CER

waste (EPA Hazardous Waste Number D001). (40 CFR

261.20-24)

When discarded in its purchased form, this product meets the criteria of corrosivity, and should be managed as a hazardous waste (EPA Hazardous Waste Number D002). (40 CFR

261.20-24)

Waste Code : D001: Ignitability

D002: Corrosivity

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

wav.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations





Version **Revision Date:** SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

IATA-DGR

UN/ID No. UN 3126

Proper shipping name Self-heating solid, corrosive, organic, n.o.s.

(2-HYDROXYBIPHENYL SODIUM SALT)

Class 4.2 Subsidiary risk 8 Packing group Ш Labels

4.2 8





Packing instruction (cargo

aircraft)

470:50.00 KG

Packing instruction (passen-

ger aircraft)

466: 15.00 KG

Environmentally hazardous

yes

IMDG-Code

UN number UN 3126

SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S. Proper shipping name

(2-HYDROXYBIPHENYL SODIUM SALT)

Class 4.2 Subsidiary risk 8 Ш Packing group

Labels

4.2





EmS Code F-A, S-J

Marine pollutant yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number UN 3126

Proper shipping name Self-heating solid, corrosive, organic, n.o.s.

16 / 20



PREVENTOL ON EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

(2-HYDROXYBIPHENYL SODIUM SALT)

Class : 4.2
Subsidiary risk : 8
Packing group : II
Labels : 4.2

4.2

8

ERG Code : 136 Marine pollutant : yes

¥2

Hazard and Handling Notes. : Spontaneously combustible., Corrosive., Environmentally

hazardous substance., Keep dry., Keep away from foodstuffs,

acids and alkalis

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

A characteristic waste RQ of 100 lbs applies to this product in a waste form: D001, D002

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Self-heating chemicals

Acute toxicity (any route of exposure)

Carcinogenicity

Skin corrosion or irritation

Serious eve damage or eve irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

17 / 20





Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

Sodium o- 132-27-4 >= 70 - < 90 %

phenylphenolate

US State Regulations

Massachusetts Right To Know

Sodium o-phenylphenolate 132-27-4 >= 70 - < 90

Pennsylvania Right To Know

 Sodium o-phenylphenolate
 132-27-4 >= 70 - < 90

 water
 7732-18-5 > 1

 sodium hydroxide
 1310-73-2 >= 1 - < 3

California Prop. 65

WARNING: This product can expose you to chemicals including Sodium o-phenylphenolate, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

EPA registration number : 39967-24

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal word : DANGER

Hazard statements : Corrosive Causes irreversible eye damage and skin burns.

Harmful if swallowed, in contact with skin or if inhaled. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some

individuals.

SECTION 16. OTHER INFORMATION

Further information

18 / 20


PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / C : Ceiling limit

OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances;

PREVENTOL ON EXTRA PRESERVATIVE



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/29/2020 203000015121 Country / Language: US / EN

(Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/29/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.