

www.henkel.com/electronics

Solvent Blend

DESCRIPTION SB-1 is a blend of commonly available solvents designed for use with

Electrodag[®] 440, Emralon[®] 329, Emralon 335, and others. **SB-1** is used to facilitate good handling and applicator convenience with the above products

when spray applied.

TYPICAL PROPERTIES

PROPERTIES Color : colorless liquid

(as supplied) Flash point : 50°F (7°C) Tag closed cup method

Density : 7.2 lbs/gal (0.86 kg/l)
Theoretical coverage : 181 sq ft/gal (3.24 m²/kg)
VOC : 7.25 lb/gal (870 q/l)

APPLICATION DETAILS

Method of Use

Specific dilution ratios for use are listed on individual product data sheets.

STORAGE/SHIPPING HANDLING

Shelf life for this product is 72 months from date of qualification under original seal. Keep container tightly closed when not in use. Store in a cool, well ventilated area. Keep away from heat, sparks, and open flame. Protect material from direct sunlight. Ground and bond containers when transferring materials. Empty containers may retain hazardous properties.

Follow all MSDS/label warnings even after container is emptied.

APPLICATION ASSISTANCE

Henkel's **Application Specialists** are available to assist you in production start-up with **SB-1**. For more information, visit our website at www.henkel.com/electroncis for the Henkel global location nearest you.

The information given and the recommendations made herein are based on our research and are believed to be accurate but no guaranty of their accuracy is made. In every case, we urge and recommend that purchasers, before using any product in full scale production, make their own tests to determine to their own satisfaction whether the product is of acceptable quality and is suitable for their particular purposes under their own operating conditions. THE PRODUCTS DISCLOSED HEREIN ARE SOLD WITHOUT ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED. No representative of ours has any authority to waive or change the foregoing provisions but, subject to such provisions, our engineers are available to assist purchasers in adapting our products to their needs and to the circumstances prevailing in their business. Nothing contained herein shall be construed to imply the non-existence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of this patent. We also expect purchasers to use our products in accordance with the guiding principles of the American Chemistry Council® program.

SHEET

HEALTH & SAFETY

Flammable. Harmful if swallowed, inhaled, or absorbed through skin. May cause eye irritation. Wash thoroughly after handling. Keep away from heat, sparks, and open flame. Keep container tightly closed when not in use. Use with adequate ventilation. Avoid breathing vapor. See Henkel's Material Safety Data Sheet for proper first aid instructions.

NOTE

Electrodag is a trademark of Henkel Corporation.

Printed in U.S.A. 03-159-RV081302

Note

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof. In light of the foregoing, Henkel Corporation specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits. The discussion herein of various processes or compositions is not to be interpreted as representation that they are free from domination of patents owned by others or as a license under any Henkel Corporation patents that may cover such processes or compositions. We recommend that each prospective user test his proposed application before repetitive use, using this data as a guide. This product may be covered by one or more United States or foreign patents or patent applications.

Trademark usage

Except as otherwise noted, all trademarks in this document are trademarks of Henkel Corporation in the U.S. and elsewhere. ® denotes a trademark registered in the U.S. Patent and Trademark Office.

