

Licolub PE 350 FG TP

Page 1

Substance key: 000000660088	Revision Date: 07/03/2018
Version: 1 - 0 / USA	Date of printing :02/05/2019

SECTION 1. IDENTIFICATION

Identification of the

Clariant Plastics & Coating USA LLC

company:

4000 Monroe Road Charlotte, NC, 28205

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Licolub PE 350 FG TP

 Material number:
 300704

 CAS number:
 9002-88-4

Primary product use: Lubricant

Chemical family: Polyethylene

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

No additional hazards are known except those derived from the labelling.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Polyethylene

CAS-No. : 9002-88-4

Hazardous components

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.



Licolub PE 350 FG TP

Page 2

 Substance key: 000000660088
 Revision Date: 07/03/2018

 Version: 1 - 0 / USA
 Date of printing: 02/05/2019

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical

attention if eye irritation develops or persists.

If swallowed : If conscious, give the victim plenty of water to drink.

Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

No symptoms known currently. No hazards known at this time.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

Water spray jet Dry powder

Unsuitable extinguishing

media

High volume water jet Carbon dioxide (CO2)

Specific hazards during

firefighting

Carbon monoxide

Further information : Wear suitable protective equipment.

Special protective equipment

for firefighters

Wear personal protective equipment.

In the event of fire, wear self-contained breathing apparatus.

Do not inhale explosion and/or combustion gases

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

Avoid dust formation.

Environmental precautions : The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

Take up mechanically Avoid dust formation.

Take measures to prevent the build up of electrostatic charge.

Risk of dust explosion.

Treat recovered material as described in the section "Disposal



Licolub PE 350 FG TP

Page 3

Substance key: 000000660088	Revision Date: 07/03/2018
Version: 1 - 0 / USA	Date of printing :02/05/2019

considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Take precautionary measures against build-up of electrostatic

charges, e.g earthing during loading and off-loading

operations.

Keep away from sources of ignition - No smoking.

Dust can form an explosive mixture in air.

Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.

Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Use personal protective equipment.

Avoid breathing dust.

Avoid contact with skin and eyes. Wash thoroughly after handling.

Store in a dry place.
Keep away from heat.
Store in original container.
Keep container tightly closed.

Technical measures/Precautions

Store in original container. Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Use adequate exhaust ventilation and/or dust collection to

keep dust levels below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.

Hand protection

Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : Observe the usual precautions for handling chemicals.

Wash face, hands and any exposed skin thoroughly after



Licolub PE 350 FG TP

Page 4

 Substance key: 000000660088
 Revision Date: 07/03/2018

 Version: 1 - 0 / USA
 Date of printing: 02/05/2019

handling.

When using, do not eat, drink or smoke.

Avoid contact with skin.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Prills

Colour : white

Odour : not specified

Odour Threshold : not tested.

pH : Not applicable

Drop point : 108 °C

Method: DIN/ISO 2176

Melting point not determined

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : not determined

Flammability (solid, gas) : not determined

Self-ignition : Method: Expert judgement

The product melts below 160 °C. Therefore, no further testing

of self-heating properties is required.

Method: Expert judgement

The substance or mixture is not classified as pyrophoric.

Burning number : not determined

Upper explosion limit / upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapour pressure : not determined

Relative vapour density : not determined



Licolub PE 350 FG TP

Page 5

 Substance key: 000000660088
 Revision Date: 07/03/2018

 Version: 1 - 0 / USA
 Date of printing: 02/05/2019

Density : 0.92 - 0.94 g/cm3 (20 °C)

Method: ISO 1183

Solubility(ies)

Water solubility : < 1 mg/l insoluble

Solubility in other solvents : not tested.

Partition coefficient: n-

octanol/water

not tested.

Auto-ignition temperature : not tested.

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, dynamic : 1,110 mPa.s (120 °C)

Method: DIN 53019

Explosive properties : Not explosive

Method: Expert judgement

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Expert judgement

The product does not contain organic peroxide-groups which result from either the manufacturing process or from added

ingredients.

Minimum ignition energy : not tested.

Particle size : > 1 mm

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

The substance or mixture does not emit flammable gases in

contact with water.

Not corrosive to metals

Conditions to avoid : None known.

Incompatible materials : no data available

Hazardous decomposition

products

When handled and stored appropriately, no dangerous

decomposition products are known



Licolub PE 350 FG TP

Page 6

Substance key: 000000660088	Revision Date: 07/03/2018
Version: 1 - 0 / USA	Date of printing :02/05/2019

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Respiratory or skin sensitisation

Product:

Result: No sensitisation effects are known

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: not tested.

Germ cell mutagenicity -

Assessment

: No information available.

Carcinogenicity

Product:

Carcinogenicity - Assessment

: No information available.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.



Licolub PE 350 FG TP

Page 7

 Substance key: 000000660088
 Revision Date: 07/03/2018

 Version: 1 - 0 / USA
 Date of printing: 02/05/2019

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Product:

Reproductive toxicity -

Assessment

: No information available.

Repeated dose toxicity

Product:

Remarks: not tested.

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: not tested.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: not tested.

Toxicity to algae

Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

Persistence and degradability

Product:

Biodegradability : Remarks: not tested.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not available

Mobility in soil no data available



Licolub PE 350 FG TP

Page 8

 Substance key: 000000660088
 Revision Date: 07/03/2018

 Version: 1 - 0 / USA
 Date of printing: 02/05/2019

Other adverse effects

Product:

Environmental fate and

pathways

Remarks: no data available

Additional ecological

information

: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act

This product, if discarded as sold, is not a Federal RCRA

hazardous waste.

Waste Code : NONE

Waste from residues : Small quantities may be treated in aerobic wastewater

treatment systems. Larger quantities may be incinerated or

landfilled after solidification in permitted systems.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restrictedIATA not restrictedIMDG not restricted

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Licolub PE 350 FG TP

Page 9

Substance key: 000000660088	Revision Date: 07/03/2018
Version: 1 - 0 / USA	Date of printing :02/05/2019

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the following inventories:


TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZloC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical



Licolub PE 350 FG TP

Page 10

 Substance key: 000000660088
 Revision Date: 07/03/2018

 Version: 1 - 0 / USA
 Date of printing: 02/05/2019

Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

On the basis of an extensive test program, which had to be submitted to the competent authority on the occasion of the Notification of the substance in the European Community, this product was found to be toxicologically not dangerous within the meaning of the EC Directives.

Revision Date : 07/03/2018

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN