PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1

Revision Date 2024/01/16

Print Date 2024/01/16

SECTION 1. IDENTIFICATION

Product name	:	PETRONATE [™] L SODIUM SULFONATE
Synonyms	:	Sodium Petroleum Sulfonate
		Product code: 710A

Manufacturer or supplier's details

	Sonneborn, LLC
	100 Sonneborn Lane
	Petrolia PA 16050
	United States
Telephone :	Security (24 hour): (724) 756-2210

Emergency telephone number

Emergency telephone num-	:	CHEMTREC: 1-800-424-9300; CCN: 205370
ber		Poison Control Centre: Consult local telephone directory for emergency number(s).

Recommended use of the chemical and restrictions on use			
Recommended use	:	This oil soluble Sulfonate is used in soluble oils and semi- synthetic fluids to improve emulsion properties.	
Prepared by	:	Product Safety: +1-724-756-2210	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)

Eye irritation	:	Category 2A	
GHS label elements Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	Causes serious eye irritation.	
Precautionary statements	:	Prevention: Wash skin thoroughly after handling. Wear eye protection/ face protection.	
		Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.	

Other hazards

None known.



PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1	Revision Date 2024/01/16	Print Date 2024/01/16
IARC	No component of this product present a or equal to 0.1% is identified as probabl firmed human carcinogen by IARC.	
OSHA	No component of this product present a equal to 0.1% is on OSHA's list of regul	5
NTP	No component of this product present a equal to 0.1% is identified as a known o by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)		
Sulfonic acids, petroleum, sodium salts	68608-26-4	50 - < 75		
Actual concentration is withheld as a trade secret				

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse.
		Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself. Causes serious eye irritation.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical
		Carbon dioxide (CO2)
		Water fog
		Foam
		Sand



PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1		Revision Date 2024/01/16	Print Date 2024/01/16
Unsuitable extinguishing media	:	Do NOT use water jet.	
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire	with water spray.
Hazardous combustion prod- ucts	:	: Carbon oxides (CO, CO2), smoke and irritating vapours a products of incomplete combustion.	
Further information	:	Prevent fire extinguishing water from co water or the ground water system.	ontaminating surface
Special protective equipment for firefighters	:	Wear self-contained breathing apparate essary.	us for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	None known.
Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use. Do not handle at temperatures >40°C, unless wearing appropriate protective equipment.
Conditions for safe storage	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun-



PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1

Revision Date 2024/01/16

Print Date 2024/01/16

light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal protective equipm	nent	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Protective measures Hygiene measures	:	Wash contaminated clothing before re-use. Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	 viscous liquid brown Mild petroleum No data available
рН	: No data available
Pour point	: No data available
Boiling point/boiling range	: 100 °C (212 °F)This product contains water.
Flash point	 > 93.4 °C (> 200.1 °F) Method: Pensky-Martens closed cup This product contains water and may cause foaming when heated above 200°F.
Fire Point	: No data available
Evaporation rate	: No data available

PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1		Revision Date 2024/01/16	Print Date 2024/01/16
Flammability	:	Remarks: No data available	
Auto-Ignition Temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	> 1 (61 °F / 16 °C)	
Density	:	No data available	
Solubility(ies) Water solubility	:	emulsifiable	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	> 30 cSt (104 °F / 40 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so pose containers to heat or sources of i	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Heat, flames and sparks. Reactive with oxidising agents, acids and alkalis. May release COx, NOx, SOx, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Eye contact Ingestion Inhalation	of	exposure
Skin contact Acute toxicity		
Product: Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available



PETRONATE [™] L SODIUM SULFONATE

000003010433

sion 1.1		Revision Date 2024/01/16	Print Date 2024/01/
Acute dermal toxicity	:	Remarks: No data available	
Components:			
Sulfonic acids, petroleum,	sod	ium salts:	
Acute dermal toxicity		LD50 (Rabbit): > 5,000 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	:	May irritate skin.	
Serious eye damage/eye ir	ritati	ion	
Product:			
Remarks	:	Causes serious eye irritation.	
Respiratory or skin sensiti	isatio	on	
Product:			
Remarks	:	No evidence of skin sensitization.	
Germ cell mutagenicity			
Product:			
Genotoxicity in vitro	:	Remarks: Not considered to be a g	erm cell mutagen.
Carcinogenicity			
Product:			
Remarks	:	The mineral oils in the product cont 346). Not considered to be carcinog	
Reproductive toxicity			
Product:			
Effects on fertility	:	Remarks: Not considered to be toxi tem.	ic to the reproductive sys
Effects on foetal develop- ment	:	Remarks: Not considered to be tera	atogenic.
STOT - single exposure			
Product:			
Remarks	:	Acute exposure studies show no ev	vidence of systemic toxic
STOT - repeated exposure			
Product:			
Remarks	:	Repeat dose toxicity data shows no toxicity.	evidence of target organ

Sonneborn[®]

PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1

Revision Date 2024/01/16

Print Date 2024/01/16

Aspiration toxicity

Product:

Not expected to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other	:	Remarks: No data available
aquatic invertebrates Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Sulfonic acids, petroleum, s	odi	ium salts :
Toxicity to fish	:	LL50 (Fish): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (algae): > 1,000 mg/l Exposure time: 72 h
		NOEC (algae): 1,000 mg/l Exposure time: 72 h
Persistence and degradabili	ity	
Dreduct		
Product:		
Biodegradability	:	Remarks: No data available
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: The product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed dis-

PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1	Revision Date 2024/01/16	Print Date 2024/01/16
Contaminated packaging	 posal company. Waste must be classified and labelled disposal. Send to a licensed waste manageme Dispose of product residue in accordation of the person responsible for waste dispose of responsible for waste dispose. Do not re-use empty containers. 	ent company. ance with the instructions

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR Not regulated as a dangerous good

Remarks

: Freight Description Road: 65 Petroleum Oil, N.O.I.B.N.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Serious eye damage or eye irritation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US State Regulations		
New Jersey Right To Know		

Sulfonic acids, petroleum, sodium salts

California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re- productive harm. For more information go to www.P65Warnings.ca.gov.
The common successful is used to	et ens neu enterlin the fellouin a inventories.

The components of this product are reported in the following inventories:				
TSCA :	All chemical substances in this product are either listed on the			
	TSCA Inventory or are in compliance with a TSCA Inventory exemption.			
AIIC :	On the inventory, or in compliance with the inventory			

68608-26-4




PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1		Revision Date 2024/01/16	Print Date 2024/01/16
DSL	:	On the inventory, or in compliance with	the inventory
ENCS	:	On the inventory, or in compliance with	the inventory
KECI	:	On the inventory, or in compliance with	the inventory
PICCS	:	On the inventory, or in compliance with	the inventory
IECSC	:	On the inventory, or in compliance with	the inventory
NZIoC	:	On the inventory, or in compliance with	the inventory
EINECS	:	On the inventory, or in compliance with	the inventory

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - In-

sonneborn AN HE SINCLAIR BRAND

5

PETRONATE [™] L SODIUM SULFONATE

000003010433

Version 1.1

Revision Date 2024/01/16

Print Date 2024/01/16

ternational Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Prepared by	:	Product Safety: +1-724-756-2210
Revision Date Date format	-	2024/01/16 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US/EN

