

# SAFETY DATA SHEET

According to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200

## 1. Identification of the substance or mixture and of the supplier

## 1.1 Product identifier:

Product name: BLUESIL SLT 3E TRANSLUCENT

Product No.: PRCO90008102

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

**Identified uses:** Used for making joints, sealing and gluing. **Uses advised against:** None known.

#### 1.3 Details of the supplier of the safety data sheet:

#### Manufacturer:

Elkem Silicones France SAS 1-55 rue des Frères Perret F-69192 SAINT FONS Cedex FRANCE

E-mail: fds.sil@elkem.com

#### Supplier:

Elkem Silicones USA Corp. Two Tower Blvd, Suite 1802 08816-1100 East Brunswick, NJ USA

#### 1.4 Emergency telephone number:

+1 (800) 424-9300 CHEMTREC

## 2. Hazard identification

## 2.1 Classification of the substance or mixture:

The product has been classified according to the legislation in force.

#### Hazard Classification:

#### **Health Hazards:**

Serious eye irritation Category 2

H319: Causes serious eye irritation.

2.2 Label Elements:

Hazard pictograms:



Warning

Signal Word:

Hazard statements:

H319: Causes serious eye irritation.

SDS\_US - PRCO90008102

**Telephone:** +33 (0) 4 72 73 74 75 **Fax:** +33 (0) 4 72 73 75 99

**Telephone:** +1 (732) 227-2060 **Fax:** +1 (732) 249-7000



#### **Precautionary Statements:**

Prevention:	P280: Wear eye protection.
Response:	P305+P351+P337+P313: IF IN EYES: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical

#### 2.3 Other hazards which do not result in GHS classification:

No other information noted.

#### Substance(s) formed under the conditions of use:

Chemical name	Concentration	CAS number	Classification
Acetic acid	<3%	64-19-7	Flam. Liq. 3 H227; Skin Corr.
			1A H314; Eye Dam. 1 H318;

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

advice/attention.

The full text for all H-statements is displayed in section 16.

## 3. Composition/information on ingredients

#### Mixtures:

#### **General information:**

Mixture of polydimethylsiloxanes, silica and curing agents.

#### Hazardous Component(s):

Chemical name	Concentration	Туре	CAS number	Classification
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	20 - <50%	Component	64742-46-7	Asp. Tox. 1 H304;
(1) Silicon dioxide	5 - <10%	Component	112945-52-5	None known.
Methylsilanetriyl triacetate	1 - <3%	Component	4253-34-3	Skin Corr. 1B H314; Eye Dam. 1 H318; Acute Tox. 4 H302;

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16.

#### 4. First-aid measures

#### General information:

Show this Safety Data Sheet to the attending physician.

#### 4.1 Description of first aid measures:

#### Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

#### **Skin Contact:**

Wash skin with soap and water. Get medical attention if irritation persists after washing.

#### Eye Contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms persist.



#### Ingestion:

Do not induce vomiting. Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell.

#### Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

## 4.3 Indication of any immediate medical attention and special treatment needed:

#### Notes to the physician:

Treatment is symptomatic and supportive.

## 5. Fire-fighting measures

#### 5.1 Extinguishing media:

Suitable extinguishing media: Water spray, foam, dry powder or carbon dioxide.

#### Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

#### 5.3 Advice for firefighters:

#### Special fire-fighting procedures:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers.

#### Special protective equipment for fire-fighters:

Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Ventilate the area. Do not breathe vapor. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment.

#### 6.2 Environmental precautions:

Do not discharge into drains, water courses or onto the ground. Collect spillage.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent and place into containers.

#### 6.4 Reference to other sections:

Caution: Contaminated surfaces may be slippery. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

## 7.1 Precautions for safe handling:

#### **Precautions:**

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. See Section 8 of the SDS for Personal Protective Equipment. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

#### Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Store in a well-ventilated place. Keep container tightly closed. Keep in properly labelled containers.

#### Packaging frequently used at our sites:

Steel drums coated with epoxy-resin. Polyethylene.

## 7.3 Specific end use(s):

See the technical data sheet on this product for further information.

## 8. Exposure controls/personal protection

#### 8.1 Control Parameters:

#### **Occupational Exposure Limits:**

Although some of the components of this product may have exposure guidelines, no exposure would be expected under normal handling conditions due to the physical state of the material.

#### Additional exposure limits under the conditions of use:

Acetic acid

Туре	Exposure	Limit Values	Source	Date	Remarks
STEL	15 ppm	37 mg/m3	NIOSH	2005	
REL	10 ppm	25 mg/m3	NIOSH	2005	
PEL	10 ppm	25 mg/m3	OSHA Z1	02 2006	
TWA	10 ppm	-	ACGIH	2008	
TWA	10 ppm	25 mg/m3	OSHA Z1A	1989	
STEL	15 ppm	-	ACGIH	2008	
IDLH	50 ppm	-	NIOSH IDLH	10 2017	IDLH values based on the 1994 Revised Criteria
LEL	-	4.0 %	NIOSH IDLH	07 2020	

#### 8.2 Exposure controls:

#### Appropriate Engineering Controls:

Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.



BLUESIL SLT 3E TRANSLUCENT Version: 2.0 Revision Date: 08/10/2023 Supersedes Date: 12/11/2019

Eye/face protection:

Hand Protection:

Skin and Body Protection:

Wear safety glasses with side shields (or goggles). Impervious Protective Gloves

Wear suitable protective clothing.

**Respiratory Protection:** 

If ventilation is insufficient, suitable respiratory protection must be provided.

**Environmental Controls:** See sections 7 and 13 of the Safety Data Sheet.

## 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties:

Appearance:	
Physical state:	Liquid
Form:	Paste
Color:	Colorless
Odor:	Vinegar
pH:	Not applicable
Melting point/freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	> 120 °C / 248 °F (Closed cup according to method Afnor T 60103.)
Flammability:	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Relative vapor density:	No data available.
Evaporation Rate:	No data available.
Density:	Approximate 0.96 kg/dm3 (20 °C)
Solubility(ies):	
Solubility in Water:	Practically Insoluble
Solubility (other):	Acetone: Insoluble Ethanol: Insoluble Petrol: Dispersible White-spirit: Dispersible Aromatic hydrocarbons: Dispersible Chlorinated solvents: Dispersible
Partition coefficient (n-octanol/water):	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	> 80,000 mm2/s (calculated)
9.2 Other information:	
Dynamic viscosity:	80,000 mPa.s (20 °C, Measured)
Oxidizing properties:	According to the data on the components Not considered as oxidizing. (evaluation by structure-activity relationship)
Particle Size:	Not applicable



## **10. Stability and reactivity**

## 10.1 Reactivity:

Vulcanizes at room temperature on contact with moisture in the air.

#### 10.2 Chemical Stability:

Stable at room temperature provided it is not in contact with air.Vulcanizes at room temperature on contact with moisture in the air.

#### 10.3 Possibility of hazardous reactions:

Will not occur.

## 10.4 Conditions to avoid:

None known.

#### 10.5 Incompatible Materials:

Strong oxidizing agents and water.

## 10.6 Hazardous Decomposition Products:

Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.

## 11. Toxicological information

#### 11.1 Information on toxicological effects:

#### Acute toxicity:

#### Oral:

Not classified for acute toxicity based on available data.

#### Dermal:

Not classified for acute toxicity based on available data.

#### Inhalation:

Not classified for acute toxicity based on available data.

#### Repeated dose toxicity:

#### Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

NOAEL: 5,000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 408 ; Subchronic exposure. Results obtained on a similar product.

NOAEL: 10.4 mg/l; (Rat; Female, Male; Inhalation); Method: OECD 413; Subchronic exposure. Results obtained on a similar product.

#### METHYLSILANETRIYL TRIACETATE (4253-34-3):

An Expert Judgment stated that no classification is necessary based on present knowledge. NOAEL: 50 mg/kg; (Rat; Female, Male; Gavage (Oral)); Target Organ(s): stomach; Method: OECD 422; Results obtained on a similar product.

#### **Skin Corrosion/Irritation:**



Not irritating

Test results obtained on a similar product.

## Serious Eye Damage/Eye Irritation:

## Causes serious eye irritation.

Irritant. (Rabbit) ; Method: OECD 405

## **Respiratory or Skin Sensitization:**

## Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406 ; Results obtained on a similar product.

## METHYLSILANETRIYL TRIACETATE (4253-34-3):

Skin sensitization: Not a skin sensitizer. ; Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

## Germ Cell Mutagenicity:

## In vitro: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476 ; Results obtained on a similar product.

Chromosomal aberration: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: OECD 473 ; Results obtained on a similar product.

## METHYLSILANETRIYL TRIACETATE (4253-34-3):

Bacteria: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476 ; Results obtained on a similar product.

Chromosomal aberration: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: OECD 473

## In vivo: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Mammalian erythrocyte micronucleus test: negative (Mouse ; Oral) ; Method: OECD 474 ; Results obtained on a similar product.

Mammalian bone marrow chromosomal aberration test: negative (Mouse ; Intraperitoneal) ; Method: OECD 475 ; Results obtained on a similar product.

Rodent dominant Lethal test: negative (Mouse ; Inhalation) ; Method: OECD 483 ; Results obtained on a similar product.

## Carcinogenicity:

## Based on our knowledge of the composition information:

SILICON DIOXIDE (112945-52-5): No effects expected.

## IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogens present or none present in regulated quantities



## US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogens present or none present in regulated quantities

## Reproductive toxicity:

#### Fertility: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Not classified

Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1.72 mg/l; NOAEL (F1): None.; NOAEL (F2): None. (Rat; Female, Male; Inhalation); Method: OECD 421; Results obtained on a similar product.

Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1,000 mg/kg NOAEL (F1): None. ; NOAEL (F2): None. (Rat ; Female, Male ; Ingestion) ; Method: OECD 422 ; Results obtained on a similar product.

Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1,000 mg/kg NOAEL (F1): None. ; NOAEL (F2): None. (Rat ; Female, Male ; Ingestion) ; Method: OECD 421 ; Results obtained on a similar product.

SILICON DIOXIDE (112945-52-5): No effects expected.

## Teratogenicity: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Not classified

NOAEL (terato): > 1,000 mg/kg ; NOAEL (mater): > 1,000 mg/kg (Rat ; Gavage (Oral)) ; Method: OECD 414 ; Results obtained on a similar product.

SILICON DIOXIDE (112945-52-5): No effects expected.

## Specific Target Organ Toxicity - Single Exposure:

#### Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Based on available data, the classification criteria are not met.

SILICON DIOXIDE (112945-52-5):

Based on available data, the classification criteria are not met.

*METHYLSILANETRIYL TRIACETATE* (4253-34-3): Corrosive to the respiratory tract.

#### Specific Target Organ Toxicity - Repeated Exposure:

#### Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

Based on available data, the classification criteria are not met.

SILICON DIOXIDE (112945-52-5):

Based on available data, the classification criteria are not met.



*METHYLSILANETRIYL TRIACETATE* (4253-34-3): Based on available data, the classification criteria are not met.

#### Aspiration Hazard:

#### Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):

May be fatal if swallowed and enters airways.

SILICON DIOXIDE (112945-52-5): Based on available data, the classification criteria are not met.

*METHYLSILANETRIYL TRIACETATE* (4253-34-3): Based on available data, the classification criteria are not met.

## 12. Ecological information

## 12.1 Ecotoxicity:

## Acute toxicity:

#### Fish: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7): LL50 (Fish; 96 h) : > 250 mg/l ; Method: OECD 203 ; Nominal loading rates (saturated solution or WAF/WSF). Results obtained on a similar product.

*SILICON DIOXIDE* (*112945-52-5*): LC 50 (Fish; 96 h) : > 10,000 mg/l

*METHYLSILANETRIYL TRIACETATE* (*4*253-34-3): LC 50 (96 h) : > 100 mg/l ; Results obtained on a similar product.

## Aquatic Invertebrates: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7): LL50 (Aquatic invertebrates; 48 h) : > 3,000 mg/l ; Method: OECD 202 ; Nominal loading rates (saturated solution or WAF/WSF). Results obtained on a similar product.

SILICON DIOXIDE (112945-52-5): (Water flea (Daphnia magna); 24 h) : > 10,000 mg/l

*METHYLSILANETRIYL TRIACETATE* (4253-34-3): LC 50 (48 h) : > 100 mg/l ; Results obtained on a similar product.

#### Aquatic plants: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7): ErL50 (Skeletonema costatum; 72 h) : > 10,000 mg/l ; Method: According to a standardised method. ; Nominal loading rates (saturated solution or WAF/WSF).

*METHYLSILANETRIYL TRIACETATE* (4253-34-3): EC 50 (96 h) : 660 mg/l ; Results obtained on a similar product.

Toxicity to microorganisms: No data available.

## Chronic Toxicity:

Fish: Based on our knowledge of the composition information: HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7):



No adverse chronic effect observed up to and including the threshold of 1 mg/L. (Fish) Method: Structure-activity relationship (SAR)

#### Aquatic Invertebrates: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7): NOELR (Water flea (Daphnia magna); 21 d) : > 1,000 mg/l ; Method: Structure-activity relationship (SAR) ; Nominal loading rates (saturated solution or WAF/WSF).

#### 12.2 Persistence and Degradability:

Stability in water: No data available.

#### Biodegradation: Based on our knowledge of the composition information:

HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7): 74 % (natural water ; 28 d) ; Method: According to a standardised method. ; Readily biodegradable Results obtained on a similar product.

#### SILICON DIOXIDE (112945-52-5):

The product solely consists of inorganic compounds which are not biodegradable.

#### METHYLSILANETRIYL TRIACETATE (4253-34-3):

74 % (activated sludge, domestic, non-adapted ; 21 d ; Dissolved organic carbon (DOC)) ; Method: According to a standardised method. ; Readily biodegradable Results obtained on a similar product.

BOD/COD Ratio: No data available.

#### 12.3 Bioaccumulative potential:

Bioconcentration Factor (BCF): Based on our knowledge of the composition information: HYDROCARBONS, C15-C20, N-ALKANES, ISOALKANES, CYCLICS, < 0.03% AROMATICS (64742-46-7): Not applicable

**Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:** *METHYLSILANETRIYL TRIACETATE (4253-34-3)*: Log Kow: -2.4 ; Method: estimated

#### 12.4 Mobility in soil:

No data available.

#### 12.5 Other adverse effects:

No data available.

#### 13. Disposal considerations

#### 13.1 Waste treatment methods:

The user's attention is drawn to the possible existence of local regulations regarding disposal.

#### **Disposal methods:**

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Contaminated Packaging:

Contaminated packages should be as empty as possible. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorised site.



## 14. Transport information

## DOT

Not regulated.

## IMDG / IMO

Not regulated.

## ΙΑΤΑ

Not regulated.

## 15. Regulatory information

## **US Federal Regulations:**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4): None present or none present in regulated quantities.

## Superfund Amendments and Reauthorization Act of 1986 (SARA):

Hazard categories: Serious eye damage or eye irritation

SARA 304 Emergency Release Notification: None present or none present in regulated quantities.

## US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required: None present or none present in regulated quantities.

#### **US State Regulations:**

US. California Proposition 65: No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act:

Chemical Identity: Silicon dioxide

## US. Massachusetts RTK - Substance List:

Chemical Identity: Silicon dioxide

US. Pennsylvania RTK - Hazardous Substances: Chemical Identity: Silicon dioxide

#### US. Rhode Island RTK: Chemical Identity: Silicon dioxide

#### Inventory Status:


Canada DSL Inventory List: China Inv. Existing Chemical Substances: Japan (ENCS) List: Korea Existing Chemicals Inv. (KECI): New Zealand Inventory of Chemicals: On or in compliance with the inventory. On or in compliance with the inventory.



Philippines PICCS: Taiwan Chemical Substance Inventory: US TSCA Inventory: Vietnam National Chemical Inventory: EINECS, ELINCS or NLP: On or in compliance with the inventory. On or in compliance with the inventory.

## 16. Other information, including date of preparation or last revision

## NFPA Hazard ID:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

## Wording of the H-statements in section 2 and 3:

H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Issue Date:	08/10/2023
Version #:	2.0

#### **Further Information:**

No data available.

#### **Disclaimer:**

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.