

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: SILIKOFTAL® HTL 2/MPA**Other means of identification**

None.

Recommended restrictions**Recommended use:** Industrial use**Restrictions on use:** None known.**Manufacturer/Importer/Distributor Information**

Company Name : Evonik Corporation
Nutrition & Care
7801 Whitepine Road
Richmond, VA 23237
USA

Telephone : +1 804 727 0700

Fax : +1 804 727 0845

E-mail : product-regulatory-services@evonik.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency : 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification**Physical Hazards**

Flammable liquids Category 3

Health Hazards

Toxic to reproduction Category 1B

Specific Target Organ Toxicity -
Single Exposure Category 3
(Narcotic effect.)**Label Elements****Hazard Symbol:**



Signal Word:	Danger
Hazard Statement:	Flammable liquid and vapor. May damage fertility or the unborn child. May cause drowsiness or dizziness.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting/...] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Call a POISON CENTER/doctor if you feel unwell. In case of fire: Use... to extinguish.
Storage:	Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) [*]
2-methoxy-1-methylethyl acetate		108-65-6	20 - <50%
Ethanol		64-17-5	1 - <5%
2-methoxypropyl acetate		70657-70-4	0.1 - <0.3%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

General information:	Remove contaminated, soaked clothing immediately and dispose of safely.
Inhalation:	Ensure supply of fresh air. Seek medical advice if symptoms occur.
Skin Contact:	In case of contact with skin wash off with soap and water. Seek medical advice if symptoms occur.
Eye contact:	In case of contact with eyes rinse thoroughly with water. Seek medical advice if symptoms occur.
Ingestion:	Thoroughly clean the mouth with water Seek medical advice if symptoms occur.
Personal Protection for First-aid Responders:	Do not inhale explosion and/or combustion gases, Use self-contained breathing apparatus and wear protective suit

Most important symptoms/effects, acute and delayed

Symptoms:	Depending on the dose inhalation and/or ingestion may cause: headache, inebriation, unconsciousness.
Hazards:	No data available.

Indication of immediate medical attention and special treatment needed

Treatment:	Treat symptomatically.
-------------------	------------------------

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	foam, carbon dioxide, dry powder, water spray.
Unsuitable extinguishing media:	High volume water jet.

Specific hazards arising from the chemical:	In the event of fire the following can be released: - Carbon monoxide, carbon dioxide, silicon dioxide Benzene Under certain conditions of combustion traces of other toxic substances cannot be excluded
--	---

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Keep away from sources of ignition - no smoking. Take action to prevent static discharges. Vapours may form explosive mixtures with air Cool endangered containers by water spray
Special protective equipment for fire-fighters:	Do not inhale explosion and/or combustion gases Use self-contained breathing apparatus and wear protective suit

6. Accidental release measures

Product name: SILIKOFTAL® HTL 2/MPA

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep away sources of ignition. Ensure adequate ventilation.

Methods and material for containment and cleaning up: Take up with absorbent material (eg sand, kieselguhr, universal binder) Dispose of absorbed material in accordance with the regulations.

Environmental Precautions: Do not allow to enter drains or waterways Do not discharge into the subsoil/soil.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): Both local exhaust and mechanical (general) are recommended.

Safe handling advice: Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Provide good ventilation of working area (local exhaust ventilation if necessary). Wear respiratory protection when spraying.

Contact avoidance measures: No data available.

Hygiene measures: Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when working. Remove soiled or soaked clothing immediately.

Storage

Safe storage conditions: Do not use plastic containers. Keep container tightly closed in a cool, well-ventilated place. Do not store together with oxidizing agents.

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Ethanol	STEL	1,000 ppm	US. ACGIH Threshold Limit Values, as amended (03 2016)
	REL	1,000 ppm 1,900 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	PEL	1,000 ppm 1,900 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)

Appropriate Engineering Controls Both local exhaust and mechanical (general) are recommended.

Individual protection measures, such as personal protective equipment

Product name: SILIKOFTAL® HTL 2/MPA

Eye/face protection: safety glasses**Skin Protection****Hand Protection:** Material: Butyl rubber.
Break-through time: 60 min**Skin and Body Protection:** protective clothing**Respiratory Protection:** in case of formation of vapours/dusts: Short term: filter apparatus,
combination filter A-P2**Hygiene measures:** Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when working. Remove soiled or soaked clothing immediately.**9. Physical and chemical properties****Appearance**

Physical state:	liquid
Form:	liquid
Color:	Colorless
Odor:	Characteristic
Odor Threshold:	not measured
pH:	not measured
Freezing point:	not measured
Boiling Point:	not measured
Flash Point:	33 °C (DIN EN ISO 2719) 97 °F (TAG CC)
Evaporation Rate:	not measured
Flammability (solid, gas):	not measured
Explosive limit - upper:	not measured
Explosive limit - lower:	not measured
Vapor pressure:	not measured
Vapor density (air=1):	not measured
Density:	1.110 - 1.150 g/cm ³ (25 °C) (DIN 51757)
Relative density:	not measured
Solubility in Water:	Insoluble
Solubility (other):	not measured
Partition coefficient (n-octanol/water):	not measured
Self Ignition Temperature:	not measured
Decomposition Temperature:	not measured
Kinematic viscosity:	not measured
Dynamic viscosity:	1,000 - 1,400 mPa.s (25 °C, DIN 53019)

Other information

Explosive properties:	not measured
Oxidizing properties:	not oxidizing
Minimum ignition temperature:	not measured
Metal Corrosion:	Does not corrode metal.

10. Stability and reactivity

Reactivity:	see section "Possibility of hazardous reactions"
Chemical Stability:	The product is stable under normal conditions.
Possibility of hazardous reactions:	No hazardous reactions with proper storage and handling.
Conditions to avoid:	None with proper storage and handling.
Incompatible Materials:	Oxidizing agent
Hazardous Decomposition Products:	experiments indicate that small amounts of benzene are evolved when heated to approx. 180°C and above.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	Information on effects are given below.
Skin Contact:	Information on effects are given below.
Eye contact:	Information on effects are given below.
Ingestion:	Information on effects are given below.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:	No data available. ATEmix : 3,362.47 mg/kg
-----------------	---

Dermal

Product:	No data available. Not classified for acute toxicity based on available data.
-----------------	--

Inhalation

Product:	No data available. Not classified for acute toxicity based on available data.
-----------------	--

Repeated dose toxicity

Product:	No data available.
-----------------	--------------------

Product name: SILIKOFTAL® HTL 2/MPA

Skin Corrosion/Irritation**Product:** No data available.**Serious Eye Damage/Eye Irritation****Product:** No data available.**Respiratory or Skin Sensitization****Product:** No data available.**Carcinogenicity****Product:** No data available.**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogens present or none present in regulated quantities

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogens present or none present in regulated quantities

Germ Cell Mutagenicity**In vitro****Product:** No data available.**Components:**Ethanol Ames test (OECD 471): negative literature
gene mutation test (OECD 476): negative literature**In vivo****Product:** No data available.**Reproductive toxicity****Product:** No data available.**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure****Product:** No data available.**Aspiration Hazard****Product:** Not classified**Other effects:** No data available.**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:**

Product name: SILIKOFTAL® HTL 2/MPA

Fish**Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** No data available.**Partition Coefficient n-octanol / water (log Kow)****Product:** Log Kow: not measured**Mobility in soil:**

No data available.

Components:

2-methoxy-1-methylethyl acetate No data available.

Ethanol No data available.

2-methoxypropyl acetate No data available.

Other adverse effects:

Do not allow to enter soil, waterways or waste water canal.

13. Disposal considerations**Disposal methods:**

In accordance with local authority regulations, take to special waste incineration plant

Contaminated Packaging:

If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.

14. Transport information**Domestic regulation**

Product name: SILIKOFTAL® HTL 2/MPA

49 CFR

UN/ID/NA number : UN 1866
Proper shipping name : Resin solution

Class : 3
Packing group : III
Labels : 3
ERG Code : 127
Marine pollutant : no

International Regulations**IATA-DGR**

UN/ID No. : UN 1866
Proper shipping name : Resin solution
Class : 3
Packing group : III
Labels : 3
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1866
Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. Regulatory information**US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):**Chemical Identity**

1-BUTANOL

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Reproductive toxicity, Specific target organ toxicity (single or repeated exposure), Hazards Not Otherwise Classified (HNOC)

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including, Ethanol which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

No ingredient requiring a warning under CA Prop 65.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Ethanol

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Ethanol

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

US TSCA Inventory:	Included on Inventory.
Canada NDSL Inventory:	Included on Inventory.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	1
Flammability	3
Physical Hazards	0
PERSONAL PROTECTION	
B	

B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 07/02/2020

Version #: 1.1

Further Information: CTFA: complies

Revision Information Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer: This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.