BAYFERROX 610 PIGMENT



ersion .0	Revision Date: 10/19/2022	SDS Number: 203000012607		Date of last issue: 09/24/2020 Country / Language: US / EN
ECTION 1	. IDENTIFICATION			
Produc	t name	:	BAYFERROX 610) PIGMENT
Produc	t code	:	00000000000157	8174
Manuf a Compa	acturer or supplier's a any	deta :	LANXESS Corpo Product Safety & 111 RIDC Park V	Regulatory Affairs
Respo	nsible Department	:	(800) LANXESS (412) 809-1000 lanxesshes@lan:	xess.com
Emerg	ency telephone	:	(703) 527-3887 (0) 424-9300 or Outside U.S.A) and mention CCN12916. ncy Phone (800) 410-3063.
Recom	nmended use of the c	hem	ical and restriction	ons on use
-				

Recommended use : Colorants (pigments and dyestuffs), inorganic

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

BAYFERROX 610 PIGMENT



rsion)	Revision Date: 10/19/2022		S Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN		
If inhaled		:	Move to fresh air. Get medical attention if symptoms occur.			
In case of skin contact			Take off contan Wash contamin	lenty of water. se for at least 10 minutes. ninated clothing and shoes immediately. ated clothing before re-use. rsist, call a physician.		
In cas	e of eye contact	:	the upper and le Continue to rins Keep eye wide Remove contact Protect unharm If eye irritation p	se for at least 10 minutes. open while rinsing. tt lenses.		
If swa	llowed	:	cian or poison of If vomiting occur does not enter the Never give anyther If unconscious, attention immed Maintain open a Loosen tight clo	e vomiting unless directed to do so by a physi- control center. Irs, the head should be kept low so that vomit the lungs. Thing by mouth to an unconscious person. place in recovery position and get medical diately.		
Most	important symptom	s and	effects, both ac	ute and delayed		
Sympt	toms	:		ation with symptoms of reddening and itching. e irritation with symptoms of reddening, tear- g.		
Effects	S	:	May cause me	chanical irritation (abrasion).		
Protec	ction of first-aiders	:	No action shall suitable training	be taken involving any personal risk or without		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 .
Unsuitable extinguishing media	:	None known.
Specific hazards during fire	:	Do not allow run-off from fire fighting to enter drains or water
		2/12

BAYFERROX 610 PIGMENT



Ver 2.0	sion	Revision Date: 10/19/2022		9S Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN
	fighting			courses.	
	Hazard ucts	ous combustion prod-	:	The product itself	does not burn.
	Further	information	:	Promptly isolate the vicinity of the incide No action shall be suitable training. Use extinguishing cumstances and the Collect contaminate must not be disch Fire residues and	re for chemical fires. The scene by removing all persons from the dent if there is a fire. Taken involving any personal risk or without measures that are appropriate to local cir- he surrounding environment. Ited fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
	Special for fire-	protective equipment fighters	:	and self-contained	ld wear appropriate protective equipment d breathing apparatus (SCBA) with a full ed in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Avoid dust formation. In case of inadequate ventilation wear respiratory protection. Use personal protective equipment.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods and materials for containment and cleaning up	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, la- beled waste container. Dispose of wastes in an approved waste disposal facility.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Avoid contact with skin and eyes. Provide sufficient air exchange and/or exhaust in work rooms. In case of insufficient ventilation, wear suitable respiratory equipment. Keep in the original container or an approved alternative made
	3 / 12

BAYFERROX 610 PIGMENT



Versi 2.0	ion	Revision Date: 10/19/2022		OS Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN
				use. Dispose of rinse v regulations.	e material, kept tightly closed when not in water in accordance with local and national wash hands and face before eating, drinking
Conditions for safe storage		:	Store in original c dry, cool and well materials (see Se Keep containers t ventilated place. Containers that h and kept upright t	ice with local regulations. ontainer protected from direct sunlight in a -ventilated area, away from incompatible iction 10) and food and drink. ightly closed in a dry, cool and well- ave been opened must be carefully resealed o prevent leakage. ions / working materials must comply with safety standards.	
				etc.). Exposure to exce come unstable (s tional heat. Unde may be sufficient	sources of heat (furnaces, kilns, boilers, ssive heat may cause this product to be- lowly auto-oxidize) which generates addi- er certain circumstances this heat generation to cause combustible materials to ignite. Do ong oxidizers, sources of heat, or near flam- tible materials.
	Furthei age sta	r information on stor- ability	:	Keep in a dry place No decomposition	ce. n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Iron (III) Oxide	1309-37-1	TWA (Res- pirable par- ticulate mat- ter)	5 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1

BAYFERROX 610 PIGMENT



Version 2.0	Revision Date: 10/19/2022		DS Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN
En	gineering measures	:	5	ntilation should be sufficient to control work- borne contaminants.
Ре	rsonal protective equipm	nent		
Re	spiratory protection	:	Dust-protection m	ask if there is a risk of dust formation.
Ha	nd protection Material	:	Gloves	
	Remarks	:	with the producer tion with product of	a specific workplace should be discussed s of the protective gloves. After contamina- change the gloves immediately and dispose g to relevant national and local regulations
Ey	e protection	:	Safety glasses	
Sk	in and body protection	:	Wear suitable pro	tective clothing.
Ну	giene measures	:	When using do no Wash face, hands handling. Wash contaminat	hygiene practice. ot eat, drink or smoke. s and any exposed skin thoroughly after ed clothing before reusing. nated clothing and protective equipment ating areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Physical state	:	solid
Color	:	brown
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	4 - 8 Concentration: 5 %
Melting point/range	:	> 1,832 °F / > 1,000 °C

BAYFERROX 610 PIGMENT



Version 2.0	Revision Date: 10/19/2022		S Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN
Boilir	ng point/boiling range	:	No data available	
Flash	n point	:	Not applicable	
Evap	ooration rate	:	No data available)
Self-	ignition	:	No data available	9
Burn	ing number	:	No data available	9
	er explosion limit / Upper mability limit	:	No data available	2
	er explosion limit / Lower mability limit	:	No data available	
Vapo	or pressure	:	Not applicable	
Rela	tive density	:	No data available	2
Dens	sity	:	4.4 g/cm3 (68 °F	/ 20 °C)
Bulk	density	:	300 - 1,000 kg/m	3
	bility(ies) /ater solubility	:	insoluble	
S	olubility in other solvents	:	No data available	9
	tion coefficient: n- nol/water	:	No data available	
Deco	omposition temperature	:	No data available	9
Visco V	osity iscosity, dynamic	:	No data available	9
V	iscosity, kinematic	:	No data available	
Explo	osive properties	:	No data available	9
Oxid	izing properties	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
		6 / 12



BAYFERROX 610 PIGMENT

Ver 2.0	sion	Revision Date: 10/19/2022		S Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN
	Possibility of hazardous reac- tions Conditions to avoid		:	No dangerous re	action known under conditions of normal use.
			:	(80 C), this produ oxidize into Fe2C	ratures. At temperatures greater than 176 F lot may become unstable and slowly auto- 03 which generates additional heat. Under s this heat may be sufficient to cause com- s to ignite.
	Incomp	atible materials	:	No specific data.	
	Hazard produc	ous decomposition	:	No decompositio	n if stored and applied as directed.
		ous decomposition	:	No decompositio	n if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
		Remarks: Test results on an analogous product

Skin corrosion/irritation

Not classified based on available information.

Product:

Result	:	No skin irritation
Remarks	:	Test results on an analogous product

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	No eye irritation
Remarks	:	Test results on an analogous product

BAYFERROX 610 PIGMENT



Version	Revision Date:	SDS Number:
2.0	10/19/2022	203000012607

Date of last issue: 09/24/2020 Country / Language: US / EN

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Remarks

: Long-term exposure to high concentrations of dust containing iron oxide can cause a benign condition termed "pulmonary siderosis". This condition is not associated with any physical impairment of lung function.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

: LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l Exposure time: 96 h

BAYFERROX 610 PIGMENT



Version 2.0	Revision Date: 10/19/2022		0S Number: 3000012607	Date of last issue: 09/24/2020 Country / Language: US / EN
	sistence and degradabil data available	ity		
	accumulative potential data available			
	bility in soil data available			
Oth	er adverse effects			
Ads	o <mark>duct:</mark> sorbed organic bound ogens (AOX)	:		oduct does not contain organically bounded ould lead to an AOX value in waste water.
Adc mat	litional ecological infor- tion	:		lata are not available. ant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva- tion and Recovery Authoriza- tion Act	:	If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. Howev- er, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material contain- ing the product or derived from the product should be classi- fied as a hazardous waste. (40 CFR 261.20-24)
Waste from residues	:	The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers retain product residue; observe all precau- tions for product. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code



BAYFERROX 610 PIGMENT

Version	Revision Date:	SDS Number:
2.0	10/19/2022	203000012607

Date of last issue: 09/24/2020 Country / Language: US / EN

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo, Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know	
Iron (III) Oxide	1309-37-1
Pennsylvania Right To Know	
C.I. Pigment Yellow 42	51274-00-1
Iron (III) Oxide	1309-37-1
C.I. Pigment Black 11	1317-61-9

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL).

TSCA inventory

TSCA :		All substances listed as active on the TSCA inventory	
--------	--	---	--

BAYFERROX 610 PIGMENT



Version	Revision Date:	SDS Number:	Date of last issue: 09/24/2020
2.0	10/19/2022	203000012607	Country / Language: US / EN

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing



BAYFERROX 610 PIGMENT

Version	Revision Date:	SDS Number:	Date of last issue: 09/24/2020
2.0	10/19/2022	203000012607	Country / Language: US / EN

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 10/19/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.