BAYOXIDE E 8709



Version 1.1	Revision Date: 10/03/2020		S Number: 3000002209	Date of last issue: 10/03/2020 Country / Language: US / EN		
SECTION 1. IDENTIFICATION						
Produc	ct name	:	BAYOXIDE E 870	09		
Produc	ct code	:	0000000005663	3336		
Manuf	Manufacturer or supplier's deta					
Compa	any	:	111 RIDC Park V	Regulatory Affairs		
Respo	nsible Department	:	+1800LANXESS			
Emerg	ency telephone numbe	er :	Chemtrec (800) International (703 Lanxess Emerge			

Recommended use of the chemical and restrictions on use

Recommended use	:	Colorants (pigments and dyestuffs), inorganic
-----------------	---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Chemical nature

: C.I. Pigment black 11, Fe3O4

1/10

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled

: Move to fresh air.

Print Date: 04/19/2021

BAYOXIDE E 8709



Version 1.1	Revision Date: 10/03/2020		9S Number: 3000002209	Date of last issue: 10/03/2020 Country / Language: US / EN
			Get medical atter	tion if symptoms occur.
In cas	se of skin contact	:		nty of water. for at least 10 minutes. ed clothing before re-use.
In cas	se of eye contact	:	the upper and low If easy to do, rem Continue to rinse	eyes with plenty of water, occasionally lifting ver eyelids. ove contact lens, if worn. for at least 10 minutes. ttion if symptoms appear.
If swa	allowed	:	Get medical atter	tion if symptoms occur.
Most important symptoms and effects, both acute and delayed				te and delayed
Sy	/mptoms	:		on with symptoms of reddening and itching. irritation with symptoms of reddening, tear-
Ef	fects	:	May cause mech	anical irritation (abrasion).

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 .
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	No information available.
Hazardous combustion prod- ucts	:	The product itself does not burn.
Further information	:	Standard procedure for chemical fires. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

BAYOXIDE E 8709



Vers 1.1	sion	Revision Date: 10/03/2020		S Number: 3000002209	Date of last issue: 10/03/2020 Country / Language: US / EN
	tive equ	al precautions, protec- lipment and emer- procedures	:	suitable training.	ective equipment.
	Environ	mental precautions	:	Avoid dispersal of soil, waterways, d	spilled material and runoff and contact with rains and sewers.
		s and materials for ment and cleaning up	:	beled waste conta	up material and place in a designated, la-

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.
		Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage	:	 Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep containers tightly closed in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. Do not store near sources of heat (furnaces, kilns, boilers, etc.). Exposure to excessive heat may cause this product to become unstable (slowly auto-oxidize) which generates additional heat. Under certain circumstances this heat generation may be sufficient to cause combustible materials to ignite. Do not store near strong oxidizers, sources of heat, or near flam-
Materials to avoid	:	mable or combustible materials. No materials to be especially mentioned.
Further information on stor- age stability	:	Keep in a dry place.



BAYOXIDE E 8709

1.1 10/03/2020 20300002209 Country	ast issue: 10/03/2020
	/ Language: US / EN

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters						
Contains no substances with oc	cupational exposure limit values.					
Engineering measures	Good general ventilation should be sufficient to control work- er exposure to airborne contaminants.					
Personal protective equipment						
Respiratory protection	Dust-protection mask if there is a risk of dust formation.					
Hand protection Material	Gloves					
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamina- tion with product change the gloves immediately and dispose of them according to relevant national and local regulations					
Eye protection	Safety glasses with side-shields					
Skin and body protection	Wear suitable protective clothing.					
Hygiene measures	General industrial hygiene practice. When using do not eat, drink or smoke. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reusing.					

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: black
Odour	: odourless
Odour Threshold	: No data available
рН	: 7 - 10 Concentration: 5 %
Melting point/range	: > 1,832 °F / > 1,000 °C
Boiling point/boiling range	: No data available
	4 / 10

BAYOXIDE E 8709



Version 1.1	Revision Date: 10/03/2020		S Number: 3000002209	Date of last issue: 10/03/2020 Country / Language: US / EN
Fla	sh point	:	No data available	9
Eva	aporation rate	:	No data available	9
Sel	f-ignition	:	No data available	9
Bur	ning number	:	No data available	9
	per explosion limit / Upper nmability limit	:	No data available	9
	ver explosion limit / Lower nmability limit	:	No data available	
Vap	oour pressure	:	No data available	9
Rel	ative density	:	No data available	9
Dei	nsity	:	4.6 g/cm3 (68 °F	/ 20 °C)
	ubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	9
	tition coefficient: n- anol/water	:	No data available	9
Dee	composition temperature	:	> 176 °F / > 80 °	c
	cosity Viscosity, dynamic	:	No data available	9
	Viscosity, kinematic	:	No data available	2
Exp	plosive properties	:	No data available	9
Oxi	dizing properties	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Excessive temperatures. At temperatures greater than 176 F
		5 / 10

BAYOXIDE E 8709



Version 1.1	Revision Date: 10/03/2020	SDS Number: 203000002209	Date of last issue: 10/03/2020 Country / Language: US / EN
		oxidize into certain con	product may become unstable and slowly auto- Fe2O3 which generates additional heat. Under ditions this heat may be sufficient to cause com- aterials to ignite.
Incompatible materials		: No specific	data.
Hazardous decomposition products		: No decomp	position if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

BAYOXIDE E 8709



/ersion				
1.1	Revision Date: 10/03/2020		OS Number: 3000002209	Date of last issue: 10/03/2020 Country / Language: US / EN
	- single exposure		to for our others	
	lassified based on ava		information.	
	F - repeated exposur lassified based on available		information.	
Aspir	ration toxicity lassified based on ava			
SECTION	12. ECOLOGICAL IN	FOR	MATION	
Ecoto	oxicity			
No da	ata available			
Persi	stence and degrada	bility		
Produ	uct:			
Biode	egradability	:		ethods for determining the biological degradabil- icable to inorganic substances.
	ccumulative potentia	l		
	lity in soil ata available			
Other	r adverse effects			
<u>Produ</u>	uct:			
Additi matio	ional ecological infor- n	:		al data are not available. ificant effects or critical hazards.

Disposal methods

RCRA - Resource Conserva- tion and Recovery Authoriza- tion Act	:	If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)
Waste from residues	:	The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers retain product residue; observe all precau- tions for product. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

BAYOXIDE E 8709



VersionRevision Date:SDS Number:Date of last issue: 10/03/20201.110/03/2020203000002209Country / Language: US / EN

Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good Hazard and Handling Notes. : Not dangerous car

Not dangerous cargo, Keep dry., Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
----------------------	---	-----------------

SARA 313	:	This material does not contain any chemical components with
		known CAS numbers that exceed the threshold (De Minimis)
		reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know		
No components are subject to the Mass	achusetts Right to Know Act.	
Pennsylvania Right To Know		
C.I. Pigment Black 11	1317-61-9	> 1
Pennsylvania Right To Know		
C.I. Pigment Black 11	1317-61-9	
sodium sulphate (Anhydrous)	7757-82-6	

California Prop. 65



BAYOXIDE E 8709

Version	Revision Date:	SDS Number:	Date of last issue: 10/03/2020
1.1	10/03/2020	20300002209	Country / Language: US / EN

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA inventory

TSCA


: All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal in-



BAYOXIDE E 8709

Version	Revision Date:	SDS Number:	Date of last issue: 10/03/2020
1.1	10/03/2020	203000002209	Country / Language: US / EN

hibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 10/03/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.