

LICOWAX PE 130 P Page 1

Substance key: SXR007946 Revision Date: 04/29/2015

Version: 2 - 0 / USA Date of printing: 05/19/2015

SECTION 1. IDENTIFICATION

Identification of the

company:

Clariant Corporation 4000 Monroe Road

Charlotte, NC, 28205

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Safety 1-704-331-7710

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: LICOWAX PE 130 P

 Material number:
 105234

 CAS number:
 9002-88-4

Chemical family: Polyethylene wax

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust :

GHS Label element

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

Other hazards

Does not require a hazard warning label, but the normal safety precautions for handling chemicals must be observed.

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Product	Not Assigned	100

SECTION 4. FIRST AID MEASURES



LICOWAX PE 130 P Page 2

Substance key: SXR007946 Revision Date: 04/29/2015

Version: 2 - 0 / USA Date of printing: 05/19/2015

General advice : Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash with soap and water. Contact physician if irritation or

other symptoms occur. If hot wax strikes skin, drench or immerse the area in water to assist cooling. Do not remove

wax from a burn after it cools. Consult a physician.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical

attention if eye irritation develops or persists.

If swallowed, DO NOT induce vomiting.

Do not give anything to drink. Call a physician immediately.

Most important symptoms

and effects, both acute and

delayed

: The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water mist

Foam Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: None known.

Electrical grounding of equipment is required to prevent possible dust explosion. Emits toxic fumes under fire

conditions.

Further information : Exercise caution when fighting any chemical fire. Use NIOSH

approved self-contained breathing apparatus and full

protective clothing.

Special protective equipment

for firefighters

: Self-contained breathing apparatus

impervious clothing Protective helmets



LICOWAX PE 130 P Page 3

Substance key: SXR007946	Revision Date: 04/29/2015
Version: 2 - 0 / USA	Date of printing :05/19/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.

Collect into suitable container. Electrical grounding of equipment is required when handling powder to prevent

possible dust explosion.

Prevent from entering into soil, ditches, sewers, waterways

and/or groundwater.

Environmental precautions

: The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

: Take up mechanically

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

: Keep away sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Observe the general rules of industrial fire protection

Risk of dust explosion.

Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.

Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Technical : Store in original container.

measures/Precautions Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

No level has been established by OSHA, NIOSH, ACGIH.

Engineering measures : Local ventilation recommended - mechanical ventilation may

be used.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.



LICOWAX PE 130 P Page 4

Substance key: SXR007946 Revision Date: 04/29/2015

Version: 2 - 0 / USA Date of printing: 05/19/2015

Hand protection

Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : When working with hot material, avoid contact with skin.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : not specified

Odour Threshold : not tested.

pH : not tested.

Drop point : approx. 130 °C

Method: ASTM D 3954-94

Boiling point : not determined

Flash point : Not applicable

Evaporation rate : not tested.

Upper explosion limit : not tested.

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : not tested.

Density : approx. 0.97 g/cm3 (23 °C)

Method: ISO 1183

Bulk density : Not applicable

Solubility(ies)

Water solubility : insoluble (20 °C)



LICOWAX PE 130 P Page 5

Substance key: SXR007946 Revision Date: 04/29/2015
Version: 2 - 0 / USA Date of printing: 05/19/2015

Solubility in other solvents : Not applicable

Partition coefficient: n-

octanol/water

: not tested.

Auto-ignition temperature : 410 °C

Decomposition temperature : No decomposition if used as directed.

Viscosity

Viscosity, dynamic : approx. 350 mPa.s (140 °C)

Method: DIN 53019

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Method: Expert judgement

GLP: no

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Expert judgement

GLP: no

The product does not contain organic peroxide-groups which result from either the manufacturing process or from added

ingredients.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: The product is not a dust explosion risk as supplied; however

the build-up of fine dust can lead to a risk of dust explosions.

Conditions to avoid : None known.

Incompatible materials : no data available

Hazardous decomposition

products

: No hazardous decomposition products if stored and handled

as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation

Acute toxicity

Product:



LICOWAX PE 130 P Page 6

Substance key: SXR007946Revision Date: 04/29/2015Version: 2 - 0 / USADate of printing: 05/19/2015

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: ves

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation

Product:

Remarks: not tested.

Serious eye damage/eye irritation

Product:

Species: rabbit eye Result: No eye irritation Exposure time: 24 h Assessment: non-irritant Method: FDA guideline

GLP: no

Respiratory or skin sensitisation

Product:

Test Type: Mouse local lymphnode assay

Species: Mouse

Assessment: non-sensitizing Method: OECD Test Guideline 429

Result: non-sensitizing

GLP: yes

Remarks: Information relate to skin.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Test Type: Ames test

Species: Salmonella typhimurium Concentration: 5000 mg/plate

Metabolic activation: with and without metabolic activation

Method: Ames test

Result: Negative with and without metabolic activation

GLP: yes

Germ cell mutagenicity -

Assessment

: Not mutagenic in Ames Test



LICOWAX PE 130 P Page 7

Substance key: SXR007946 Revision Date: 04/29/2015

Version: 2 - 0 / USA Date of printing: 05/19/2015

Carcinogenicity

Product:

Carcinogenicity - : No information available.

Assessment

IARC Not listed

OSHA Not listed

NTP Not listed

Reproductive toxicity

Product:

Reproductive toxicity -

Assessment

: No information available.

Repeated dose toxicity

Product:

Remarks: not tested.

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

Further information

Product:

Remarks: According to experience, the product is considered to be harmless to health if used in

the correct manner

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: not tested.

Toxicity to daphnia and other

aquatic invertebrates

Remarks: not tested.

Toxicity to algae

Remarks: not tested.

Toxicity to bacteria : Remarks: not tested.



LICOWAX PE 130 P Page 8

Substance key: SXR007946 Revision Date: 04/29/2015

Version: 2 - 0 / USA Date of printing: 05/19/2015

Persistence and degradability

Product:

Biodegradability : Remarks: not tested.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not available

Mobility in soil no data available

Other adverse effects

Product:

Environmental fate and

pathways

: Remarks: no data available

Results of PBT and vPvB

assessment

: Remarks: No information is available as no chemical safety

report (CSR) is required.

Additional ecological

information

: Product is insoluble in water

Harmful effects to fish and bacteria: not harmful May be separated mechanically in waste water plants.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act Waste from residues : No -- Not as sold.

 Dispose of spilled or waste product, contaminated soil and other contaminated materials in licensed landfill or treatment

facility in accordance with all local, state, and federal

regulations.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14. TRANSPORT INFORMATION

DOTnot restrictedIATAnot restrictedIMDGnot restricted



LICOWAX PE 130 P Page 9

Substance key: SXR007946Revision Date: 04/29/2015Version: 2 - 0 / USADate of printing: 05/19/2015

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This product does not contain any toxic chemical listed under

Section 313 of the Emergency Planning and Community

Right-To-Know Act of 1986.

Clean Water Act

Contains no known priority pollutants at concentrations greater than 0.1%.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

On the basis of an extensive test program, which had to be submitted to the competent authority on the occasion of the Notification of the substance in the European Community, this product was found to be toxicologically not dangerous within the meaning of the EC Directives.

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 04/29/2015

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these



LICOWAX PE 130 P Page 10

Substance key: SXR007946	Revision Date: 04/29/2015
Version: 2 - 0 / USA	Date of printing :05/19/2015

recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

US / USA