



TECHNICAL DATA SHEET

Orgasol[®] 2002 ES6 NAT 3



MAIN APPLICATIONS

Plastic coating, metal coating, coil coating and flooring

ORGASOL[®] 2002 ES6 NAT 3 is a **spheroidal powder** of polyamide 12, with **60 µm** as average diameter and a narrow particle size distribution. An extremely high level of quality is achieved thanks to our rigorous control of particle size distribution, providing **excellent consistency in performance**.

ORGASOL[®] 2002 ES6 NAT 3 is used as a **multifunctional additive** in coatings. It improves the **scratch and the abrasion resistance** while providing a **regular textured finish** thanks to the spheroidal shape of the particles. Playing on coatings texture, ORGASOL[®] 2002 ES6 NAT 3 can lead to **anti-slippery properties associated to a better clean ability**.

The **high chemical resistance of polyamide 12** and the particle size distribution are among the key parameters that make ORGASOL[®] 2002 ES6 NAT 3 **compatible with most resins** and common formulating additives used in coating industry. It can be added to interior or exterior paints and **easily dispersed in solvent or water based or 100% solid UV curable systems**.

CHARACTERISTICS

Appearance:
Average diameter:
Particle size distribution:
 Fine particles < 40 microns
 Coarse particles > 80 microns
Average Specific Surface Area:
Apparent density unpacked:
Melting point:

		METHOD
White spheroidal powder		Visual
60	microns	ISO 13319
10 max.	%	ISO 13319
5 max.	%	ISO 13319
1	m ² /g	ISO 9277
0.425	g/cm ³	ISO 1068
177	°C	ISO 11357-3

PACKAGING

20 Kg multilayers bags

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, ARKEMA expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement. See SDS for Health & Safety Considerations.

Arkema has implemented a Medical Policy regarding the use of Arkema products in Medical Devices applications that are in contact with the body or circulating bodily fluids (<http://www.arkema.com/en/social-responsibility/responsible-product-management/medical-device-policy/index.html>) Arkema has designated Medical grades to be used for such Medical Device applications. Products that have not been designated as Medical grades are not authorized by Arkema for use in Medical Device applications that are in contact with the body or circulating bodily fluids. In addition, Arkema strictly prohibits the use of any Arkema products in Medical Device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Arkema trademarks and the Arkema name shall not be used in conjunction with customers' medical devices, including without limitation, permanent or temporary implantable devices, and customers shall not represent to anyone else, that Arkema allows, endorses or permits the use of Arkema products in such medical devices.

It is the sole responsibility of the manufacturer of the medical device to determine the suitability (including biocompatibility) of all raw materials, products and components, including any medical grade Arkema products, in order to ensure that the final end-use product is safe for its end use; performs or functions as intended; and complies with all applicable legal and regulatory requirements (FDA or other national drug agencies) It is the sole responsibility of the manufacturer of the medical device to conduct all necessary tests and inspections and to evaluate the medical device under actual end-use requirements and to adequately advise and warn purchasers, users, and/or learned intermediaries (such as physicians) of pertinent risks and fulfill any postmarket surveillance obligations. Any decision regarding the appropriateness of a particular Arkema material in a particular medical device should be based on the judgment of the manufacturer, seller, the competent authority, and the treating physician.

Headquarters: Arkema France
420 rue d'Estienne d'Orves
92705 Colombes Cedex – France
Tel.: 33 (0)1 49 00 80 80
Fax: 33 (0)1 49 00 83 96
arkema.com