

Page 1/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2023 Reviewed on 05/24/2023

## 1 Identification

· Product identifier

· Trade name: DERCOLYTE® M115

· Substance name:

CAS name: Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane

· Common CAS No.: 31393-98-3

· Application of the substance / the mixture

Relevant identified uses: production and distribution of the substance, adhesives, gum base resins

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Manufacturer:

D.R.T

30 rue Gambetta

BP 90206

F-40105 DAX Cedex

**FRANCE** 

Tel: 33 (0)558 566 200 Email: fds@drt.fr

Supplier:

PINOVA Inc.

2801 Cook Street

Brunswick, Georgia,

USA 31520

Email: msds@pinovasolutions.com

## · Emergency telephone number:

NCEC (24/24 - 7/7):

United States: +1 866 928 0789 (Toll free)

United States: +1 215 207 0061 (involves operator intervention to identify language)

Others countries: See section 16

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · **US label elements** The substance is classified and labeled according to the US system.
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

## · Information pertaining to particular dangers for man and environment:

Prolonged or repeated exposure to vapours/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or breathing difficulty.

Hot molten product: Burns may cause irreversible eye injury and blindness. Causes skin burns

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2023 Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 1)

Page 2/9

- · Classification system:
- · NFPA ratings (scale 0-4)



· HMIS ratings (scale 0-4)



Health = 0 Fire = 1

· Other hazards

Resin dusts may ignite on contact with electrostatic discharge or exposure to flames or other sources of ignition. Hot molten product: may burn if ignited.

- Results of PBT and vPvB assessment
- · PBT: Not determined.
- · vPvB: Not determined.

## 3 Composition/information on ingredients

· Chemical characterization: Substance polymer

· CAS Number: 31393-98-3

· Description:

CAS name: Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethylenebicyclo[3.1.1]heptane alpha-pinene, beta-pinene copolymer

## 4 First-aid measures

· After inhalation:

Supply fresh air. If symptoms are experienced, get medical attention.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Product at ambient temperature:

Immediately rinse with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritations occurs.

Hot product:

Immediately immerse or flush the burn area with large amounts of cold water (at least 15 minutes). Do not remove solidified material from burned skin as the damaged skin can be easily torn. Transfer immediately to hospital.

· After eye contact:

Product at ambient temperature:

Immediately rinse with water. Remove contact lenses if present and easy to do. Hold eyelids apart and flush eyes with plenty of cool low-pressure water for several minutes. Il symptoms persist, consult a doctor. Hot product:

Do not open eyelids if covered with resin. Immediately flush eyes with large amounts of water for at least 15 minutes. Do (Contd. on page 3)



Page 3/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2023 Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 2)

not remove solidified material from burned eye as the damaged tissues can be easily torn. Transfer immediately to hospital.

After swallowing:

Do not induce vomiting. If the person is conscious, immediately rinse out mouth with water.

- No adverse health effects are expected from accidental ingestion of small amounts of this product. In case of lasting symptoms, consult a doctor.
- For ingestion of large amounts: do not induce vomiting and get medical attention.
- Most important symptoms and effects, both acute and delayed No data available.
- Indication of any immediate medical attention and special treatment needed

For doctors: Mineral oil may be used to loosen and soften the material.

## **5 Fire-fighting measures**

Suitable extinguishing agents:

Carbon dioxyde (CO<sub>2</sub>), foam, fire-extinguishing powder, water spray.

Fight large fires with water spray or foam.

- · Special hazards arising from the substance or mixture In case of fire, may release irritant and acrid fumes.
- Advice for firefighters
- · Protective equipment:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus.

## 6 Accidental release measures

## · Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Provide adequate ventilation

Avoid formation of dust.

### · Environmental precautions:

Do not allow product to reach soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (soil, waterways, drains or sewers).

· Methods and material for containment and cleaning up

Pick up mechanically.

Avoid as much as you can the formation of dust.

Collect and seal in an appropriate container properly labelled for disposal.

Reference to other sections

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

# 7 Handling and storage

## Precautions for safe handling

For HOT MOLTEN or HOT LIQUID product: Use personal protective equipment as indicated in Section 8.

Wear appropriate personal protective equipment. Provide adequate ventilation in the workplace.

Prevent formation of dust.

(Contd. on page 4)



Page 4/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2023 Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 3)

Provide suction extractors if dust is formed.

## · Information about protection against explosions and fires

Protect against electrostatic charges.

Use only non-sparking tools.

Protect from heat.

Keep ignition sources away.

## Conditions for safe storage

Store if possible under cover in a dry, cool and well-ventilated area.

Provide storage areas with suitable ventilation to eliminate dust.

All equipment including ventilation systems must be equipotential and earthed.

Avoid dust formation close to sources of ignition.

Protect from heat and direct sunlight.

All equipments including ventilation systems must be equipotential and earthed.

- · Further information about storage conditions
- Recommended storage temperature: Store at a temperature between 5 and 30°C.

# 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

Occupational Exposure Values for dust, particulates

ACGIH TLV TWA

- total dust 10 mg/m3
- respirable dust 3 mg/m<sup>3</sup>

**OSHA PEL TWA** 

- total dust 15 mg/m<sup>3</sup>
- respirable dust 5 mg/m<sup>3</sup>
- · Additional information: This sheet is based on the current valid lists.
- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Provide local exhaust or general room ventilation to minimize exposure to dust.

Immediately remove all soiled and contaminated clothing.

Avoid contact with eyes and skin.

## Protection of hands:

Protective, impervious gloves resistant to chemicals (standard EN 374-1). They should be replaced regularly and if there is any indication of degradation or chemical breakthrough.

- · Eye protection: Safety glasses (standard EN 166)
- Body protection:

Protective work clothing

Personnel exposed to HOT MOLTEN or HOT LIQUID material should wear protective clothing that provides protection against thermal burns. Required Protective Equipment: a) Long-sleeved protective shirt, long pants and work shoes; b) Hard hat and face shield; c) Long-cuff impervious gloves (Gauntlet type extending beyond wrist); d) Lined rain suit with protective hood or shoulder shroud or e) Full aluminized or thermal suit with hood.



Safety Data Sheet

Page 5/9

acc. to OSHA HCS

Printing date 06/07/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 4)

Physical and chemical proper	ties
· Information on basic physical and c	hemical properties
Color:	Yellowish
Odor threshold:	Not applicable
· pH-value:	Not determined
· Change in condition Boiling point/Boiling range: Softening point R&B:	Not determined. 111 - 119 °C (231.8 - 246.2 °F) (like ASTM E28)
· Flash point:	> 200 °C (> 392 °F) (closed cup) Method : like A9, Reg (EC) No 440/2008
· Flammability (solid, gaseous):	Not determined.
· Auto-ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· Danger of explosion:	The substance does not contain any chemical groups associated with explosive properties. In the form supplied, the product is not explosive. However fine duction louds may form explosive mixtures with air.
· Oxidizing properties	The substance does not contain any chemical groups associated with oxidisin properties.
· Vapor pressure:	Not determined.
· Specific gravity: Relative density at 20 °C (68 °F) Vapor density	~ 1.00 (like OECD 109) Not determined.
· Solubility in / Miscibility with Water:	Not soluble or slightly soluble.
· Partition coefficient (n-octanol/wate	r): Not determined
· Viscosity: Dynamic:	Not applicable.
· Additional information	No other data Acid value < 1 mg KOH/g resin

# 10 Stability and reactivity

- · Reactivity No data from specific reactivity tests are available for this product or this class of product.
- Chemical stability Product stable under storage and handling conditions according to specifications (see section 7).
- · Possibility of hazardous reactions

In the form supplied, the product is not explosive; however, dust production may induce risk of explosion.

(Contd. on page 6)



Safety Data Sheet

Page 6/9

acc. to OSHA HCS

Printing date 06/07/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 5)

- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No data available.
- · Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information:

The product is susceptible to compaction and oxidation during prolonged storage at a temperature above 30°C.

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD<sub>50</sub>/LC<sub>50</sub> values that are relevant for classification:

## **DERCOLYTE M 115**

Oral LD<sub>50</sub> > 2000 mg/kg (rat) (OECD 401) OECD 401

## · Primary irritant effect:

Fine particles and powder may cause skin irritation by mechanical abrasion. However, based on available data, the classification criteria are not met.

### on the eye:

fine particles and powder may cause eye irritation by mechanical abrasion. However, based on available data, the classification criteria are not met.

- · Mutagenicity/genotoxicity: No data available.
- · Carcinogenicity: No data available.
- · Reproductive toxicity: No data available.
- · Specific target organ toxicity single exposure: No data available.
- · Specific target organ toxicity repeated exposure: No data available.
- Aspiration hazard: Not applicable (solid).
- · Additional toxicological information:
- Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

# 12 Ecological information

#### Aquatic toxicity:

Reliable short-term aquatic toxicity values have been determined in tests conducted with water-accommodated fractions (WAFs).

This method was developped for slightly soluble substances; the initial loading rate of the substance is well higher than the solubility in water.

 $LL_{50}$  and  $EL_{50}$ , similar to  $LC_{50}$  and  $EC_{50}$ , are obtained.

EL<sub>50</sub> (48 h), Dapnia magna: > 100 mg/L (nominal concentration - OECD 202)

NOELr (48 h), Daphnia magna: > 100 mg/L (nominal concentration - OECD 202)

(Contd. on page 7)



Page 7/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2023 Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 6)

· Persistence and degradability

The substance is not readily biodegradable (OECD 301 B conducted with a structurally related substance).

- · Bioaccumulative potential No data available.
- · Mobility in soil No data available.
- Results of PBT and vPvB assessment
- · **PBT**: Not determined.
- · **vPvB**: Not determined.
- · Other adverse effects No data available.

# 13 Disposal considerations

- · Waste treatment methods National and regional regulations have to be adhered to.
- · Recommendation: Dispose of waste material in accordance with all federal, state and local regulations.

N-Number OT	Not classified as a dangerous good under transport regulation. Void
N proper shipping name OT	Not classified as a dangerous good under transport regulation. Void
ransport hazard class(es)	
OOT Class ADR, IMDG, IATA Class	Void  Not classified as a dangerous good under transport regulation.
acking group OT	Not applicable. Void
Environmental hazards:	Not classified as a dangerous good under transport regulation.
special precautions for user	Not applicable.
ransport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
JN "Model Regulation":	Void

# 15 Regulatory information

- · SARA Section 355 (extremely hazardous substances) Substance is not listed.
- · SARA Section 313 (specific toxic chemical listings) Substance is not listed.
- · TSCA (Toxic Substances Control Act) Substance is not listed.

(Contd. on page 8)



Page 8/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2023 Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

(Contd. of page 7)

- · Prop 65 Chemicals known to cause cancer or reproductive toxicity Substance is not listed.
- · Cancerogenicity categories
- · EPA (Environmental Protection Agency) 12th Report on Carcinogens Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · **US label elements** The substance is classified and labeled according to the US system.
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

· Chemical safety assessment:

No Chemical Safety Assessment required (the product is exempted from REACH registration).

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety datasheet is provided only for information as it is not required according to article 31 of REACH regulation.

Emergency telephone numbers (other countries):

NCEC In-Country Numbers (24/24 - 7/7):

Global / English speaking countries: +44 1865 407333

Middle East/Africa: +44 1235 239671\* (English, Arabic, French, Portuguese, Farsi)

Americas: +1 215 207 0061\* (English, Spanish, French, Portuguese)

East/South East Asia: +65 3158 1074\* (English, Bengali, Cantonese, Indonesian, Hindi, Japanese, Korean, Malay,

Mandarin, Sinhalese, Urdu, Tagalog, Thai, Vietnamese)

Europe: +44 1235 239670\*

\*(involves operator intervention to identify language)

- · Version 1.0
- · Contact:
- · Date of preparation / last revision 06/07/2023 / -

#### · Abbreviations and acronyms:

CLP: Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging

H4R: Hydrocarbon Resins & Rosin Resins REACH Consortium - https://h4rconsortium.com

ECHA: Éuropean CHemicals Agency

EC: European Commission

ISO: International Organization for Standardization

Directive 2012/18/EU: Directive of the European Parliament and of the Council of 4 July, on the control of major-accident hazards involving dangerous

substances

IFRA: International Fragrance Association

OECD: Organisation for Economic Co-operation and Development ECVAM: European Centre for the Validation of Alternative Methods

QSAR: Quantitative Structure Activity Relationship

DNA: DeoxyriboNucleic Acid

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: very Persistent and very Bioaccumulative substance.

UVCB: Substances of unknown or variable composition, complex reaction products or biological materials

SVHC: Substances of Very High Concern

BCF: Bioconcentration Factor

CMR: Substance classified as Carcinogenic, Mutagenic or Toxic for Reproduction

(Contd. on page 9)



Printing date 06/07/2023

Safety Data Sheet

Page 9/9

(Contd. of page 8)

acc. to OSHA HCS

Reviewed on 05/24/2023

Trade name: DERCOLYTE® M115

Koc: Organic carbon/water partition coefficient. It represents the potential of retention of the substance on soil organic matter

NOEL: No Observed Effect Level

NOELr: Initial loading rate of the substance without observed effect

NOAEL: No Observed Adverse Effect Level NOEC: No Observed Effect Concentration

NOAEC: No Observed Adverse Effect Concentration LOEC: Lowest Observed Effect Concentration

LOAEC: Lowest Observed Adverse Effect Concentration

LOAEL: Lowest Observed Adverse Effect Level

EC<sub>10</sub>: Concentration which leads to a 10% reduction in treated organism responses compared to untreated organism responses (algae) or concentration which causes effects to 10 % of the tested organisms (daphnids)

EC<sub>50</sub>: Concentration which leads to a 50% reduction in treated organism responses compared to untreated organism responses (algae) or concentration which causes effects to 50 % of the tested organisms (daphnids)

EL<sub>50</sub>: Loading rate which leads to a 50 % reduction in treated organisms responses compared to untreated organism responses (algae) or loading rate which causes effects to 50 % of the tested organisms (daphnids)

LC<sub>50</sub>: Lethal concentration for 50% of exposed animals

LD<sub>50</sub>: Lethal dose for 50% of animals exposed by oral or dermal route LL<sub>50</sub>: Median lethal loading rate (lethal level for 50 % of fish exposed)

LC100 : Lethal concentration for 100% of exposed animals GPMT: Guinea Maximisation Test - Magnusson and Kligman test

LLNA: Local Lymph Node Assay

CO<sub>2</sub>: Carbon dioxide

NLP: No Longer Polymer

bw: body weight dw: dry weight ww : wet weight ppm : parts per million

· Sources Literature and company data

· Data compared to the previous version: Not applicable - first version

- 05