

Ceridust 6050 M Page 1

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

## **SECTION 1. IDENTIFICATION**

Identification of the Clariant Corporation

company: 500 East Morehead Street

Charlotte, NC, 28202

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Ceridust 6050 M

 Material number:
 183766

 CAS number:
 9003-07-0

Primary product use: Additive

Chemical family: Polypropylene wax

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

**GHS** label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

## Other hazards

Dust can form an explosive mixture in air. Avoid dust formation and electrostatic charging.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Substance name : Polypropylene wax

CAS-No. : 9003-07-0



Ceridust 6050 M Page 2

Substance key: 000000104440 Revision Date: 07/13/2023 Version: 4 - 5 / USA Date of printing :09/11/2023

#### Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

#### **SECTION 4. FIRST AID MEASURES**

General advice Get medical advice/ attention if you feel unwell.

If inhaled Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

Wash thoroughly with soap and water for 15 minutes. If skin In case of skin contact

irritation occurs, seek medical attention.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed If swallowed, DO NOT induce vomiting.

> Do not give anything to drink. Call a physician immediately.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Treat symptomatically. Notes to physician

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

> Water spray jet Dry powder

Unsuitable extinguishing

media

High volume water jet Carbon dioxide (CO2)

Specific hazards during

firefighting

None known.

Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a

shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static

spark or flame initiation.



Ceridust 6050 M Page 3

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

Further information : Exercise caution when fighting any chemical fire. Use NIOSH

approved self-contained breathing apparatus and full

protective clothing.

Special protective equipment:

for firefighters

Impervious clothing Protective helmets

Self-contained breathing apparatus

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.

Collect into suitable container. Electrical grounding of equipment is required when handling powder to prevent

possible dust explosion.

Environmental precautions

The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

Take up mechanically

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion

Advice on protection against : Take measures to prevent the build up of electrostatic charge.

Observe the general rules of industrial fire protection

Combustible material

Risk of dust explosion.

The product is a fine dust. Consequently, the product and/or its packaging material can become electrostatically charged during emptying of the package, or processing of the product. Therefore, when handling such materials in areas where the existance of an explosive atmosphere cannot be completely excluded, it is necessary to take strict precautions to prevent explosions caused by electrostatic charging or discharging. This requirement applies also to the use or processing of products which are themselves not flammable. The regulations and references of the German BG Guideline 132 on the avoidance of danger of ignition due to electrostatic charges, and those of national regulations of other countries must be considered. The actual measures taken should depend on the processing operations, the conditions of the surrounding area, and the accepted safety procedures of the plant handling the product.

Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.



Ceridust 6050 M Page 4

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Further information on storage conditions

Store in original container. Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Engineering measures : A system of local and/or general exhaust is recommended

where employee exposures are at or above Occupational

Exposure Limits (OEL).

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.

Hand protection

Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective clothing.

Protective measures : When working with hot material, avoid contact with skin.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Use protective skin cream before handling the product.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : fine powder

Colour : white

Odour : No information available.

pH : Not applicable

Drop point : approx. 293 °F / 145 °C

Method: ASTM D 3954-94

Melting point 284 °F / 140 °C



Ceridust 6050 M Page 5

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

Boiling point : no data available

Flash point :  $410 \, ^{\circ}\text{F} / 210 \, ^{\circ}\text{C}$ 

Method: DIN EN 22719 / ISO 2719 (closed cup)

Self-ignition : Method: Expert judgement

GLP: no

The substance or mixture is not classified as pyrophoric.

Method: Expert judgement

GLP: no

The product melts below 160 °C. Therefore, no further testing

of self-heating properties is required.

Burning number : 2 (68 °F / 20 °C)

Method: VDI 2263, ESCIS, Vol. 1 Short flaring up without spreading

2 (212 °F / 100 °C)

Method: VDI 2263, ESCIS, Vol. 1 Short flaring up without spreading

Upper explosion limit / upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : no data available

Density : approx. 0.90 g/cm3 (73 °F / 23 °C)

Method: ISO 1183

Solubility(ies)

Water solubility : insoluble (68 °F / 20 °C)

Solubility in other solvents : insoluble

Solvent: 1-octanol

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature : 734 °F / 390 °C

Method: Other

Decomposition temperature :  $> 392 \, ^{\circ}\text{F} \, / > 200 \, ^{\circ}\text{C}$ 



Ceridust 6050 M Page 6

Substance key: 000000104440 Revision Date: 07/13/2023 Version: 4-5/USA Date of printing :09/11/2023

Viscosity

Viscosity, dynamic approx. 60 mPa.s (338 °F / 170 °C)

Method: DIN 53019

Viscosity, kinematic Not applicable

Explosive properties : Not explosive

Method: Expert judgement

GLP: no

Oxidizing properties The substance or mixture is not classified as oxidizing.

Method: Expert judgement

GLP: no

The product does not contain organic peroxide-groups which result from either the manufacturing process or from added

ingredients.

Self-heating substances no data available

Dust deflagration index (Kst) 122 m.b\_/s

Dust explosion class St1

Metal corrosion rate Not applicable

Minimum ignition energy < 1 mJ

Method: Mike 3 apparatus

with inductive electrical resistance

 $< 1 \, \text{mJ}$ 

Method: Mike 3 apparatus

without inductive electrical resistance

Particle size approximately 9.5 µm

Method: Laser diffraction with dispersion in dry air.

Median value

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable

Possibility of hazardous

reactions

: Risk of dust explosion.

The substance or mixture does not emit flammable gases in

contact with water. Not corrosive to metals

Conditions to avoid : None known.



Ceridust 6050 M Page 7

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

Incompatible materials : no data available

Hazardous decomposition

products

: No hazardous decomposition products if stored and handled

as prescribed

The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75  $^{\circ}$ C, nor is the exothermic decomposition energy

higher than 300 J/g.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Eye contact Skin contact Inhalation

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: not tested.

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation

**Product:** 

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : not tested.

Respiratory or skin sensitisation

**Product:** 

Remarks : not tested.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: not tested.

Germ cell mutagenicity -

Assessment

: No information available.

Carcinogenicity

**Product:** 

Carcinogenicity - : No information available.



Ceridust 6050 M Page 8

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

Assessment

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Reproductive toxicity -

Assessment

: No information available.

Repeated dose toxicity

Product:

Remarks : not tested.

**Experience with human exposure** 

**Product:** 

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

**Further information** 

**Product:** 

Remarks : The product has not been tested. The statements are derived

from products of a similar composition.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Product:** 

Toxicity to fish : Remarks: not tested.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: not tested.

Toxicity to algae/aquatic

plants

Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

Persistence and degradability

**Product:** 



Ceridust 6050 M Page 9

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

Biodegradability : Remarks: not tested.

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: not available

**Mobility in soil** no data available

Other adverse effects

**Product:** 

Environmental fate and

pathways

: Remarks: no data available

Additional ecological

information

Product is insoluble in water

Harmful effects to fish and bacteria: not harmful May be separated mechanically in waste water plants.

This information is not available.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

RCRA - Resource

Conservation and Recovery

Authorization Act Waste Code This product, if discarded as sold, is not a Federal RCRA

hazardous waste.

/aste Code : NONE

Waste from residues : Recommended disposal is by incineration in approved

systems equipped with appropriate scrubbing devices. Material may be landfilled in chemical waste landfills.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

#### **SECTION 14. TRANSPORT INFORMATION**

DOT not restrictedIATA not restrictedIMDG not restricted

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



Ceridust 6050 M Page 10

 Substance key: 000000104440
 Revision Date: 07/13/2023

 Version: 4 - 5 / USA
 Date of printing: 09/11/2023

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

#### **SECTION 16. OTHER INFORMATION**


#### **Further information**



Ceridust 6050 M Page 11

Substance key: 000000104440	Revision Date: 07/13/2023
Version: 4 - 5 / USA	Date of printing :09/11/2023

#### NFPA 704:



Special hazard

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United



Ceridust 6050 M Page 12

Substance key: 000000104440	Revision Date: 07/13/2023
Version: 4 - 5 / USA	Date of printing :09/11/2023

Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 07/13/2023

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN