SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version	Revision Date:	US / Z8	Date of last issue: 03/29/2019
3.6	12/07/2023		Date of first issue: 06/19/2014

SECTION 1. IDENTIFICATION

Product name	:	BERMOCOLL EBM 5500	
Manufacturer or supplier's o	deta	ils	
Company name of supplier	:	Nouryon Functional Chemicals LLC Performance Additives	
Address	:	100 Matsonford Road, Building 1, Suite 500 Radnor PA 19087 US	
Telephone	:	(845) 276-8230	
Telefax	:	(845) 277-1404	
E-mail address	:	RegulatoryAffairs@nouryon.com	
Emergency telephone	:	24 hours:+31 57 06 79211, CHEMTREC-USA:1-800-424- 9300, CANUTEC-CANADA:1-613-996-6666<(>,<)>-: CHEMTREC (24-hr): (800) 424-9300 (Toll-free in the U.S., Canada and the U.S. Virgin Islands) CHEMTREC (24-hr): (703) 527-3887 (For calls originating elsewhere / collect calls are accepted)	
Description of the second se			

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)
Combustible dust

GHS label elements	
Signal Word	: Warning
Hazard Statements	: May form combustible dust concentrations in air.

Other hazards

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)		
2-(2-Methoxyethoxy)ethanol	111-77-3	>= 0.1 - < 1		
A standard standard for the fillence of the descent				

Actual concentration is withheld as a trade secret

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version	Revision Date:	US	S / Z8	Date of last issue: 03/29/2019
3.6	12/07/2023			Date of first issue: 06/19/2014
FCTION	4. FIRST AID MEASUR	FS		
	4. THIST AID MEASON			
Gene	ral advice	:	No hazaro	ls which require special first aid measures.
lf inha	aled	:	Remove to	o fresh air.
				ent warm and at rest.
				e and mouth with water.
In cas	se of skin contact	:		ontaminated clothing and shoes.
			Rinse with	
In cas	se of eye contact	:		plenty of water.
				ontact lenses.
				harmed eye.
				wide open while rinsing.
lf swa	allowed	:		uth with water and drink afterwards plenty of water anything by mouth to an unconscious person.
Most	important symptoms	:		toms and effects are as expected from the hazards
	ffects, both acute and			in section 2. No specific product related symptoms
delayed			are knowr	
,			No hazaro	ls which require special first aid measures.
Notes to physician		:		ptomatically.
			,	
ECTION	5. FIRE-FIGHTING ME	ASL	JRES	
Suital	ble extinguishing media	:	Use exting	guishing measures that are appropriate to local
				a second shall a second s

Suitable extinguishing media Specific hazards during fire fighting	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.
Hazardous combustion prod- ucts	:	Carbon oxides
Further information Special protective equipment for fire-fighters		Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation. Evacuate personnel to safe areas. Only qualified personnel equipped with suitable protective equipment may intervene. Prevent unauthorized persons entering the zone.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Use an electrically protected vacuum cleaner. Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version 3.6	Revision Date: 12/07/2023	US / Z8	Date of last issue: 03/29/2019 Date of first issue: 06/19/2014
-			

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed. No sparking tools should be used.
Advice on safe handling	:	For personal protection see section 8. Avoid creating dust. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Avoid spillage on floor as the product can become very slippery when wet.
Conditions for safe storage	:	Keep in a dry place. Store at room temperature in the original container. Keep container tightly closed.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust	50 Million particles per cubic foot Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	15 mg/m3 Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	5 mg/m3 Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
	15 Million particles per cubic foot Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
Dust, nuisance dust and par- ticulates	10 mg/m3 Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL
	5 mg/m3 Value type (Form of exposure): PEL (respirable dust fraction) Basis: CAL PEL

Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

/ersion 8.6	Revision Date: 12/07/2023	US	5 / Z8	Date of last issue: 03/29/2019 Date of first issue: 06/19/2014		
Engir	Engineering measures		: Provide appropriate exhaust ventilation at places where is formed.			
Perso	onal protective equipm	ent				
	Respiratory protection		required. In the case with an appr	I respiratory protective equipment normally of dust, vapor or aerosol formation use respirator roved filter. vith a particle filter P2 (EN 143)		
	protection aterial	:	For prolong	ed or repeated contact use protective gloves.		
	rotection ne measures	:	Safety glass General ind	ses ustrial hygiene practice.		
ECTION	9. PHYSICAL AND CH	EMI	CAL PROPE	RTIES		
Appea	arance	:	powder			
Color	Color		off-white			
Odor	Odor Odor Threshold	:	odorless			
Odor		:	No data av	ailable		
рН	рН		< 6.5 Concentrat	ion: 0.5 %		
Meltir	ng point/range	:	No data av	ailable		
Boilin	g point/boiling range	:	Not applica	ble		
Flash	point	:	Not applica	ble		
Evapo	pration rate	:	Not applica	ble		
Flamr	nability (solid, gas)	:	Combustib	le Solids		
			May form c	ombustible dust concentrations in air.		
Flamr	nability (liquids)	:	Not applica	ble		
Burniı	ng number	:	5			
	r explosion limit / Upper nability limit	:	No data av	ailable		
	r explosion limit / Lower nability limit	:	30 g/m3			

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

VersionRevision Da3.612/07/2023	ite: US	S / 2	Z8 Date of last issue: 03/29/2019 Date of first issue: 06/19/2014
Vapor pressure	:	: N	Not applicable
Relative vapor densi	ity :	: N	Not applicable
Relative density	:	: N	No data available
Solubility(ies) Water solubility	:	: 5	Soluble, gel formation.
Solubility in other	solvents :	: N	No data available
Partition coefficient:	n- :	: N	No data available
octanol/water Autoignition tempera	ature :		752 °F / 400 °C Method: EN 50281-2-1
			338 °F / 170 °C Method: EN 15188
Decomposition temp	perature :	A tl	> 212 °F / > 100 °C Avoid elevated temperatures. At temperatures above ~100 °C he product will slowly decompose and dissolving qualities are mpaired.
Viscosity Viscosity, dynam	ic :		5,000 - 6,500 mPa.s (68 °F / 20 °C) oH 7 at 1% solution.
Viscosity, kinema	atic :	: N	No data available
Explosive properties	:	: N	No data available
Oxidizing properties	:	: 1	The substance or mixture is not classified as oxidizing.
Dust deflagration inc	lex (Kst) :	: >	> 200 - 300 m.b_/s
Dust explosion class	s :	: 5	St2
Minimum ignition en	ergy :	: >	- 10 mJ

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under normal conditions.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reac-	:	Dust may form explosive mixture in air.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version 3.6	Revision Date: 12/07/2023	US / Z8	Date of last issue: 03/29/2019 Date of first issue: 06/19/2014
tions			
Cond	itions to avoid	: Keep awa ignition.	ay from open flames, hot surfaces and sources of
Incompatible materials		: None kno	wn.
Haza produ	rdous decomposition	: No hazar	dous decomposition products are known.
	nal decomposition		vated temperatures. At temperatures above ~100 °C ct will slowly decompose and dissolving qualities are

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
		Remarks: Read-across (Analogy)

Components:

2-(2-Methoxyethoxy)ethanol:							
Acute oral toxicity	:	LD50 (Mouse): > 5,000 mg/kg Remarks: Information taken from reference works and the literature.					
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg					

Acute dermal toxicity	:	LD50 (Rabbit): $> 5,000 \text{ mg/kg}$
		Remarks: Information taken from reference works and the literature.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

ersion S	Revision Date: 12/07/2023	US / Z8	Date of last issue: 03/29/2019 Date of first issue: 06/19/2014					
		ent of this product p	present at levels greater than or equal to 0.1% is e or confirmed human carcinogen by IARC.					
OSH/		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.						
NTP								
Not cl	oductive toxicity assified due to lack c	f data.						
<u>Components:</u> 2-(2-Methoxyethoxy)ethanol:								
								Repro sessn
	-single exposure assified due to lack c	f data.						
	-repeated exposure							
	assified due to lack o							
-	ation toxicity assified due to lack c	f data.						
Furth	er information							
<u>Prod</u> ı	uct:							
Domo	irks	: No further of	data available.					

Ecotoxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Read-across (Analogy)
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Read-across (Analogy)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

rsion S	Revision Date: 12/07/2023	US	8 / Z8	Date of last issue: 03/29/2019 Date of first issue: 06/19/2014
<u>Com</u>	ponents:			
2-(2-	Methoxyethoxy)ethano	l:		
•	ity to fish	:	Exposure	nephales promelas (fathead minnow)): > 100 mg. time: 96 h Information taken from reference works and the
	ity to daphnia and other tic invertebrates	:	Exposure	phnia magna (Water flea)): > 100 mg/l time: 48 h Information taken from reference works and the
Toxic plants	ity to algae/aquatic	:	Exposure	ae): > 100 mg/l time: 96 h Information taken from reference works and the
Persistence and degradability		ity		
Prod	uct:			
Biode	egradability	:	Result: No	ot readily biodegradable.
	emical Oxygen De- I (BOD)	:	Remarks:	No data available
<u>Com</u>	ponents:			
•	Methoxyethoxy)ethanol gradability	l: :		eadily biodegradable. Information taken from reference works and the
Bioad	ccumulative potential			
Prod	uct:			
Bioac	cumulation	:	Remarks:	Bioaccumulation is unlikely.
<u>Com</u>	ponents:			
2-(2-	Methoxyethoxy)ethano	I:		
Bioac	cumulation	:	Remarks:	Bioaccumulation is unlikely.
	ion coefficient: n- ol/water	:	log Pow: -	0.47 (68 °F / 20 °C)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Vers 3.6	ion	Revision Date: 12/07/2023	US	S / Z8	Date of last issue: 03/29/2019 Date of first issue: 06/19/2014
	Mobili	ty in soil			
	<u>Produc</u> Mobility		:	Remarks: No data	a available
	Compo	onents:			
	2-(2-M	ethoxyethoxy)ethano	l:		
	Mobility Other adverse effects		:	Remarks: Adsorp	tion to the solid soil particles is not expected.
	Produ	<u>ct:</u>			
	Ozone	Depletion Potential	:	tection of Stratosp Substances Remarks: This pro tured with a Class	R Protection of Environment; Part 82 Pro- oheric Ozone - CAA Section 602 Class I oduct neither contains, nor was manufac- of or Class II ODS as defined by the U.S. tion 602 (40 CFR 82, Subpt. A, App.A + B).
	Additional ecological infor- mation		:	None known.	
	Compo	onents:			
	•	ethoxyethoxy)ethano s of PBT and vPvB ment	l: :	Bioaccumulation,	not considered to be a PBT (Persistent, Toxic) This substance is not considered to rsistent nor very Bioaccumulating)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version	Revision Date:	US / Z8	Date of last issue: 03/29/2019
3.6	12/07/2023		Date of first issue: 06/19/2014

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous	aood		
Reportable Quantity	: This product does not contain an environmentally hazardous substance per 49 CFR 172.101, Appendix A.		
Special precautions for user			
Remarks	: Not classified as dangerous in the meaning of transport regulations.		

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Combustible dust	
SARA 313	: This material does not	contain a

RA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version	Revision Date:	US / Z8	Date of last issue: 03/29/2019
3.6	12/07/2023		Date of first issue: 06/19/2014

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

Maine Chemicals of High Concern

This product does not contain any chemicals that are listed as Maine Chemicals of High Concern.

California Prop. 65

WARNING: This product can expose you to chemicals including Ethylene glycol, 2-Methoxyethanol, 2-Ethoxyethanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories: TCSI : Not in compliance with the inventory			
TSCA	:	On or in compliance with the active portion of the TSCA	
AIIC	:	inventory Not in compliance with the inventory	
DSL	:	All components of this product are on the Canadian DSL	
ENCS	:	On the inventory, or in compliance with the inventory	
ISHL	:	Not in compliance with the inventory	
KECI	:	On the inventory, or in compliance with the inventory	
PICCS	:	Not in compliance with the inventory	
IECSC	:	On the inventory, or in compliance with the inventory	
NZIoC	:	On the inventory, or in compliance with the inventory	
TECI	:	Not in compliance with the inventory	

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version 3.6	Revision Date: 12/07/2023	US / Z8	Date of last issue: (Date of first issue: (
NFPA	704:		HMIS® IV:		
Flammability		HEALTH	/	0	
2			FLAMMABILITY		2
Hea		Instability	PHYSICAL HAZARE		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Special hazard

CAL PEL

CAL PEL / PEL OSHA Z-3

- : California permissible exposure limits for chemical contaminants (Title 8, Article 107)
- Permissible exposure limit
- : USA. Occupational Exposure Limits (OSHA) Table Z-3 Mineral Dusts

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

BERMOCOLL EBM 5500

Version	Revision Date:	US / Z8	Date of last issue: 03/29/2019
3.6	12/07/2023		Date of first issue: 06/19/2014

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

12/07/2023

•

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8