

**SDS:** 0018209 **Date Prepared:** 09/24/2020

## SAFETY DATA SHEET

## 1. IDENTIFICATION

Product Name:EBECRYL® 220 radiation curing resinsSynonyms:NoneProduct Description:Acrylated urethane/acrylate monomer blendMolecular Formula:MixtureMolecular Weight:MixtureIntended/Recommended Use:Coatings and Inks

Allnex USA Inc., 9005 Westside Parkway, Alpharetta, Georgia 30009, USA **For Product and all Non-Emergency Information call** your local Allnex contact point or contact us at http://www.allnex.com/contact

EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:

+1-866-928-0789 (toll free) or +1-215-207-0061 (Carechem 24 - Allnex29003-NCEC) See Section 16 for Emergency phone numbers for other regions.

Trademarks indicated with ®, TM or \* as well as the allnex name and logo are registered, unregistered or pending trademarks of Allnex Netherlands BV or its directly or indirectly affiliated allnex Group companies.

## 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Acute Toxicity (Oral) Hazard Category 4 Serious Eye Damage / Eye Irritation Hazard Category 1 Skin Sensitizer Hazard Category 1B Aquatic Environment Acute Hazard Category 2 Aquatic Environment Chronic Hazard Category 2

LABEL ELEMENTS



Signal Word DANGER

**Hazard Statements** 

Harmful if swallowed Causes serious eye damage May cause an allergic skin reaction Toxic to aquatic life Toxic to aquatic life with long lasting effects

#### Precautionary Statements

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local and national regulations.

#### Hazards Not Otherwise Classified (HNOC), Other Hazards

Polymerization may occur from excessive heat, contamination or exposure to direct sunlight.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### HAZARDOUS INGREDIENTS

Component / CAS No.	%	GHS Classification
Complex reaction product consisting primarily	30 - 50	Acute Tox. 4 (H302)
of pentaerythritol triacrylate (CASRN		Skin Irrit. 2 (H315)
3524-68-3) and pentaerythritol tetraacrylate		Eye Dam. 1 (H318)
(CASRN 4986-89-4)		Skin Sens. 1B (H317)
-		Aquatic Acute 2 (H401)
		Aquatic Chronic 2 (H411)
Urethane acrylate oligomer	55 - 65	Eye Irrit. 2A (H319)
-		

The specific chemical identity and/or exact percentage of composition for one or more ingredients has been withheld as a trade secret.

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

## 4. FIRST AID MEASURES

#### **First-aid Measures**

#### Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms.

#### Skin Contact:

Remove contaminated clothing and shoes without delay. Wash immediately with plenty of water. Do not reuse contaminated clothing without laundering. Get medical attention if pain or irritation persists after washing or if signs and symptoms of overexposure appear.

#### Eye Contact:

Rinse immediately with plenty of water for at least 30 minutes or until the chemical has been removed. Obtain medical attention immediately.

#### Ingestion:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## Most Important Symptoms and Effects, Acute and Delayed

None known.

#### **Immediate Medical Attention and Special Treatment**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### Notes To Physician:

No specific measures have been identified.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media:

Use water spray, alcohol foam, carbon dioxide or dry chemical to extinguish fires. Water stream may be ineffective.

#### **Unsuitable Extinguishing Media:**

full water jet.

#### **Protective Equipment:**

Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

#### Special Hazards:

Keep containers cool by spraying with water if exposed to fire.

## 6. ACCIDENTAL RELEASE MEASURES

#### **Personal precautions:**

Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. In addition to the protective clothing/equipment in Section 8 (Exposure Controls/Personal Protection), wear impermeable boots.

#### Methods For Cleaning Up:

Cover spills with some inert absorbent material; sweep up and place in a waste disposal container. Flush spill area with water.

#### **Environmental Precautions:**

Use appropriate containment to avoid environmental contamination. Avoid release to the environment.

#### References to other sections:

See Sections 7, 8 and 13 for additional information.

## 7. HANDLING AND STORAGE

#### HANDLING

**Precautions:** Avoid release to the environment. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and eye/face protection.

**Special Handling Statements:** Provide good ventilation of working area (local exhaust ventilation if necessary). During processing and handling of the product, comply with the indicative occupational exposure limit values.

Avoid excessive heat, contamination or exposure to direct sunlight to prevent polymerization.

#### STORAGE

Store in a cool, dry, well ventilated place and keep container tightly closed. Keep away from heat sources and direct sunlight.

**Storage Temperature:** Store at 4 - 40 °C 39 - 104 °F **Reason:** Quality.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering Measures:**

Utilize a closed system process where feasible. Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure.

#### **Respiratory Protection:**

For operations where inhalation exposure can occur use an approved respirator. Recommendations are listed below. Other protective respiratory equipment may be used based on user's own risk assessment. Recommended respirators include those certified by NIOSH.

#### Recommended:

Full Face Mask with organic vapor cartridge, Type A filter (BP >65°C)

#### **Eye Protection:**

Prevent eye and skin contact. Provide eye wash fountain and safety shower in close proximity to points of potential exposure. Wear eye/face protection such as chemical splash proof goggles or face shield.

#### **Skin Protection:**

Prevent contamination of skin or clothing when removing protective equipment. Wear impermeable gloves and suitable protective clothing.

#### Hand Protection:

Wear protective gloves. Recommendations are listed below. Other protective materials may be used based on user's own risk assessment. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility etc.) is noticed.

<u>Gloves for repeated or prolonged exposure - non exhaustive list:</u> Nitrile rubber (NBR), thickness: > 0.56 mm, break through time: up to 480 min

<u>Gloves for short term exposure/splash protection - non exhaustive list:</u> Nitrile rubber (NBR), thickness: 0.1 mm, break through time: up to 30 min

The chemical resistance depends on the type of product and amount of product on the glove. Therefore gloves need to be changed when in contact with chemicals.

Not suitable gloves - non exhaustive list: Latex gloves

Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing. Use PE gloves as under gloves for difficult situations like for instance: high exposure, unknown composition or unknown properties of the chemicals.

#### **Additional Advice:**

Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water. It is recommended that a shower be taken after completion of workshift especially if significant contact has occurred. Work clothing should then be laundered prior to reuse. Street clothing should be stored separately from work clothing and protective equipment. Work clothing and shoes should not be taken home.

## Exposure Limit(s)

No values have been established.

## **Biological Exposure Limit(s)**

No values have been established.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Color: Appearance: Odor: Boiling Point: Melting Point: Vapor Pressure: Specific Gravity/Density: Vapor Density: Percent Volatile (% by wt.): pH: Saturation In Air (% By Vol.): Evaporation Rate: Solubility In Water: Volatile Organic Content: Flash Point: Flammable Limits (% By Vol): Autoignition Temperature: Decomposition Temperature: Partition coefficient	yellowish liquid resin acrylate > 100 °C 212 °F Not available < 1.33 hPa @ 20 °C 1.21 g/cm <sup>3</sup> Not available < 0.5 % Not available Not available
(n-octanol/water): Odor Threshold: Viscosity (Kinematic): Viscosity (Dynamic): Explosive Properties: Oxidizing Properties:	Not available Not available 24500 - 32500 mPa.s @ 25 °C Highly viscous liquid None. No

## **10. STABILITY AND REACTIVITY**

Reactivity:	No information available	
Stability:	Stable.	
Conditions To Avoid:	Avoid direct exposure to sunlight. Avoid temperatures above 60°C (140°F). Avoid friction with temperature increase as result. Avoid exposure to strong UV sources. Loss of dissolved air. Loss of polymerization inhibitor. Avoid direct contact with heat sources.	
Polymerization:	May occur	
Conditions To Avoid:	Uncontrolled polymerization may cause rapid evolution of heat and increase in pressure that could result in violent rupture of sealed storage vessels or containers Hazardous polymerization can occur when exposed to direct sunlight. Hazardous	

	exothermic polymerization can occur when heated. Avoid contact with bases or amines. Avoid contact with strong oxidizing agents. Avoid contact with free radical initiators.
Materials To Avoid:	Avoid contact with peroxides. Copper, copper alloys, carbon steel, iron and rust. Avoid free radical producing initiators. Contact with alkalis. They give an exothermic reaction with the product. Unintentional contact with them should be avoided. Avoid contact with active metals.
Hazardous Decomposition Products:	oxides of carbon oxides of nitrogen smoke hydrocarbons soot

## **11. TOXICOLOGICAL INFORMATION**

Likely Routes of Exposure: Eyes, Skin, Oral.

Acute toxicity - oral: Harmful if swallowed Acute toxicity - dermal: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met. Acute toxicity - inhalation: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Skin corrosion / irritation: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met. Serious eye damage / eye irritation: Causes serious eye damage

**Respiratory sensitization:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Skin sensitization: May cause an allergic skin reaction

**Carcinogenicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Germ cell mutagenicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Reproductive toxicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure:** Not Classified. - Based on available data and/or professional judgment, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure:** Not Classified. - Based on available data and/or professional judgment, the classification criteria are not met.

**Aspiration hazard:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

## **PRODUCT TOXICITY INFORMATION**

ACUTE TOXICITY DATA oral (gavage)

EBECRYL® 220 radiation curing resins	SDS: 001820	9 Date Prepared: 09/24/2020	Page 7 of 12
dermal inhalation	rabbit rat	Acute LC50 Acute LC50 4 hr	> 2000 mg/kg > 5 mg/l (Dust/Mist)
LOCAL EFFECTS ON SKIN AND EYE Acute Irritation Acute Irritation	dermal eye	rabbit rabbit	Not irritating (tested) Causes serious damage (tested)
ALLERGIC SENSITIZATION Sensitization Sensitization	dermal inhalation	Sensitizing No data	
GENOTOXICITY			
Assays for Gene Mutations Ames Salmonella Assay	No data		

#### **OTHER INFORMATION**

The toxicity data above are the results from Allnex sponsored studies or from the available public literature.

The toxicological properties of this material have not been fully determined.

Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms such as redness, blistering, dermatitis, etc.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

### HAZARDOUS INGREDIENT TOXICITY DATA

The complex reaction product consisting primarily of pentaerythritol triacrylate and pentaerythrytol tetraacrylate has acute oral (rat) and dermal (rabbit) LD50 values of 540-1350 mg/kg and 4600 mg/kg, respectively. This material may cause moderate skin irritation and severe eye irritation. Mixture of pentaerythritol triacrylate and pentaerythrytol tetraacrylate may cause skin sensitization. This material was not mutagenic in the Ames Salmonella Assay and not mutagenic in the mammalian forward gene mutation test (HPRT). The outcome for chromosomal damage in the mouse Micronucleus Assay was also negative. A prenatal study in rabbits has not shown any adverse effects with regard to developmental toxicity. Carcinogenicity has not been investigated.

Urethane acrylate oligomer has an estimated oral (rat) and dermal (rabbit) LD50 values of >2000 mg/kg and >2000 mg/kg, respectively. This material causes moderate eye irritation.

**WARNING:** Reproductive Harm – www.P65Warnings.ca.gov

## **12. ECOLOGICAL INFORMATION**

# TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, OTHER ADVERSE EFFECTS

**Overall Environmental Toxicity:** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

The ecological assessment for this material is based on an evaluation of its components.

#### **RESULTS OF PBT AND vPvB ASSESSMENT**

Not determined

#### HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Fish
Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-)	LC50 = 3.2 mg/l - Carp - 96 hr
Urethane acrylate oligomer (-)	Not available

Component / CAS No.	Toxicity to Water Flea
Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-)	EC50 = 13 mg/l - water flea - 48 hr
Urethane acrylate oligomer (-)	Not available

Component / CAS No.	Toxicity to Algae
Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN	EL50 = 33 mg/l - Pseudokirchneriella subcapitata - 24-96 hr NOELR = 10 mg/l - Pseudokirchneriella subcapitata - 24-96 hr
4986-89-4) (-)	21001
Urethane acrylate oligomer (-)	Not available

Component / CAS No.	Partition coefficient
Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4) (-)	Not available
Urethane acrylate oligomer (-)	Not available

## **13. DISPOSAL CONSIDERATIONS**

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seq) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste"; information contained in Section 15 of this SDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved

facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.

## **14. TRANSPORT INFORMATION**

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

#### **US DOT**

Da	ngerous Goods? X PROPER SHIPPING NAME: E Hazard Class: 9 Packing Group: III UN/ID Number: UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	Transport Label Required:	Miscellaneous Marine Pollutant
	Marine Pollutant TECHNICAL NAME (N.O.S.):	MIXTURE PENTAERYTHRITOL TRI/TETRAACRYLATE
	Comments:	Marine Pollutants - DOT requirements specific to Marine Pollutants do not apply to

non-bulk packagings transported by motor vehicles, rail cars or aircraft.

#### **TRANSPORT CANADA**

Dangerous Goods? X PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Hazard Class: 9 Packing Group: III UN Number: UN3082 Transport Label Required: Miscellaneous Marine Pollutant Marine Pollutant

TECHNICAL NAME (N.O.S.): MIXTURE PENTAERYTHRITOL TRI/TETRAACRYLATE

#### ICAO / IATA

Dangerous Goods? X UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Transport Hazard Class: 9 Packing Group: III UN Number: UN3082 Transport Label Required: Miscellaneous TECHNICAL NAME (N.O.S.): MIXTURE PENTAERYTHRITOL TRI/TETRAACRYLATE

#### IMO

Dangerous Goods? X UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Transport Hazard Class: 9 UN Number: UN3082 Packing Group: III Transport Label Required: Miscellaneous Marine Pollutant Marine Pollutant TECHNICAL NAME (N.O.S.): MIXTURE PENTAERYTHRITOL TRI/TETRAACRYLATE

#### SPECIAL PRECAUTIONS FOR USER

Keep away from heat. Protect against external heat sources higher than +40°C/104°F.

#### **15. REGULATORY INFORMATION**

#### Inventory Information

**United States (USA):** All components of this product are designated as "Active" on the TSCA Inventory or are not required to be listed.

**Canada:** All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

**European Economic Area (including EU):** When purchased and shipped from an Allnex legal entity based in the EEA (EU or Norway), this product is compliant with the registration of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt and/or registered.

**Australia:** All components of this product are included in the Australian Inventory of Industrial Chemicals (AIIC) or are not required to be listed on AIIC.

**New Zealand:** This product is approved or exempt under the Hazardous Substances and New Organisms (HSNO) Act.

**China:** All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese inventory.

**Japan:** All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese inventory.

**Korea:** All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean inventory. When purchased from Allnex Korea or Chemart distributor this product is compliant with the ARECs (the Act on the Registration and Evaluation, etc. of Chemical Substances). All its components are either excluded, exempt, pre-notified and/or registered. When purchased from another allnex entity, please contact PSRA-KREACH@allnex.com to check the possibility to be covered by our Only Representative.

**Philippines:** One or more components of this product are NOT included on the Philippine (PICCS) inventory.

**Taiwan:** All components of this product are included in the Taiwan chemical substance inventory or are not required to be listed on the Taiwan chemical substance inventory (TCSI).

**Switzerland:** All components of this product are exempt from the new substance notification requirements for Switzerland (SR 813.11 art. 24-26).

**Turkey -** When purchased directly from Allnex by a Turkish legal entity, this product is compliant with the PRE-registration requirements of KKDIK as all its components are either pre-registered, excluded and/or exempt.

#### **OTHER ENVIRONMENTAL INFORMATION**

The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

This product does not contain any components regulated under these sections of the EPA

#### PRODUCT HAZARD CATEGORY UNDER SECTIONS 311 AND 312 OF EPCRA

#### **Physical Hazards**

Not applicable

#### **Health Hazards**

Acute toxicity (any route of exposure) Respiratory or Skin Sensitization Serious eye damage or eye irritation

## **16. OTHER INFORMATION**

#### NFPA Hazard Rating (National Fire Protection Association)

Health: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 1 - Materials that in themselves are normally stable, but that can become unstable at elevated temperatures and pressures.

Reasons for Issue:	Revised Section 2 Revised Section 3	
	Revised Section 11	
Date Prepared:	09/24/2020	

Date Prepared:	09/24/2020
Date of last significant revision:	09/24/2020

#### **Component - Hazard Statements**

Complex reaction product consisting primarily of pentaerythritol triacrylate (CASRN 3524-68-3) and pentaerythritol tetraacrylate (CASRN 4986-89-4)

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Urethane acrylate oligomer

H319 - Causes serious eye irritation.

#### Emergency phone numbers for other regions

#### Asia Pacific

Australia: +61 1800 022 037 (Allnex Australia) China (PRC): +86(0)25 8547 7110 (Jiangsu registration center) / +86(0)532 8388 9090 (NRCC) India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24) Indonesia: 007 803 011 0293 (Carechem 24) Japan: +81 345 789 341 (Carechem 24) Korea: +82 2 3479 8401 (Carechem 24) Malaysia: +60 3 6207 4347 (Carechem 24) New Zealand: +64 0800 803 002 (Allnex New Zealand) Philippines: +63 2 231 2149 (Carechem 24) Taiwan: +886 2 8793 3212 (Carechem 24) Vietnam: +84 8 4458 2388 (Carechem 24) All Others: +65 3158 1074 (Carechem 24) Europe +44 (0) 1235 239 670 (Carechem 24) Middle East. Africa +44 (0) 1235 239 671 (Carechem 24) Latin America

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24) Chile: +56 2 2582 9336 (Carechem 24) Mexico and all others: +52-555-004-8763 (Carechem 24)

Prepared By: Product Stewardship & Regulatory Affairs Department, http://www.allnex.com/contact

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.