

**OXIMULSION 2780** Product: Review: 09 July 31th, 2020

### 1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**OXIMULSION 2780** Product

Internal identification code

Relevant recommended uses Industrial uses.

Company OXITENO NORDESTE SA INDUSTRIA E COMERCIO

OXITENO S/A INDUSTRIA E COMERCIO

**Address** Av. Brigadeiro Luiz Antonio, 1343-7º andar

BELA VISTA São Paulo - SP 01317-910

Phone number (11) 3177-6075

**Emergency Phone number** 

Mauá - SP: (11) 4478-3212 Tremembé - SP: (12) 3672-3578 Camaçari - BA: (71) 3634-7658 Triunfo - RS: (51) 3457-5134 Suzano - SP: (11) 4745-8741

### 2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1

#### **Label Elements**

Hazard Pictograms



 Signal Word **DANGER** 

 Hazard Statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary Statements

P264 Wash thoroughly after handling. P280 Wear protective gloves/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

# 3. COMPOSITION AND INFORMATION ON INGREDIENTS

**Brand or Generic Chemical Name** Phosfated ethoxylated fat alcohol

**Product Type** Substance.

**Synonyms** Ethoxylated lauryl alcohol phosphate; Poly(ethylene glycol) lauryl ether phosphate.

**CAS Number** 58318-92-6.

Impurities which contribute to the classification of the substance

There are no impurities which contribute to the classification of the substance.

### 4. FIRST-AID MEASURES

Procedure in Case of:

 Ingestion Seek prompt medical attention.

Do not induce vomiting.

Vomiting should only be induced by medical personnel.

If vomiting occurs, keep the head lower than chest to avoid aspiration into the lungs.

Never give anything by mouth to an unconscious or convulsing person.



**OXIMULSION 2780** Product: Review: 09 July 31th, 2020

Seek prompt medical attention. Inhalation

Remove victim to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

 Skin contact Remove contaminated clothing and shoes. Wash affected areas with plenty of running water,

preferably under a shower. Seek prompt medical attention.

Immediately flush with plenty of running water for at least 15 minutes, keeping eyelids open. Eye contact

Remove contact lenses if easy to do. Seek prompt medical attention.

### Most important symptoms/effects, acute and delayed

Ingestion- The symptoms due to this product ingestion are not known.

Inhalation- Due to its low steam pressure, it is unlikely to cause inhalation problems at room temperature. Vapors from the liquid at increased

temperatures or product's mist, in high concentrations, may cause irritation.

Skin- The exposure to small amounts, for short periods, is unlikely to cause significant toxic effects. Extended or repeated exposures may cause irritation

Eyes- May cause irritation. Information for doctor

There is not known any specific antidote.

Direct the treatment in accordance with the symptoms and clinical conditions of the patient.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** In case of fire, use:

Carbon dioxide (CO2). Water spray. Dry chemical powder.

Foam.

**Specific Hazards** In case of combustion may generate toxic and/or irritant fumes containing:

Oxides of carbon Oxides of phosphorus.

Protective measures for fire-fighters Water jets should not be used directly on igniting products because it may disperse the material and

intensify the fire.

Self-contained breathing apparatus and protective clothing are required. Cool the intact fire-exposed containers with water spray and remove them.

**NFPA Rating** 

2 Health Flammability 1

 Instability O

Special

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Isolate and signalize area.

Keep heat and/or ignition sources away.

Use personal protection equipment as indicated in Section 8, in order to avoid contact with spilled

product.

**Environmental Precautions** Prevent product from entering into soil and waterways.

Notify the competent authorities if the product has run into drainage systems or watercourse or has

contáminated the ground or vegetation.

Methods and materials for containment and cleaning up Stop if possible.

Contain and dike spilled product with earth or sand.

Eliminate ignition or heat sources. Transfer to proper container.

Collect remnants with an appropriate absorbent material.

Wash the contaminated surface with water, which should be collected for disposal.

## 7. HANDLING AND STORAGE

Precautions for safe handling Use in a well-ventilated area.

Avoid inhalation and contact with eyes, skin or clothing through proper protection. If occurs accidental contact, exposed area should be washed immediately.

Emergency eyewashes and showers shall be located in accessible locations. Wash hands and face thoroughly after handling. Wash contaminated clothing before reuse.



**OXIMULSION 2780** Product: Review: 09 July 31th, 2020

Store in a covered and well-ventilated area, away from sunlight and sources of heat or open flames. Conditions for safe storage

Ensure that the storage location has adequate moisture, pressure and temperature. Keep containers tightly closed when not in use.

Incompatibilities

Avoid contact with: Strong oxidizing agents. Strong acids. Strong bases.

**Packaging Material** Recommended:

Stainless steel. Polyethylene.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Control parameters

• TLV-TWA (ACGIH) Not established.

• PEL-TWA (OSHA) Not established.

 TLV-STEL (ACGIH) Not established.

• LT(NR15) Not established.

 Odor Threshold Not available.

Not available. IDLH

Biological Exposure Indices

(ACGIH)

Not established.

**Engineering Control Measures** In closed environments, this product should be handled keeping proper exhaust (general diluter or

local exhauster).

**Individual Protection Measures** 

 Eve Protection Side shields or wide vision safety goggles.

Skin Protection

It is recommended to adopt safety boots/shoes.

 Hand Protection Gloves made of:

PVC (Polyvinyl chloride).

· Breathing equipment In case of emergency or contact with high concentrations of the product, wear an air supplied mask or

self contained breathing apparatus. It is recommended to wear face mask with organic vapors cartridge in case of exposure to

vapors/aerosols.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid. Clear.

Yellowish.

**Odour and Odour threshold** Not available.

7,0 to 8,5 (sol. 5% / 20 °C). pH

Melting point/Freezing point Not available. **Initial Boiling Point and Boiling Range** Not available.

# Flash point > 105 °C (closed cup).

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive

limits

Not available.

Vapour pressure < 0,001 kPa (20 °C). Vapour density (air = 1) > 1 (in relation to air).

Relative density (water=1) 1100 kg/m3 (25 °C).



**OXIMULSION 2780** Review: 09 Product: July 31th, 2020

**Apparent density** Not available.

Soluble in water (20 ° C for 1 hour / concentration of 0.5%). Solubility

Partition Coefficient n-octanol/water Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

1500 to 4000 mPa.s (25 °C). **Viscosity** 

### 10. STABILITY AND REACTIVITY

**Chemical stability** Stable under normal conditions of use and storage.

Reactivity No hazardous reactivity is expected.

**Possibility of Hazardous Reactions** Not polymerize.

Conditions to avoid High temperatures, ignition sources and prolonged exposure to the air.

Incompatible materials Avoid contact with: Strong oxidizing agents.

Strong acids Strong bases.

**Hazardous decomposition products** 

In case of combustion may generate toxic and/or irritant fumes containing:

Oxides of carbon Oxides of phosphorus.

Considerations on the use of the

product

Not available.

### 11. TOXICOLOGICAL INFORMATION

### **Acute Toxicity**

 Oral LD50, rat: 6550 mg/Kg.

 Inhalation Not available. Dermal Not available.

Skin corrosion/irritation Can cause severe skin irritation (500 µL, 24h). Serious eye damage/eye irritation Can cause severe eye irritation (100 µL, 24h).

Respiratory or skin sensitization Not available. Germ cell mutagenicity Not available. Not available. Carcinogenicity Reproductive toxicity Not available.

Specific target organ toxicity - Single

exposure

Not available.

Specific target organ toxicity - Repeated exposure

Not available.

**Aspiration hazard** Not available.

# 12. ECOLOGICAL INFORMATION

Not available. **Ecotoxicity** Persistence and Degradability Not available. **Bioaccumulative Potential** Not available. Mobility in soil Not available. **Other Adverse Effects** Not available.

### 13. DISPOSAL CONSIDERATIONS



**OXIMULSION 2780** Product: Review: 09 July 31th, 2020

### Recommended methods of disposal

The preferred options for disposal include reuse, recycling, co-processing, finding a use for a by-product, incineration or other thermal destruction process at licensed facilities. All procedures must Product

follow specific operation standards in order to reduce health, safety and environmental risks. Perform co-processing, incineration or other thermal destruction process at facilities capable of

minimizing or reducing air pollution emissions.

The disposal must comply with federal, state, and local laws and regulations in accordance with the

environmental agencies.

 Product Remains Same method as indicated for product.

Packaging

Do not cut or pierce the packaging, nor do hot work near them. Do not remove labels until the product has been fully removed and the packaging cleaned. The preferred options for disposal include reuse, recycling or reclamation at licensed facilities. All procedures must follow specific operation standards in order to reduce health, safety and

environmental risks.

The disposal must comply with local legislation and in accordance with standards from local

environmental agencies.

### 14. TRANSPORT INFORMATION

**Land Transport ANTT** Product not classified as hazardous in accordance with Resolution 5232/2016 - Transport Ministry.

N/A UN number

 Proper Shipping Name Not classified. Hazard Class Not classified.

 Hazard Number Not classified.

 Packaging Group Not classified.

**Maritime Transport IMDG** Product not classified as hazardous in accordance with IMDG Code - 2018 Edition - IMO

(International Maritime Organization).

 UN number N/A

· Proper Shipping Name Not classified. IMDG Class Not classified. Packaging Group Not classified.

 EmS Not classified.

Air Transport ICAO-TI and IATA-DGR Product not classified as hazardous in accordance with Dangerous Goods Regulations - 61st Edition -

IATA (International Air Transport Association).

UN number

 Proper Shipping Name Not classified ICAO/IATA Class Not classified. Label Not classified. Packaging Group Not classified.

### 15. REGULATORY INFORMATION

Applicable standards Brazilian Technical Standards Association (ABNT) - NBR 14725 - Part 1 to 4.

IMDG Code - 2018 Edition - IMO (International Maritime Organization)

Dangerous Goods Regulations - 61st Edition - IATA (International Air Transport Association).

Resolution 5232 / 2016 - Transport Ministry.

### 16. OTHER INFORMATION

Remarks Not applicable.

LOLI - ChemADVISOR's Regulatory Database. **Sources** 

eChemPortal - The Global Portal to Information on Chemical Substances. European Chemicals Agency - http://echa.europa.eu/. 2020 Guide to Occupational Exposure Values – ACGIH.

2020 TLVs and BEIs – Based on the Documentation of the Threshold Limit Values for Chemical

Substances and Physical Agents & Biological Exposure Indices – ACGIH.



Product: **OXIMULSION 2780** Review: 09 July 31th, 2020

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists (USA). ADR: European agreement concerning the international carriage of dangerous goods by road. CAS: Chemical Abstracts Service (American Chemical Society - EUA).

EC50: Average concentration for 50% of maximum response.

LC: Lethal Concentration - substance concentration in the environment that leads to death after a

certain period of exposure.

LC50: Lethal concentration for 50% of the test animals.

BOD: Biochemical Oxygen Demand. LD50: Lethal Dose for 50% of the test animals.

LDLo: Lethal Dose Low - minimal amount of a chemical lethal to animals in testing.

EINECS: European Inventory of Existing Commercial Chemical Substances. GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

IARC: International Agency for Research on Cancer.
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods by Regulations by the IATA
ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the ICAO.

IMDG: International Maritime Code for Dangerous Goods.

IDLH - Immediately Dangerous To Life or Health Concentrations.

Kow: Octanol/water partition coefficient.

LT (NR 15): Exposure limits of the standard number 15 - Unhealthy Operations and Activities from the

Ministry of Labour and Employment of Brazil.

LOAEL: Lowest Adverse Effect Level

LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database

NLP: No Longer Polymers.

NIOSH: National Institute for Occupational Safety and Health.
NOAEL: No Observed Adverse Effect Level
NTP: National Toxicology Program.
OSHA: Occupational Safety and Health Administration (EUA).
PEL-TWA: Exposure Limit Allowed – time-weighted average.

RID: Regulations concerning the international transport of dangerous goods by rail. TLV-STEL: Tolerance Limit - short period of time (15 minutes, maximum). TLV-TWA: Tolerance Limit - time weighted average. WGK: Wassergefährdungsklasse (Germany) - Water Hazard Class.

This Safety Data Sheet was authoring according to our current knowledge and experience, however cannot imply guarantee of any nature. Considering the variety of factors that can affect their process or application, the information on this sheet does not exempt the processors from the responsibility of executing their own tests and experiments.

**ELECTRONICALLY APPROVED**