# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

#### **SECTION 1. IDENTIFICATION**

Product name : BAYFERROX 110

Product code : 00000000001581442

Manufacturer or supplier's details

Company : LANXESS Corporation

**Product Safety & Regulatory Affairs** 

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Colorants (pigments and dyestuffs), inorganic

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

**GHS** label elements

Not a hazardous substance or mixture.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Components

No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

1/12

## **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

If inhaled : Move to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash off with plenty of water.

Continue to rinse for at least 10 minutes.

Take off contaminated clothing and shoes immediately.

Wash contaminated clothing before re-use. If symptoms persist, call a physician.

In case of eye contact : Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids.

Continue to rinse for at least 10 minutes. Keep eye wide open while rinsing.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist. Get medical attention if symptoms appear.

If swallowed : Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

If symptoms persist, call a physician.

#### Most important symptoms and effects, both acute and delayed

Symptoms : May cause irritation with symptoms of reddening and itching.

Eye: May cause irritation with symptoms of reddening, tear-

ing and stinging.

Effects : May cause mechanical irritation (abrasion).

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or

 $CO_2$ .

Unsuitable extinguishing

media

: None known.

Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

2/12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

fighting courses.

Hazardous combustion prod: :

ucts

The product itself does not burn.

Further information : Standard procedure for chemical fires.

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilled material.

Avoid breathing dust.

Provide adequate ventilation.

Avoid dust formation.

In case of inadequate ventilation wear respiratory protection.

Use personal protective equipment.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up

Move containers from spill area.

Vacuum or sweep up material and place in a designated, la-

beled waste container.

Dispose of wastes in an approved waste disposal facility.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Avoid contact with skin and eyes.

Provide sufficient air exchange and/or exhaust in work rooms. In case of insufficient ventilation, wear suitable respiratory

equipment.

Keep in the original container or an approved alternative made

3/12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

from a compatible material, kept tightly closed when not in

use.

Dispose of rinse water in accordance with local and national

regulations.

Workers should wash hands and face before eating, drinking

and smoking.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron (III) Oxide	1309-37-1	TWA (Res- pirable par- ticulate mat- ter)	5 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

**Engineering measures** 

Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : Dust-protection mask if there is a risk of dust formation.

4/12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Hand protection

Material : Gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : General industrial hygiene practice.

When using do not eat, drink or smoke.

Wash face, hands and any exposed skin thoroughly after

handling.

Wash contaminated clothing before reusing.

Remove contaminated clothing and protective equipment

before entering eating areas.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Physical state : solid

Color : red

Odor : odorless

Odor Threshold : No data available

pH : 4-8

Concentration: 5 %

Melting point/range : 2,849 °F / 1,565 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

5/12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Self-ignition : No data available

Burning number : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative density : No data available

Density : 5.25 g/cm3 (68 °F / 20 °C)

Bulk density : 300 - 1,000 kg/m3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No data available

Incompatible materials : No specific data.

6/12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Hazardous decomposition

: No decomposition if stored and applied as directed.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

The most important known symptoms and effects are described in Section 2 and/or Section 4.

# Information on likely routes of exposure

Inhalation Eye contact Skin contact

# **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Information refers to the main ingredient.

Acute inhalation toxicity : LC50 (Rat): >210 mg/m<sup>3</sup>

Exposure time: 14 d

Test atmosphere: dust/mist

Remarks: Information refers to the main ingredient.

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Result : No skin irritation

Remarks : Test results on an analogous product

# Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Result : No eye irritation

Remarks : Test results on an analogous product

# Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

# Respiratory sensitization

Not classified based on available information.

**Product:** 

Species : Guinea pig

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Result : Not a skin sensitizer.

Remarks : Information refers to the main ingredient.

#### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

**Product:** 

Remarks : Long-term exposure to high concentrations of dust containing

iron oxide can cause a benign condition termed "pulmonary siderosis". This condition is not associated with any physical

impairment of lung function.

## Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

**Product:** 

Toxicity to fish : LC0 (Danio rerio (zebra fish)): > 50,000 mg/l

Exposure time: 96 h

Remarks: Information refers to the main ingredient.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

8 / 12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Method: OECD Test Guideline 202

Remarks: Information refers to the main ingredient.

Toxicity to microorganisms : EC10 (activated sludge): > 10,000 mg/l

Exposure time: 3 h

Remarks: Information refers to the main ingredient.

#### Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

#### **Product:**

Additional ecological infor-

mation

Ecotoxicological data are not available.

No known significant effects or critical hazards.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

RCRA - Resource Conservation and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### IATA-DGR

Print Date: 10/25/2024

9/12

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo, Keep separated from foodstuffs

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations** 

Massachusetts Right To Know

Iron (III) Oxide 1309-37-1

Pennsylvania Right To Know

Iron (III) Oxide 1309-37-1

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL).

**TSCA** inventory

Print Date: 10/25/2024

TSCA : All substances listed as active on the TSCA inventory

# **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

#### **TSCA list**


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

## NFPA 704:



Special hazard

## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

## **BAYFERROX 110**



Version Revision Date: SDS Number: Date of last issue: 02/10/2022 2.1 10/19/2022 203000012075 Country / Language: US / EN

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/19/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.