

Printing date 11/12/2021 Reviewed on 11/12/2021

1 Identification

· Product identifier

· Trade name: DERCOLYTE® A 115

· Substance name:

Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane

· Common CAS No.: 31393-98-3

· Application of the substance / the mixture Relevant identified uses: Adhesives

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Manufacturer / Supplier:

D.R.T

30 rue Gambetta

BP 90206

F-40105 DAX Cedex

FRANCE

Tel: 33 (0)558 566 200 Email: fds@drt.fr

Supplier: PINOVA Inc. 2801 Cook Street Brunswick, Georgia, USA 31520

Email: msds@pinovasolutions.com

Emergency telephone number:

CHEMTREC (24/24 - 7/7) International: +1 703 527 3887 From US: 1 800 424 9300

2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · **US label elements** The substance is classified and labeled according to the US system.
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

· Precautionary statements

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P234 Keep only in original container.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P284 [In case of inadequate ventilation] wear respiratory protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

(Contd. on page 2)

(Contd. of page 1)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/12/2021 Printing date 11/12/2021

Trade name: DERCOLYTE® A 115

P337+P313 If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing. P362

P402+P404 Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep container tightly closed. P403+P233

Dispose of contents/container in accordance with local/regional/national/international regulations.

Information pertaining to particular dangers for man and environment:

Prolonged or repeated exposure to vapours/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or breathing difficulty.

HOT MOLTEN product: Burns may cause irreversible eye injury and blindness. Causes skin burns.

Product may burn if ignited.

- · Classification system:
- NFPA ratings (scale 0-4)



Health = 1 Fire = 1Reactivity = 0

· HMIS ratings (scale 0-4)



Health = 1 Fire = 1

Reactivity = 0

HEALTH =

FIRE =

REACTIVITY =

PERSONAL PROTECTION = see Section 8 of this MSDs

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not PBT.
- · vPvB: Not determined.

3 Composition/information on ingredients

- · Chemical characterization: Substance polymer
- · CAS Number:

31393-98-3 Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane

Additional information:

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

If this product is heated or used at temperatures sufficient to produce smoke or fumes, refer to SDS

Section 8. Exposure Controls/Personal Protection

· **Description:** alpha-pinene, beta-pinene copolymer

4 First-aid measures

· After inhalation:

Supply fresh air. If symptoms are experienced, get medical attention.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately rinse with plenty of water.

Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation occurs.

In case of hot product spashes on the skin, cool immediately with plenty of water during 15 minutes and seek medical advice.

(Contd. on page 3)



Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

(Contd. of page 2)

· After eye contact:

Immediately rinse with plenty of water. Remove contact lenses, if present and easy to do. Hold eyelids apart and flush eyes with plenty of cool low-pressure water for 15 minutes. Consult an ophthalmologist.

If eye contact with hot product: Do not open eyelids if covered with resins. Immediately flush eyes with large amounts of water for at least 15 minutes. Do not remove solidified material from burned eye as the damaged tissues can be easily torn. Transfer immediately to hospital.

After swallowing:

Do not induce vomiting. If the person is conscious, immediately rinse out mouth with water.

- No adverse health effects are expected from accidental ingestion of small amounts of this product. In case of lasting symptoms, consult a doctor.
- For ingestion of large amounts: do not induce vomiting and get medical attention.
- · Most important symptoms and effects, both acute and delayed No data available.
- · Indication of any immediate medical attention and special treatment needed

For HOT MOLTEN or HOT LIQUID product: Material should not be forcibly removed from the skin.

Mineral oil may be used to loosen and soften the material.

5 Fire-fighting measures

Suitable extinguishing agents:

Carbon dioxyde (CO₂), foam, fire-extinguishing powder, water spray.

Fight large fires with water spray or foam.

- · Special hazards arising from the substance or mixture In case of fire, may release irritant and toxic fumes.
- · Advice for firefighters
- · Protective equipment:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus.

· Additional information: Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Provide adequate ventilation

Avoid formation of dust.

· Environmental precautions:

Do not allow product to reach soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (soil, waterways, drains or sewers).

· Methods and material for containment and cleaning up

Pick up mechanically.

Avoid as much as you can the formation of dust.

Collect and seal in an appropriate container properly labelled for disposal.

Reference to other sections

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1: Substance is not listed.

· PAC-2: Substance is not listed.

· **PAC-3:** Substance is not listed.

7 Handling and storage

Precautions for safe handling

Wear appropriate personal protective equipment. Provide adequate ventilation in the workplace.

Prevent formation of dust.

Provide suction extractors if dust is formed.

For HOT MOLTEN or HOT LIQUID product: Use personal protective equipment as indicated in Section 8.

(Contd. on page 4)

(Contd. of page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

· Information about protection against explosions and fires

Protect against electrostatic charges.

Use only non-sparking tools.

Protect from heat.

Keep ignition sources away.

· Conditions for safe storage

Store if possible under cover in a cool well-ventilated location.

Store only in the original receptacle.

Avoid dust formation close to sources of ignition.

Protect from heat and direct sunlight.

Provide storage areas with suitable ventilation to eliminate dusts.

Ground all equipment.

Blanket vessel with inert gas when emptying bags where flammable vapors may be present.

Ground operator and pour material slowly into conductive, grounded chute.

For large bags (1000 lbs or greater) a ground cable MUST be attached to the bag ground connection.

- · Further information about storage conditions
- · Recommended storage temperature:

Store at a temperature between 5 and 35 °C.

This product can be spoiled irreversibly if subjected to freezing temperatures or to prolonged heat.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

Occupational Exposure Values for dust, particulates

ACGIH TLV TWA

- total dust 10 mg/m³
- respirable dust 3 mg/m³

OSHA PEL TWA

- total dust 15 mg/m³
- respirable dust 5 mg/m³
- · Additional information: This sheet is based on the current valid lists.
- · Exposure controls
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Provide local exhaust or general room ventilation to minimize exposure to dust.

Immediately remove all soiled and contaminated clothing.

Avoid contact with eyes and skin.

Breathing equipment:

Appropriate respiratory protection is required when exposure to airborne contaminants may exceed acceptable limits. Respirators should be selected and used in accordance with OSHA, Subpart I (29 CFR 1910.134) and manufacturers recommendations.

Protection of hands:

Protective, impervious gloves resistant to chemicals (standard EN 374-1). They should be replaced regularly and if there is any indication of degradation or chemical breakthrough.

Eye protection: Safety Goggles

· Body protection:

Protective work clothing

Personnel exposed to HOT MOLTEN or HOT LIQUID material should wear protective clothing that provides protection against thermal burns. Required Protective Equipment: a) Long-sleeved protective shirt, long pants and work shoes; b) Hard hat and face shield; c) Long-cuff impervious gloves (Gauntlet type extending beyond wrist); d) Lined rain suit with protective hood or shoulder shroud or e) Full aluminized or thermal suit with hood.

– US



Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

(Contd. of page 4)

9 Physical	and	chemical	properties
------------	-----	----------	------------

Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Color:
Yellowish
Odor:
Odorless
Odor threshold:
Not applicable

PH-value:
Not applicable.

· Change in condition

Boiling point/Boiling range: Not determined. **Softening point R&B:** 115 °C (239 °F)

• Flash point: >200 °C (>392 °F) (closed cup)

· Auto-ignition temperature: Not determined

· Decomposition temperature: Not determined

Danger of explosion: The substance does not contain any chemical groups associated with explosive properties. In the form supplied, the product is not explosive.

However fine dust clouds may form explosive mixtures with air.

• Oxidizing properties The substance does not contain any chemical groups associated with oxidising properties.

Not determined.

· Specific gravity:

Relative density at 20 °C (68 °F) 1.0

· Solubility in / Miscibility with

Water: Not soluble or slightly soluble.

· Partition coefficient (n-octanol/water): Not determined

· Viscosity:

· Vapor pressure:

Dynamic: Not applicable.

· Additional information No other data

10 Stability and reactivity

- · Reactivity No data from specific reactivity tests are available for this product or this class of product.
- · Chemical stability Product stable under storage and handling conditions according to specifications (see section 7).
- · Possibility of hazardous reactions

In the form supplied, the product is not explosive; however, dust production may induce risk of explosion.

- · Conditions to avoid Keep away from heat and sources of ignition.
- Incompatible materials: No data available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD₅₀/LC₅₀ values that are relevant for classification:

Oral LD₅₀ >2,000 mg/kg (rat) OECD 401

(Contd. on page 6)



Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

(Contd. of page 5)

· Primary irritant effect:

on the skin:

The substance was very slightly irritating in rabbit (OECD 404). However, based on available data, the classification criteria are not met.

on the eye:

Fine particles and powder may cause eye irritation by mechanical effect.

However, based on available data, the classification criteria are not met.

Sensitization:

The substance is not classified as no evidence of a skin sensitization response was observed with a structurally related substance in a Guinea Pig Maximisation Test (GPMT - OECD 406

- · Mutagenicity/genotoxicity: No data available.
- · Carcinogenicity: No data available.
- · Reproductive toxicity: No data available.
- · Specific target organ toxicity single exposure: No data available.
- Specific target organ toxicity repeated exposure: No data available.
- · Aspiration hazard: Not applicable (solid).
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Aquatic toxicity:

Tests carried out with a structurally related substance:

Reliable short-term aquatic toxicity values have been determined in tests conducted with water-accommodated fractions (WAFs). This method was developed for slightly soluble substances; the initial loading rate of the substance is significantly higher than the solubility in water. LL_{50} and EL_{50} , similar to LC_{50} and EC_{50} , are obtained.

EL₅₀ (48 h), Dapnia magna: > 100 mg/L (nominal concentration - OECD 202)

NOELr (48 h), Daphnia magna: > 100 mg/L (nominal concentration - OECD 202)

· Persistence and degradability

The substance is not readily biodegradable (OECD 301 B conducted with a structurally related substance).

- · Bioaccumulative potential No data available.
- · Mobility in soil No data available.
- · Results of PBT and vPvB assessment
- · PBT: Not PBT.
- · vPvB: Not determined.
- · Other adverse effects No data available.

13 Disposal considerations

- · Waste treatment methods National and regional regulations have to be adhered to.
- · Recommendation:

Dispose of waste material in accordance with all federal, state and local regulations.

The product has to be disposed of in an authorised incinerator, according to regulation.

- · Uncleaned packagings:
- · Recommendation: Packaging has to be sent to an authorised waste treatment facility, for recycling or disposal.

14 Transport information	
· UN-Number	Not classified as a dangerous good under transport regulation.
· DOT	Void

(Contd. on page 7)



Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

	(Contd. of page
· UN proper shipping name · DOT	Not classified as a dangerous good under transport regulation. Void
· Transport hazard class(es)	
DOT	
· Class	Void
· ADR, IMDG, IATA	
· Class	Not classified as a dangerous good under transport regulation.
· Packing group	Not applicable.
DOT	Void
· Environmental hazards:	Not classified as a dangerous good under transport regulation.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex I	ll of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- · SARA Section 355 (extremely hazardous substances) Substance is not listed.
- · SARA Section 313 (specific toxic chemical listings) Substance is not listed.
- TSCA (Toxic Substances Control Act) ACTIVE
- · Prop 65 Chemicals known to cause cancer or reproductive toxicity Substance is not listed.
- · Cancerogenicity categories
- · EPA (Environmental Protection Agency) 12th Report on Carcinogens Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · **US label elements** The substance is classified and labeled according to the US system.
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

· Precautionary statements

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.

P234 Keep only in original container.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing.

P402+P404 Store in a dry place. Store in a closed container.

(Contd. on page 8)



Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

(Contd. of page 7)

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations: Canadian Domestic substances List (DSL): Substance is listed

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Version 2.0

· Emergency telephone numbers (other countries)

CHEMTREC In-Country Numbers (24/24 - 7/7) Argentina (Buenos Aires): +54 (0)11 5983 9431

Australia (Sydney): +61 (0)2 9037 2994 Bahrain (Bahrain): +973 1619 9372 Belgium (Brussels): +32 (0)2 808 32 37 Brazil (Rio de Janeiro): +55 21 3958 1449

Canada*: 1 800 424 9300

Chile (Santiago): +56 (0)22 581 4934

China*: 4001 204 937

Czech Republic (Prague): +420 228 880 039

Colombia*: 01 800 710 2151 France: +33 (0)975 18 14 07 Germany*: 0 800 181 7059

Hong Kong* (Hong Kong): 800 968 793 Hungary (Budapest): +36 (06)1 808 8425

India*: 000 800 100 7141 Indonesia*: 001 803 017 9114 Israel (Tel Aviv): +972 (0)3 763 0639

Italy*: 800 789 767

Italy (Milan): +39 02 4555 7031 Japan (Tokyo): +81 (0)3 4520 9637

Malaysìa*: 1 800 815 308 Mexico*: 01 800 681 9531 Netherlands: +31 (0)858 880 596 Peru (Lima): +51 1 707 1295 Philippines*: 1 800 1 116 1020 Poland (Warsaw): +48 22 398 80 29

Singapore*: 800 101 2201 Singapore: +65 3158 1349 South Africa*: 0 800 983 611 South Korea*: 00 308 13 2549

Spain*: 900 86 85 38

Sweden (Stockholm): +46 (0)8 5250 3403

Switzerland: +41 (0)43 508 20 11

Taiwan*: 00801 14 8954 Thailand*: 001 800 13 203 9987

United Kingdom (London): +44 (0)870 820 0418

USA*: 1 800 424 9300

(*) Phone numbers for countries marked with an asterisk must be dialed within the country.

- · Department issuing technical data sheet: Regulatory Affairs Department
- · Contact: reach@drt.fr
- · Date of preparation / last revision 11/12/2021 / -

· Abbreviations and acronyms:

NTP: National Toxicology Program

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration (Department of Labour)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 9)



Printing date 11/12/2021 Reviewed on 11/12/2021

Trade name: DERCOLYTE® A 115

TWA: 8-hour Time Weighted Average

(Contd. of page 8)

- · Sources Literature and company data
- · Data compared to the previous version: Section 1 & 3: the chemical identity of the substance was modified

...