

# SAFETY DATA SHEET

## K-FLEX PG



Version            Revision Date:            SDS Number:            Date of last issue: 05/25/2022  
2.0                09/28/2023                203000020600            Country / Language: US / EN

---

### SECTION 1. IDENTIFICATION

Product name                                : K-FLEX PG  
Product code                                : 000000000062609679

#### Manufacturer or supplier's details

Company                                        : LANXESS Corporation  
    Product Safety & Regulatory Affairs  
    111 RIDC Park West Drive  
    Pittsburgh, Pennsylvania 15275-1112

Responsible Department                    : (800) LANXESS  
    (412) 809-1000  
    lanxesshes@lanxess.com

Emergency telephone                        : CHEMTREC (800) 424-9300 or  
    (703) 527-3887 (Outside U.S.A) and mention CCN12916.  
    Lanxess Emergency Phone (800) 410-3063.

#### Recommended use of the chemical and restrictions on use

Recommended use                            : Plasticizer

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

|| Not a hazardous substance or mixture.

#### GHS label elements

|| No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture                        : Substance  
Substance name                                : propane-1,2-diyl dibenzoate

#### Components

|| No hazardous ingredients

---

# SAFETY DATA SHEET

## K-FLEX PG



---

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	09/28/2023	203000020600	05/25/2022
			Country / Language: US / EN

---

---

### SECTION 4. FIRST AID MEASURES

- |   |   |   |
|---|---|---|
| If inhaled  | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.  |
| In case of skin contact                                     | : | Wash off with soap and water.<br>If symptoms persist, call a physician.   |
| In case of eye contact                                      | : | Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Get medical attention if symptoms appear.                     |
| If swallowed  | : | Rinse mouth with water.<br>Do not induce vomiting unless directed to do by medical personnel.<br>Get medical attention if symptoms occur. |
| Most important symptoms and effects, both acute and delayed | : | None known.   |
| Protection of first-aiders                                  | : | No action shall be taken involving any personal risk or without suitable training.  |
| Notes to physician  | : | Treat symptomatically.<br><br>Treat symptomatically.  |

---

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |  |
|---------------------------------------|---|--|
| Suitable extinguishing media          | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.   |
| Unsuitable extinguishing media        | : | None known.  |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses.  |
| Hazardous combustion products         | : | Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide   |
| Further information                   | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.<br>No action shall be taken involving any personal risk or without suitable training. |

# SAFETY DATA SHEET

## K-FLEX PG



Version            Revision Date:            SDS Number:            Date of last issue: 05/25/2022  
2.0                09/28/2023                203000020600            Country / Language: US / EN

---

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Put on appropriate personal protection equipment.  
Do not touch or walk through spilled material.  
Evacuate unnecessary personnel.  
Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Move containers from spill area.  
Stop leak if safe to do so.  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Dispose of wastes in an approved waste disposal facility.  
Do not allow into the sewerage system, surface waters or groundwater or into the soil.

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.  
Workers should wash hands and face before eating, drinking and smoking.  
Put on appropriate personal protection equipment.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage : Store in accordance with local regulations.  
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.  
Keep containers sealed until ready for use.  
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.  
Do not store in unlabeled containers.  
Use appropriate container to avoid environmental contamination.

---

# SAFETY DATA SHEET

## K-FLEX PG



Version      Revision Date:      SDS Number:      Date of last issue: 05/25/2022  
2.0          09/28/2023          203000020600      Country / Language: US / EN

---

Further information on storage stability : No decomposition if stored and applied as directed.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

|| Contains no substances with occupational exposure limit values.

**Engineering measures** : If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

#### Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.  
No personal respiratory protective equipment normally required.

#### Hand protection

Material : Fluorinated rubber - FKM  
Break through time : <= 8 h  
Wearing time : < 60 min

Eye protection : Tightly fitting safety goggles

Skin and body protection : Wear suitable protective clothing.  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat, drink or smoke.  
Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.  
Remove contaminated clothing and protective equipment before entering eating areas.  
Appropriate techniques should be used to remove potentially contaminated clothing.  
Wash contaminated clothing before reusing.  
Ensure that eyewash stations and safety showers are close to the workstation location.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

# SAFETY DATA SHEET

## K-FLEX PG



Version 2.0      Revision Date: 09/28/2023      SDS Number: 203000020600      Date of last issue: 05/25/2022  
Country / Language: US / EN

---

Physical state : liquid

Color : colourless to light-yellow

Odor : slightly aromatic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : -6 °F / -21 °C

Boiling point/boiling range : > 563 °F / > 295 °C  
Decomposition: Decomposes below the boiling point.

Flash point : 280 °F / 138 °C  
Method: Pensky-Martens closed cup

Evaporation rate : < 1  
(Butyl Acetate=1.0)

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 0.0006 hPa (77 °F / 25 °C)

Relative vapor density : Heavier than air.

Relative density : 1.14

Density : 1.14 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)  
Water solubility : slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : log Pow: 3.9  
Method: OECD Test Guideline 117

Ignition temperature : > 752 °F / > 400 °C

# SAFETY DATA SHEET

## K-FLEX PG



Version 2.0      Revision Date: 09/28/2023      SDS Number: 203000020600      Date of last issue: 05/25/2022  
Country / Language: US / EN

---

Decomposition temperature : No data available

Viscosity  
  Viscosity, dynamic : No data available

  Viscosity, kinematic : 71 mm<sup>2</sup>/s (77 °F / 25 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 43.5 mN/m, 77 °F / 25 °C

Molecular weight : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 2,946 mg/kg  
Method: Calculation method

Acute toxicity estimate: 2,947 mg/kg  
Method: Calculation method

#### Skin corrosion/irritation

Not classified based on available information.

# SAFETY DATA SHEET

## K-FLEX PG



Version      Revision Date:      SDS Number:      Date of last issue: 05/25/2022  
2.0          09/28/2023          203000020600      Country / Language: US / EN

---

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Carcinogenicity**

Not classified based on available information.

**IARC**            No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**            No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**             No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

#### **STOT-single exposure**

Not classified based on available information.

#### **STOT-repeated exposure**

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

# SAFETY DATA SHEET

## K-FLEX PG



Version      Revision Date:      SDS Number:      Date of last issue: 05/25/2022  
2.0          09/28/2023          203000020600      Country / Language: US / EN

---

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers retain product residue; observe all precautions for product. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### Domestic regulation

#### **49 CFR**

Not regulated as a dangerous good

#### **Hazard and Handling Notes.**

Not dangerous cargo

---



# SAFETY DATA SHEET

## K-FLEX PG



Version 2.0      Revision Date: 09/28/2023      SDS Number: 203000020600      Date of last issue: 05/25/2022  
Country / Language: US / EN

---

Keep away from acids and oxidizing agents  
Keep separated from foodstuffs

---

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Massachusetts Right To Know

benzene	71-43-2	< 0.001
---------	---------	---------

##### Pennsylvania Right To Know

1,2-Propanediol, 1,2-dibenzoate	19224-26-1	70 - 90
1,2-Propane glycol monobenzoate	37086-84-3	5 - 10
benzoic acid	65-85-0	< 1
toluene	108-88-3	< 0.1

##### California Prop. 65

WARNING: This product can expose you to chemicals including benzene, which is/are known to the State of California to cause cancer, and toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Any chemical(s) listed above which do not appear elsewhere on this SDS are contained in this product at concentrations below 0.001.

#### TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# SAFETY DATA SHEET

## K-FLEX PG




Version: 2.0      Revision Date: 09/28/2023      SDS Number: 203000020600      Date of last issue: 05/25/2022  
Country / Language: US / EN

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET

## K-FLEX PG



Version	Revision Date:	SDS Number:	Date of last issue: 05/25/2022
2.0	09/28/2023	203000020600	Country / Language: US / EN

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/28/2023

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.