according to 29 CFR § 1910.1200

# TALLOW FATTY ACID

Version 1.0 Revision Date 03/31/2022



#### **SECTION 1. IDENTIFICATION**

**Product identifier** 

Trade name : TALLOW FATTY ACID

Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Manufacture of plastics products

stance/Mixture Polymer additive

Lubricant and release agent

Recommended restrictions

on use

: None known.

Manufacturer or supplier's details

Company name of supplier : Baerlocher Production USA LLC

513-604-2327

Address : 5890 Highland Ridge Drive

Cincinnati OH 45232

Emergency telephone num-

ber

CHEMTREC: 1-800-424-9300 (inside U.S.) / 1-703 527-3887

(outside U.S.) Collect calls are accepted

E-mail address : Hotline.PS@baerlocher.com Responsible/issuing person : Product Safety Department

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Combustible dust : Category 1

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Other hazards

Health injuries are not known or expected under normal use.

Combustible material

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Fatty acid C16 - C18.

27742 1/12

according to 29 CFR § 1910.1200

# **TALLOW FATTY ACID**

Version 1.0 Revision Date 03/31/2022



#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse with plenty of water.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Get medical advice/ attention if you feel unwell.

Show this safety data sheet to the doctor in attendance.

Most important symptoms and effects, both acute and

delayed

No information available.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Sand

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Smoke and fumes, toxic.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Avoid dust formation.

Remove all sources of ignition.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

Methods and materials for containment and cleaning up

: Use mechanical handling equipment.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

27742 2/12

according to 29 CFR § 1910.1200

# TALLOW FATTY ACID



Version 1.0 Revision Date 03/31/2022

Avoid formation and buildup of dust.

Conditions for safe storage : Store at room temperature in the original container.

Keep in a dry place.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
General limits for air contaminants (PNOC)	Not Assigned	air 8 h (total dust)	15 mg/m3	OSHA Z-3
		air 8 h (Respirable fraction)	5 mg/m3	OSHA Z-3
		air 8 h (in- halable dust)	10 mg/m3	ACGIH
		air 8 h (Res- pirable frac- tion)	3 mg/m3	ACGIH

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : P1 filter respirator for inert particles

Hand protection

Material : Protective gloves complying with EN 374.

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing

Protective measures : Static dissipative shoes are recommended for use in envi-

ronments that may not have sufficient ventilation and engineering controls to prevent incidental releases of airborne concentrations of the combustible dust to present an explosion hazard from static electrical discharge from personnel.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Do not smoke.

When using do not eat or drink.

Wash hands before breaks and at the end of workday. Regular cleaning of equipment, work area and clothing.

27742 3/12

according to 29 CFR § 1910.1200

# TALLOW FATTY ACID

Version 1.0 Revision Date 03/31/2022



#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : flakes

Color : off-white

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 180 °C(GESTIS database)

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : practically insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

27742 4/12

according to 29 CFR § 1910.1200

# **TALLOW FATTY ACID**



Version 1.0 Revision Date 03/31/2022

Reactivity : Stable at normal ambient temperature and pressure.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous reac-

tions

Combustible material

Dust can form an explosive mixture in air.

Conditions to avoid : Avoid dust formation.

Keep away from heat and sources of ignition.

Incompatible materials : Not applicable

Hazardous decomposition

products

No decomposition if used as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

#### **Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Read-across (Analogy)

LC50 (Rat): > 0.1621 mg/l Exposure time: 4 h Test atmosphere: vapour

Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 434

Remarks: Based on available data, the classification criteria

are not met.

#### Skin corrosion/irritation

# **Product:**

Species: Rabbit

Method: standardised international/national methodology

Result: No skin irritation

GLP: no

Remarks: Based on available data, the classification criteria are not met.

27742 5/12

according to 29 CFR § 1910.1200

# **TALLOW FATTY ACID**

Version 1.0 Revision Date 03/31/2022



#### Serious eye damage/eye irritation

#### **Product:**

Species: Rabbit Result: not irritating

Method: standardised international/national methodology

GLP: no

Remarks: Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### **Product:**

Remarks: Skin sensitisation

Remarks: Read-across (Analogy)

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation Not classified due to lack of data.

#### Germ cell mutagenicity

## **Product:**

Genotoxicity in vitro : Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Species: Bacteria

Method: OECD Test Guideline 471

Result: negative GLP: yes

: Remarks: Read-across (Analogy)

: Test Type: In vitro gene mutation study in mammalian cells

Species: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative GLP: yes

: Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Species: CHL

Method: OECD Test Guideline 473

Result: negative GLP: yes

27742 6/12

# **TALLOW FATTY ACID**





Version 1.0

Remarks: Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### **Product:**

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

#### Reproductive toxicity

#### **Product:**

Effects on fertility : Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight General Toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity

Species: Rat

Application Route: Oral NOAEL: 1,000 mg/kg,

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

Effects on foetal develop-

ment

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Developmental Toxicity: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

1,000 mg/kg

Method: OECD Test Guideline 422

GLP: yes

27742 7/12

#### **BAERLOCHER USA**

# according to 29 CFR § 1910.1200 **TALLOW FATTY ACID**



Version 1.0 Revision Date 03/31/2022

> Remarks: Based on available data, the classification criteria are not met.

#### STOT - single exposure

#### **Product:**

Remarks: Based on available data, the classification criteria are not met.

#### Repeated dose toxicity

#### **Product:**

Remarks: Read-across (Analogy)

Species: Rat

NOAEL: 1,000 mg/kg Application Route: Oral

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

#### **Aspiration toxicity**

#### **Product:**

Based on available data, the classification criteria are not met.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Product:**

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

> Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 203

GLP: no

LC50 (Leuciscus idus (Golden orfe)): > 5,000 mg/l

Exposure time: 96 h Method: Expert judgement

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 32 mg/l

Exposure time: 47 h Test Type: static test

Method: standardised international/national methodology

GLP: yes

EC50 (Daphnia magna (Water flea)): > 4.8 mg/l

Exposure time: 48 h Test Type: static test

8**/**12 27742

according to 29 CFR § 1910.1200

# **TALLOW FATTY ACID**

BAERLOCHER

Version 1.0 Revision Date 03/31/2022

Method: OECD Test Guideline 202

GLP: yes

LC50 (Artemia salina): > 20 mg/l

Exposure time: 48 h

Toxicity to algae

Remarks: Read-across (Analogy)

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.9

ma/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: Read-across (Analogy)

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.9

mg/l

Exposure time: 72 h
Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic tox-

icity)

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

Remarks: study scientifically unjustified

Remarks: Read-across (Analogy)

NOEC (Daphnia magna (Water flea)): > 0.22 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Toxicity to bacteria : EC10 (Pseudomonas putida): 883 mg/l

Exposure time: 16 h Test Type: static test

Method: standardised international/national methodology

GLP: yes

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Based on available data, the classification criteria are not met.

Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

Persistence and degradability

**Product:** 

Biodegradability : Remarks: Read-across (Analogy)

27742 9/12

according to 29 CFR § 1910.1200

# **TALLOW FATTY ACID**



Version 1.0 Revision Date 03/31/2022

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: Read-across (Analogy)

Mobility in soil

Product:

Mobility : Method: QSAR

Remarks: Predicted distribution to environmental compart-

: Based on available data, the classification criteria are not met.

ments Sediment Soil

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

Endocrine disrupting poten-

tial

No information available.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. En-

sure disposal in compliance with government requirements

and ensure conformity to local disposal regulations.

Dispose in accordance with local, state and federal regula-

tions.

Contaminated packaging : Empty containers must be handled with care due to product

residue.

#### **SECTION 14. TRANSPORT INFORMATION**

## **National Regulations**

DOT

Not regulated as a dangerous good

International Regulations

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

27742 10/12

# according to 29 CFR § 1910.1200

# **TALLOW FATTY ACID**



Version 1.0 Revision Date 03/31/2022

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

**SARA 313** 

: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
not applicable	Not Assigned	

#### The components of this product are reported in the following inventories:

EINECS	listed
TSCA	listed
DSL	listed
AICS	listed
ENCS	listed
ECL	listed
PICCS	listed
CHINA	listed

## **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil A viation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Admin-

27742 11**/**12

# BAERLOCHER

# **TALLOW FATTY ACID**


Version 1.0

Revision Date 03/31/2022

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### NFPA:



#### HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 03/31/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a gui dance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

27742 12**/**12