

SAFETY DATA SHEET

LICOWAX OP P

Page 1

Substance key: SXR021420
Version : 4 - 10 / USA

Revision Date: 07/16/2024
Date of printing :08/29/2024

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Corporation 500 East Morehead Street Charlotte, NC, 28202 Telephone No.: +1 704 331 7000
	Information of the substance/preparation: Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
	Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: LICOWAX OP P
Material number: 105207

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243 Take precautionary measures against static discharge.
P233 Keep container tightly closed.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Do not give anything to drink.
Call a physician immediately.
- Most important symptoms and effects, both acute and delayed : No symptoms known currently.
No hazards known at this time.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Water spray jet
Dry powder
- Unsuitable extinguishing media : High volume water jet
Carbon dioxide (CO₂)
- Specific hazards during firefighting : None known.
- Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
- Special protective equipment for firefighters : Wear personal protective equipment.
In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
- Environmental precautions : The product should not be allowed to enter drains, water

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

courses or the soil.

Methods and materials for containment and cleaning up : Take up mechanically
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Risk of dust explosion.
Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take precautionary measures against build-up of electrostatic charges, e.g earthing during loading and off-loading operations.
Keep away sources of ignition.
Dust can form an explosive mixture in air.

Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.
Lead off electrostatic charges.
Avoid inhalation, ingestion and contact with skin and eyes.
Wash thoroughly after handling.

Use personal protective equipment.
Avoid breathing dust.
Avoid contact with skin and eyes.
Wash thoroughly after handling.
Store in a dry place.
Keep away from heat.
Store in original container.
Keep container tightly closed.

Further information on storage conditions : Store in original container.
Keep container tightly closed.
Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Engineering measures : Local ventilation recommended - mechanical ventilation may be used.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

Hand protection
Remarks : Nitrile rubber gloves.

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

- Eye protection : Safety glasses or chemical splash goggles.
- Skin and body protection : Wear suitable protective equipment.
- Protective measures : When working with hot material, avoid contact with skin.
- Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat, drink or smoke.
Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Colour : light yellow
- Odour : No information available.

not specified
- Odour Threshold : cannot be determined
- pH : approx. 7 (68 °F / 20 °C)
saturated aqueous solution

(as aqueous solution) no data available
- Drop point : approx. 210 °F / 99 °C
Method: DIN/ISO 2176
- Boiling point : no data available

Decomposes below the boiling point.
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : The product is not flammable.
Method: 92/69/EC (L383) A.10 * flammability (solids)
- Self-ignition : Method: Expert judgement
Not relevant
- Burning number : 1
Method: VDI 2263, ESCIS, Vol. 1

SAFETY DATA SHEET

LICOWAX OP P

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

	Does not catch fire
Upper explosion limit / upper flammability limit	: not tested.
	Not applicable
Lower explosion limit / Lower flammability limit	: not tested.
	Not applicable
Vapour pressure	: 0.000044 Pa (68 °F / 20 °C) Method: OECD Test Guideline 104 GLP: yes
	0.000079 Pa (77 °F / 25 °C) Method: OECD Test Guideline 104 GLP: yes
	0.0011 Pa (122 °F / 50 °C) Method: OECD Test Guideline 104 GLP: yes
Relative vapour density	: Not applicable
	Not applicable
Relative density	: 1.02 (68 °F / 20 °C) Method: ISO 1183
Density	: approx. 1.02 g/cm ³ (73 °F / 23 °C) Method: ISO 1183
Solubility(ies)	
Water solubility	: 5 mg/l (68 °F / 20 °C) pH: 7 Method: OECD Test Guideline 105
	no data available
Solubility in other solvents	: not tested.
Partition coefficient: n-octanol/water	: log Pow: approx. 2.0 (68 °F / 20 °C) Method: OECD Test Guideline 107 GLP: no
Auto-ignition temperature	: Not applicable
	Not applicable
Decomposition temperature	: No decomposition if used as directed.

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

Viscosity	
Viscosity, dynamic	: approx. 300 mPa.s (248 °F / 120 °C) Method: DIN 53019
Viscosity, kinematic	: Not applicable
Explosive properties	: There are no chemical groups associated with explosive properties present in the molecule.
Oxidizing properties	: The substance or mixture is not classified as oxidizing. There are no chemical groups associated with oxidising properties present in the molecule. not oxidizing
Surface tension	: Based on chemical structure, no surface activity is expected or can be predicted.
Sublimation point	: Not applicable
Dust deflagration index (Kst)	: 150 m.b_/s
Dust explosion class	: St1
Minimum ignition energy	: 13 mJ Method: Mike 3 apparatus with inductive electrical resistance
Particle size	: approximately < 700 µm Method: Laser diffraction with dispersion in dry air.
Particle Size Distribution	: D10 = 42.1 µm D50 = 163 µm D90 = 394 µm Measurement technique: laser diffraction

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. The product melts below 160 °C. Therefore, no further testing of self-heating properties is required. The substance or mixture does not emit flammable gases in contact with water. Not corrosive to metals Stable
Conditions to avoid	: Keep away from heat. Keep away from flames and sparks.

Substance key: SXR021420
Version : 4 - 10 / USA

Revision Date: 07/16/2024
Date of printing :08/29/2024

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: By analogy with a product of similar composition

Acute inhalation toxicity : Remarks: not required

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: By analogy with a product of similar composition

Skin corrosion/irritation

Product:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : By analogy with a product of similar composition

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation
Exposure time : 24 h
Method : OECD Test Guideline 405
GLP : yes
Remarks : By analogy with a product of similar composition

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Dermal

LICOWAX OP P

Page 8

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

Species : Mouse
Method : OECD Test Guideline 429
Result : Not a skin sensitizer.
GLP : yes
Remarks : By analogy with a product of similar composition

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 4 - 10000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Concentration: 0,3 - 35 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 4,4 - 560 µf/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity**Product:**

Species : Rat, male and female
Application Route : oral (gavage)
Exposure time : 2 a
Dose : 0, 50, 500 mg/kg bw/day
Control Group : yes
Frequency of Treatment : daily
500 mg/kg bw/day
Method : OECD Test Guideline 451
GLP : no data available
Remarks : By analogy with a product of similar composition

LICOWAX OP P

Page 9

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

Species : Rat, male and female
 Application Route : oral (gavage)
 Exposure time : 2 a
 Dose : 0, 50, 500, 1500 mg/kg
 Control Group : yes
 Frequency of Treatment : daily for 5 days/week
 : 1,500 mg/kg bw/day
 Method : OECD Test Guideline 451
 GLP : yes
 Remarks : By analogy with a product of similar composition

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Product:**

Effects on fertility : Test Type: One generation study
 Species: Rat, male and female
 Strain: Sprague-Dawley
 Application Route: oral (gavage)
 Dose: 0, 10, 100, 1000 mg/kg
 Frequency of Treatment: 1 daily
 General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight
 General Toxicity F1: NOAEL: 1,000 mg/kg body weight
 Method: OECD Test Guideline 421
 GLP: yes
 Remarks: By analogy with a product of similar composition

Effects on foetal development : Test Type: Pre-natal
 Species: Rat, female
 Strain: Sprague-Dawley
 Application Route: oral (gavage)
 Dose: 0, 50, 250, 1000 mg/kg
 Duration of Single Treatment: 13 d
 Frequency of Treatment: 1 daily
 General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
 Teratogenicity: NOAEL: 1,000 mg/kg body weight
 Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
 Method: OECD Test Guideline 414
 GLP: yes
 Remarks: By analogy with a product of similar composition

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Product:**

Species : Rat, male and female
NOAEL : 1000 mg/kg bw/day
Application Route : oral (gavage)
Exposure time : >70 d
Number of exposures : daily
Dose : 0, 10, 100, 1000 mg/kg
Control Group : yes
Method : OECD Test Guideline 422
GLP : yes
Remarks : By analogy with a product of similar composition

Aspiration toxicity**Product:**

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 g/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.

SAFETY DATA SHEET

LICOWAX OP P

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

LC0 (Danio rerio (zebra fish)): 10 g/l

End point: mortality

Exposure time: 96 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: yes

Remarks: By analogy with a product of similar composition

The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 g/l
End point: Immobilization

Exposure time: 48 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: yes

Remarks: By analogy with a product of similar composition

The details of the toxic effect relate to the nominal concentration.

NOEC (Daphnia magna (Water flea)): 10 g/l

End point: Immobilization

Exposure time: 48 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: yes

Remarks: By analogy with a product of similar composition

The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

ErC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l

End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic) : Remarks: not required

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

toxicity)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 100 mg/l
End point: Reproduction rate
Exposure time: 21 d
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 211
GLP: yes
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.

Toxicity to microorganisms : EC50 (activated sludge): > 10 g/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil
NOEC (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
End point: mortality
Method: OECD Test Guideline 207
GLP: yes

Test Type: artificial soil
LOEC (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
End point: mortality
Method: OECD Test Guideline 207
GLP: yes

Persistence and degradability**Product:**

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 4 mg/l
Result: Inherently biodegradable.
Biodegradation: 22 % (Biochemical oxygen demand)
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Physico-chemical removability : Remarks: The product is not readily biodegradable according to OECD criteria but is inherently biodegradable.

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Low potential for bioaccumulation (log Pow < 3).

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: Not expected to adsorb on soil.

Other adverse effects**Product:**

Environmental fate and pathways : Remarks: not available

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

The product should not be allowed to enter drains, water courses or the soil.
Avoid release to the environment.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

RCRA - Resource Conservation and Recovery Act : This product, if discarded as sold, is not a Federal RCRA hazardous waste.

Waste Code : NONE

Waste from residues : Small quantities may be treated in aerobic wastewater treatment systems. Larger quantities may be incinerated or landfilled after solidification in permitted systems.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

Substance key: SXR021420
Version : 4 - 10 / USA

Revision Date: 07/16/2024
Date of printing :08/29/2024

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.


This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****Full text of other abbreviations**

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 07/16/2024

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance

SAFETY DATA SHEET



LICOWAX OP P

Page 16

Substance key: SXR021420

Revision Date: 07/16/2024

Version : 4 - 10 / USA

Date of printing :08/29/2024

with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN